

**RDVHDLW 5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN-
minoxidil aerosol, foam
Guangzhou Borderless Technology Co., Ltd.**

85304-020 RDVHDLW 5% Minoxidil Hair Growth Foam with Biotin

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair of the scalp

Flammable:keep away from fire or flame.

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs.

If you do not see hair regrowth in 6 months.

Keep out of reach of children.If swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222) right away.

1.Hold the bottle upside down and gently press the valve to dispense foam onto your hand or a cold surface, approximately half a capful in size.











2.Massage the foam into your scalp with your fingers, parting your hair into rows to ensure even application to areas of thinning hair. Finally, wash your hands thoroughly.

3.Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months.

cetyl alcohol

citric acid

glycerin
isobutane
lactic acid
polysorbate 60
purified water
SD alcohol 40-B
stearyl alcohol
butane
edetate disodium

<p>Drug Facts</p> <p>Active Ingredient Minoxidil 5% w/w Biotin 5% w/w</p> <hr/> <p>Use to improve hair of the scalp</p> <p>Warnings Harmless Keep away from fire or flames. Keep out of reach of children. For external use only.</p> <p>Do not use if</p> <ul style="list-style-type: none"> Your hair has become suddenly and/or partially bald. Your hair loss is associated with childbirth. You are under 18 years of age. Do not use on babies and children. Your scalp is red, inflamed, infected, irritated, or painful. You use other medicines on the scalp. <p>When Using</p> <ul style="list-style-type: none"> Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. Some people have experienced changes in hair color after hair loss. It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some men, you may need to use this product before you see results. The amount of hair growth is different for each person. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> Head pain, rapid heartbeat, dizziness, or dizziness occurs. Sudden, unexplained weight gain occurs. Unwanted facial hair growth occurs. If you do not see hair regrowth in 6 months. <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions</p> <ol style="list-style-type: none"> Shake the bottle upside down and gently press the valve to dispense foam from your hand or onto surface, approximately half a cupful or size. Massage the foam into your scalp with your fingers, parting your hair into two ensure even application to areas of thinning hair. Thoroughly wash your hands thoroughly. Use Twice Daily and enjoy thicker, fuller hair growth in as little as 3 to 6 months. <p>Other information</p> <p>Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 20°C to 25°C (68°F to 77°F). Do not increase the dose. Do not expose it to heat or store it at temperatures above 40°C (104°F).</p> <p>Inactive ingredients alcohol, cetyl acid, glycerin, isostearyl alcohol, polyoxylate 10, purified water, SD alcohol, stearyl alcohol, butane, edetate disodium</p> <p>Questions? Support@RDVHDLW.com</p>	<p>DIRECTIONS FOR USE See Information leaflet with complete directions on how to use the product and obtain the best results.</p>  <p>1.PREP HANDS WITH COLD WATER</p> <hr/>  <p>2.OPEN THE CAP</p> <hr/>  <p>3.DISPENSE VERTICALLY ONTO A COLD SURFACE</p> <hr/>  <p>4.APPLY TO SCALP, NOT HAIR</p>	<p>RDVHDLW®</p> <h1>Minoxidil Topical Aerosol, 5% (Foam)</h1> <h2>Hair Regrowth Treatment</h2> <h3>For Men and Women</h3> <div style="text-align: center;">  </div> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  Reactivates Hair Follicles to Stimulate Regrowth </div> <div style="text-align: center;">  Clinically Proven to Help Regrow Hair </div> </div> <div style="display: flex; justify-content: space-between; align-items: center; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;"> <p>With Biotin</p> <p>7~60g (2.11 oz) Cans</p> </div> </div> <div style="margin-top: 20px;"> <p>Seven 60g (2.11 oz) Cans TOTAL 420 g (14.77oz)</p> </div>
--	---	---

RDVHDLW 5% MINOXIDIL HAIR GROWTH FOAM WITH BIOTIN

minoxidil aerosol, foam

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-020
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 g
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CITRIC ACID (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
BUTANE (UNII: 6LV4FOR43R)	

CETYL ALCOHOL (UNII: 936JST6JCN)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID (UNII: 33X04XA5AT)	
ALCOHOL (UNII: 3K9958V90M)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-020-01	7 in 1 PACKAGE	10/22/2025	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/22/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-020)

Revised: 10/2025

Guangzhou Borderless Technology Co., Ltd.