

**FORTICEPT HP ANTISEPTIC WOUND CLEANSER- benzalkonium chloride,
allantoin spray
Lidan, inc.**

Forticept HP Antiseptic Wound Cleanser

DRUG FACTS

Active Ingredient/Purpose

BENZALKONIUM CHLORIDE - 0.2% (ANTISEPTIC)
ALLANTOIN - 0.3% (SKIN PROTECTAN)

Uses:

Helps cleanse and protect skin and supports healing of minor cuts, scrapes, bumps and wounds. Topical antiseptic - to help decrease the risk of infection.

Topical antiseptic - to help decrease the risk of wound and skin infections.

WARNINGS:

For external use only!

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately

Do not use

- in large quantities, particularly over raw surfaces or blistered areas

Ask doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- avoid contact with eyes

Stop use and ask doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

Directions:

Adults and children 2 years of age and older:

- use the spray to clean cuts, scrapes, wounds and burns by thoroughly flushing the affected area
- let air dry
- cover with adhesive bandage or sterile gauze
- apply a small amount of this product on the area 1 to 2 times daily

Inactive Ingredients:

COCAMIDE MEA, COCAMIDOPROPYL BETAINE, DISODIUM COCOAMPHODIACETATE, GLYCERIN, PANTHENOL, POLIHEXANIDE, WATER

Storage and handling:

Keep container closed when not in use.
Store at room temperature 68° - 77°F (20° - 25°C)

For Questions:

Please call: +1 212 709-8133
Lidan, Inc.
30 Wall Street, 8th Floor
New York, NY 10005
www.forticept.com



Maximum Strength Antiseptic Wound Cleanser

(Benzalkonium Chloride 0.2% & Allantoin 0.3%)



Advanced Polymer Technology with Panthenol

- First-Aid Antiseptic
- pH Balance
- pH Promote Healing

FOR EXTERNAL USE ONLY
4 Fl. oz./118 mL

Forticept® HP Antiseptic Wound Cleanser

Drug Facts

Active Ingredient	Purpose
Benzalkonium Chloride (0.2%)	Antiseptic
Allantoin (0.3%)	Skin Protector

Uses:

Helps cleanse and protect skin and supports healing of minor cuts, scrapes, burns and wounds. Topical antiseptic - to help decrease the risk of infection.

Warnings:

For external use only

Do not use in large quantities over raw surfaces or blistered areas

When using this product avoid contact with eyes.

Ask doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Discontinue Use and ask doctor if condition worsens or symptoms persist for more than 7 days, or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center.

Directions:

For adults and children 2 years of age and older:

Use this spray to clean cuts, scrapes, wounds, and burns by thoroughly flushing the affected area. Let air dry.

cover with adhesive bandage or sterile gauze

apply a small amount of this product on the area 1 to 2 times daily

For children under 2 years of age: please, consult a doctor

Storage & Handling:

Keep container closed when not in use.

Store at room temperature 68° - 77°F (20° - 25°C)

Inactive Ingredients:

Cocamidopropyl Betaine, Cocamide MEA, Disodium Cocoamphodiacetate, Glycerin, Disodium Cocoamphodiacetate, Panthenol, Polihexanide, Water

LIDAN, INC. 30 WALL STR. 8th FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM



For questions, please call:
+1 (212) 709-8133



MADE IN USA

Forticept® is registered Trademark of Lidan, Inc. all rights reserved 2016



**Maximum Strength
Antiseptic Wound Cleanser**
(Benzalkonium Chloride 0.2% & Allantoin 0.3%)



**Advanced Polymer Technology
with Panthenol**

- First-Aid Antiseptic
- pH Balance
- pH Promote Healing

FOR EXTERNAL USE ONLY
4 Fl. oz./118 mL

Forticept® HP Antiseptic Wound Cleanser

LIDIAN, INC. 30 WALL STR. 5th FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

Drug Facts	
Active Ingredient	Purpose
Benzalkonium Chloride (0.2%)	Antiseptic
Allantoin (0.3%)	Skin Protector
Uses: Helps cleanse and protect skin and supports healing of minor cuts, scrapes, burns and wounds. Topical antiseptic - to help decrease the risk of infection.	
Warnings: For external use only Do not use in large quantities over raw surfaces or blistered areas When using this product avoid contact with eyes. Ask doctor before use if you have deep or puncture wounds, animal bites, or serious burns Discontinue Use and ask doctor if condition worsens or symptoms persist for more than 7 days, or clear up and occur again within a few days Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center.	
Directions: For adults and children 2 years of age and older: Use this spray to clean cuts, scrapes, wounds, and burns by thoroughly flushing the affected area let air dry cover with adhesive bandage or sterile gauze apply a small amount of this product on the area 1 to 2 times daily For children under 2 years of age: please, consult a doctor	
Storage & Handling: Keep container closed when not in use. Store at room temperature 68° - 77°F (20° - 25°C)	
Inactive Ingredients: Cocamidopropyl Betaine, Cocamide MEA, Disodium Cocoamphodiacetate, Glycerin, Disodium Cocoamphodiacetate, Panthenol, Polihexanide, Water	



For questions, please call:
+1 (212) 709-8133



MADE IN USA

Forticept® is registered Trademark of Lidian, Inc. all rights reserved 2016

FORTICEPT HP ANTISEPTIC WOUND CLEANSER			
benzalkonium chloride, allantoin spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72127-0807
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)		BENZALKONIUM CHLORIDE	0.002 kg in 1 kg
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII: 344S277G0Z)		ALLANTOIN	0.003 kg in 1 kg
Inactive Ingredients			
Ingredient Name			Strength
COCO MONOETHANOLAMIDE (UNII: C80684146D)			

COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
DISODIUM COCOAMPHODIACETATE (UNII: 18L9G3U51M)	
GLYCERIN (UNII: PDC6A3C0OX)	
PANTHENOL (UNII: WW9CM0O67Z)	
POLIHEXANIDE (UNII: 322U039GMF)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0807-0	0.114 kg in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/12/2020	

Labeler - Lidan, inc. (014456716)

Registrant - Lidan, inc. (014456716)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(72127-0807) , api manufacture(72127-0807) , label(72127-0807) , pack(72127-0807)

Revised: 3/2025

Lidan, inc.