SODIUM SULFACETAMIDE WASH 10%- sodium sulfacetamide liquid Gabar Health Sciences Corp.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sodium Sulfacetamide Wash 10%

INDICATIONS: Sodium Sulfacetamide 10% Wash is intended for topical application in the following scaling dermatoses: seborrheic dermatitis and seborrhea sicca (dandruff). It also is indicated for the treatment of secondary bacterial infections of the skin due to organisms susceptible to sulfonamides.

DIRECTIONS FOR USE: Wash affected areas twice daily(morning and evening) or as directed by your physician. Rinse thoroughly and pat dry. **See package insert for complete product information**.

FOR EXTERNAL USE ONLY. NOT FOR INTRAVAGINAL OR OPHTHALMIC USE. (KEEP AWAY FROM EYES).

KEEP THIS AND ALL MEDICATION OUT OF REACH OF CHILDREN.

In case of accidental ingestion contact a poison control center immediately. Keep container tightly closed.

CONTRAINDICATIONS:Sodium Sulfacetamide 10% Wash is contraindicated in persons with known or suspected hypersensitivity to sulfonamides.

Each gram contains 100 mg of sodium sulfacetamide USP in a vehicle consisting of: citric acid, cocamidopropyl betaine, disodium EDTA, glyceryl stearate, methylparaben, PEG-6 caprylic/capric glycerides, PEG-60 almond glycerides, PEG-150 pentaerythrityl tetrastearate, polysorbate 60, purified water, sodium lauryl sulfate, sodium thiosulfate and xanthan gum.

Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F). See USP Controlled Room. Protect from freezing.

See bottle for lot number and expiration date.

Manufactured for and distributed by: Gabar Health Sciences Corp Atlanta, GA 30354

Adverse Reaction

Although rare, sodium sulfacetamide may cause local irritation.

Call your doctor for medical advice about side effects.

To report a serious adverse event or obtain product information, call 1-470-737-9424.

SODIUM SULFACETAMIDE 10% WASH

(sodium sulfacetamide 10%)

Rx Only

FOR EXTERNAL USE ONLY.

NOT FOR OPHTHALMIC USE.

Description: Each gram contains 100 mg of sodium sulfacetamide USP in a vehicle consisting of: citric acid, cocamidopropyl betaine, disodium EDTA, glyceryl stearate, methylparaben, PEG-6 caprylic/capric glycerides, PEG-60 almond glycerides, PEG-150 pentaerythrityl tetrastearate, polysorbate 60, purified water, sodium lauryl sulfate, sodium thiosulfate and xanthan gum.

HOW SUPPLIED: Sodium Sulfacetamide Wash 10% is available in a 16 fl oz (454g) bottle, NDC 82429-127-16.

Manufactured for and distributed by Gabar Health Sciences Corp.

Atlanta, GA 30354

Rev 4/23

NDC 82429-127-16

Rx Only



Sodium Sulfacetamide 10%

INDICATIONS: Sodium Sulfacetamide 10% Wash is indicated for the topical control of acne vulgaris, acne rosacea and seborrheic dermatitis.

DIRECTIONS FOR USE: Wash affected area once or twice daily, or as directed by your physician. Avoid contact with eyes or mucous membranes. Wet skin and apply to areas to be cleansed, massage gently into skin for 10-20 seconds working into a full lather, rinse thoroughly and pat dry. If drying occurs, it may be controlled by rinsing cleanser off sooner or using less often. See package insert for complete product information.

FOR EXTERNAL USE ONLY. NOT FOR INTRAVAGINAL OR OPHTHALMIC USE. (KEEP AWAY FROM EYES).
KEEP THIS AND ALL MEDICATION OUT OF REACH OF CHILDREN.

In case of accidental ingestion contact a poison control center immediately. Keep container tightly closed.

CONTRAINDICATIONS: Sodium Sulfacetamide 10% Wash is contraindicated in persons with know or suspected hypersensitivity to sulfonamides, sulfur or any other component of this preparation. Sodium Sulfacetamide 10% Wash is not to be used by patients with kidney disease.

CAUTION: If redness or irritaiton occurs, discontinue use.

Each gram contains 100 mg of sodium sulfacetamide USP in a vehicle consisting of: citric acid, cocamidopropyl betaine, disodium EDTA, glyceryl stearate, methylparaben,PEG-6 caprylic/capric glycerides, PEG-60 almond glycerides, PEG-150 pentaerythrityl tetrastearate, polysorbate 60, purified water, sodium lauryl sulfate, sodium thiosulfate and xanthan gum.

Store at 20° to 25° C (68° to 77°F). See USP Controlled Room Temperature. Protect from freezing.

Manufactured for and distributed by: Gabar Health Sciences Corp. 1 Hartsfield Center Parkway Atlanta, GA 30354

Questions? 1-470-737-9424 www.gabarhealthsciences.com Rev. 04-2023-00

3 8 2 4 2 9 1 2 7 1 6 3

WASHNet Wt. 16 oz (454g)

LOT

SODIUM SULFACETAMIDE WASH 10%

sodium sulfacetamide liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:82429-127
Route of Administration	TOPICAL		

ı	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
	SULFACETAMIDE SODIUM (UNII: 4NRT660KJQ) (SULFACETAMIDE - UNII:4965G3J0F5)	SULFACETAMIDE SODIUM	100 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CAPRYLOCAPROYL POLYOXYLGLYCERIDES 6 (UNII: GO50W2HWO8)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
PEG-150 PENTAERYTHRITYL TETRASTEARATE (UNII: 8L4OOQ76AM)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0KO0R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM THIOSULFATE (UNII: HX1032V43M)	
XANTHAN GUM (UNII: TTV12P4NEE)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82429-127- 16	454 g in 1 BOTTLE; Type 0: Not a Combination Product	04/05/2023	

Marketing II	Marketing Information		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/05/2023	

Labeler - Gabar Health Sciences Corp. (118401847)

Registrant - Gabar Health Sciences Corp. (118401847)