

IODINE TINCTURE MILD- iodine and sodium iodide and alcohol liquid
Humco Holding Group, Inc.

Humco Iodine Ticture Mild, USP

Drug Facts

Active ingredient

Iodine 2%

Purpose

First Aid Antiseptic

Active ingredient

Sodium Iodide 2.4%

Purpose

First Aid Antiseptic

Active ingredient

Alcohol 47%

Purpose

First Aid Antiseptic

Indications

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns
- Flammable: Keep away from sparks heat and flame

Stop use and consult doctor if

- the condition persists or gets worse, or if using for longer than one week

When using this product

- do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids
- do not apply over large areas of the body

Keep out of reach of children.

In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount on the area 1 to 3 times daily
- may be covered with sterile bandage
- if bandaged let dry first

Other information

- will stain skin and clothing

Inactive ingredient

Purified Water

Old Label

Drug Facts	
Active ingredient Iodine 2%, Sodium Iodide 2.4%, Alcohol 47%.....	Purpose First Aid Antiseptic
Indications First aid to help prevent infection in minor cuts, scrapes and burns	
Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns ■ Flammable: Keep away from sparks heat and flame	
Stop use and consult a doctor if ■ the condition persists or gets worse, or if using for longer than one week.	
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids ■ do not apply over large areas of the body	
Keep out of reach of children. In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately. <p style="text-align: right;">Continued ▶</p>	



Drug Facts (continued)
Directions ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first
Other information ■ will stain skin and clothing
Inactive ingredient Purified Water

REV.100308.RLG

HUMCO, Texarkana, TX 75501
Questions or Comments? ☎1-800-662-3435
"We Help People Feel Better"

✦ Go to: www.simplehomeremedies.com
to find helpful hints, and learn more about Iodine Tincture Mild.

New Label

Drug Facts	
Active ingredients Iodine 2%, Sodium Iodide 2.4%	Purpose First Aid Antiseptic
Indications ■ First aid to help prevent infection in minor cuts, scrapes and burns	
Warnings ■ For external use only Flammable: Keep away from spark, heat or flame	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week.	
When using this product ■ If contact occurs with eyes, flush with large amounts of water while lifting upper and lower lids. <p style="text-align: right;">Continued ▶</p>	

IODINE TINCTURE

MILD 2%

ALCOHOL 47%

HUMCO
A trusted name in home health care

First Aid

USP

FIRST AID ANTI-SEPTIC

Flammable: Keep from spark, heat or flame.

1 FL oz (30 mL)

(Drug facts continued)
Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.
Directions ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.
Other information ■ will stain skin or clothing
Inactive ingredients ■ Alcohol 47%, Purified Water
Questions or Comments? ☎1-800-662-3435
HUMCO, Texarkana, TX 75501

R101017

Drug Facts	
Active ingredient	Purpose
Iodine Tincture USP 2%....	First Aid Antiseptic
Uses First aid to help prevent infection in minor cuts, scrapes and burns.	
Warnings	
For external use only. Flammable, keep away from fire or flame.	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns.	
Stop use and ask a doctor if • the condition persists or gets worse. • Do not use longer than 1 week unless directed by a doctor.	
When using this product • do not use in eyes. If contact occurs flush with large amounts of water while lifting upper and lower lids. • Do not apply over large areas of the body.	
<i>Continued</i> ▶	

IODINE TINCTURE
MILD 2%
ALCOHOL 47%



*Safety Sealed

Flammable:
Keep from
spark,
heat or flame.

1 fl oz
(29.5 mL)

Drug Facts (continued)
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. (1-800-222-1222)
Directions Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.
Other Information Will stain skin and clothing.
Inactive Ingredient Purified Water

Distributed by: Humco
Austin, TX 78701 U.S.A.
1-800-662-3435

REV03/06



IODINE TINCTURE MILD

iodine and sodium iodide and alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-1213
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20.4 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	470 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-1213-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/14/2017	
2	NDC:0395-1213-91	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/14/2017	
3	NDC:0395-1213-55	208000 mL in 1 DRUM; Type 0: Not a Combination Product	02/21/2014	12/19/2020

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/1979	

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-1213) , analysis(0395-1213) , pack(0395-1213) , label(0395-1213)

Revised: 12/2025

Humco Holding Group, Inc.