ANTIBIOTIC AND PAIN RELIEF- bacitracin, neomycin, polymyxin b, pramoxine hcl ointment Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Corporation Antibiotic + Pain Relief Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days

rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

• store at 20-25°C (68-77°F)

Inactive ingredient

white petrolatum

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients of Neosporin® + Pain Relief

MAXIMUM STRENGTH

first aid antibiotic + pain relief ointment

bacitracin zinc – neomycin sulfate – polymyxin B sulfate – pramoxine HCl

first aid antibiotic/pain relieving ointment

helps prevent infection and for temporary relief of pain due to minor cuts, scrapes and burns

NET WT 1 OZ (28 g)





Compare to the active ingredients of Neosporin® + Pain Relief

MAXIMUM STRENGTH

first aid antibiotic + pain relief ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine HCl

first aid antibiotic/pain relieving ointment

helps prevent infection and for temporary relief of pain due to minor cuts, scrapes and burns

NET WT 1 OZ (28 g)



MAXIMUM STRENGTH

first aid

antibiotic + pain relief ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine HCl

helps prevent infection and for temporary relief of pain due to minor cuts, scrapes and burns

first aid antibiotic/pain relieving ointment



MAXIMUM STRENGTH

first aid

antibiotic + pain relief ointment

bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine HCl

first aid antibiotic/pain relieving ointment

helps prevent infection and for temporary relief of pain due to minor cuts, scrapes and burns

NET WT 1 OZ (28 g)

*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

DISTRIBUTED BY: RITE AID 30 HUNTER LANE CAMP HILL, PA 17011









MAXIMUM STRENGTH

first aid

antibiotic + pain relief ointment

Drug Facts

Active ingredients (in each gram) Purpose Polymyxin B 10,000 units as polymyxin B sulfate...... First aid antibiotic Pramoxine HCl 10 mg......External analoesio

Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

■ cuts ■ scrapes

Warnings

serious burn s

For external use only

- Do not use
- if you are allergic to any of the ingredients
- in the eyes over large areas of the body
- Ask a doctor before use if you have
- deep or puncture wounds animal bites

you need to us e longer than 1 week condition persists orgets worse

- Drug Facts (continued) Stop use and ask a doctor if
- symptoms persist for more than 1 week, or clear up and occur again within
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-80 0-222-1222)

- adults and children 2 year so fage or older:
- dean the affected area.
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with as brile bandage

■ children under 2 years of age: ask a doctor

Other information store at 20-25°C (68-77°F)

Inactive ingredient white petrolatum


Questions or comments? 1-800-719-9260

ANTIBIOTIC AND PAIN RELIEF

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Product Information

NDC:11822-0444 HUMAN OTC DRUG Item Code (Source) Product Type



Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89 Y4M234ES) (BACITRACIN - UNII:58 H6 RWO 52I)	BACITRACIN	500 [USP'U] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g	
PRAMO XINE HYDRO CHLO RIDE (UNII: 88 AYB867L5) (PRAMO XINE - UNII: 068 X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics			
Color	YELLOW (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0444-1	1 in 1 CARTON	02/18/2009	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11822-0444-2	1 in 1 CARTON	08/17/2005	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:11822-0444-3	2 in 1 CARTON	06/08/2017	
3		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	08/17/2005	

Labeler - Rite Aid Corporation (014578892)

Revised: 6/2017 Rite Aid Corporation