

PHARMA C WIPES 70 ISOPROPYL ALCOHOL- isopropyl alcohol liquid
Kleen Test Products Corporation

Pharma C Wipes 70% Isopropyl Alcohol Spray

Drug Facts

Active ingredient

Isopropyl alcohol 70%

Purpose

First aid antiseptic

Use[s]

first aid to help prevent the risk of infection in:

- minor cuts • scrapes • burns

Warnings

For external use only. FlammableKeep away from heat or flame.

Will produce serious gastric disturbances if taken internally.

Ask a doctor before use if you have

- deep or puncture wounds • animal bites • serious burns

When using this product

• do not get in eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Caution

- Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid getting this product.

Directions

- clean the affected area
- apply product on the affected area of the body 1 to 3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

- does not contain, nor is intended to be a substitute for ethyl or grain alcohol
- store at room temperature




Inactive ingredient

purified water

Questions or comments?

1-844-308-8600

Package Labeling:

 <p>70% Isopropyl Alcohol Spray</p> <p>First Aid Antiseptic Helps prevent the risk of infection in minor cuts and abrasions</p> <p>WARNING FLAMMABLE  Keep away from heat, spark, electrical, fire or flame</p> <p>Use only in a well ventilated area; fumes may be harmful.</p> <p>3 FL OZ (88 mL)</p>	<table border="1"> <tr> <td colspan="2">Drug Facts</td> </tr> <tr> <td>Active ingredient</td> <td>Purpose</td> </tr> <tr> <td>Isopropyl alcohol 70%</td> <td>First aid antiseptic</td> </tr> <tr> <td colspan="2">Use[s] first aid to help prevent the risk of infection in:</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ▪ minor cuts ▪ scrapes ▪ burns </td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2"> For external use only. Flammable. Keep away from heat or flame. Will produce serious gastric disturbances if taken internally. </td> </tr> <tr> <td colspan="2">Ask a doctor before use if you have</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ▪ deep or puncture wounds ▪ animal bites ▪ serious burns </td> </tr> <tr> <td colspan="2">When using this product</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ▪ do not get in eyes ▪ do not apply over large areas of the body ▪ do not use longer than 1 week unless directed by a doctor </td> </tr> <tr> <td colspan="2">Stop use and ask doctor if condition persists or gets worse.</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2">Caution - Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ▪ clean the affected area ▪ apply product on the affected area of the body 1 to 3 times a day ▪ may be covered with a sterile bandage ▪ if bandaged, let dry first </td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ▪ does not contain, nor is intended to be a substitute for ethyl or grain alcohol ▪ store at room temperature </td> </tr> <tr> <td colspan="2">Inactive ingredients purified water</td> </tr> <tr> <td colspan="2">Questions or comments? 1-844-308-8600</td> </tr> </table> <div style="text-align: right; margin-top: 10px;">  <p>0 13099 03791 8</p> </div> <p>©2021 Manufactured by Cleanfinty Brands Port Washington, WI 53074 U.S.A. ▪ www.Pharma-C.com 15-11276</p>	Drug Facts		Active ingredient	Purpose	Isopropyl alcohol 70%	First aid antiseptic	Use[s] first aid to help prevent the risk of infection in:		<ul style="list-style-type: none"> ▪ minor cuts ▪ scrapes ▪ burns 		Warnings		For external use only. Flammable. Keep away from heat or flame. Will produce serious gastric disturbances if taken internally.		Ask a doctor before use if you have		<ul style="list-style-type: none"> ▪ deep or puncture wounds ▪ animal bites ▪ serious burns 		When using this product		<ul style="list-style-type: none"> ▪ do not get in eyes ▪ do not apply over large areas of the body ▪ do not use longer than 1 week unless directed by a doctor 		Stop use and ask doctor if condition persists or gets worse.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Caution - Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.		Directions		<ul style="list-style-type: none"> ▪ clean the affected area ▪ apply product on the affected area of the body 1 to 3 times a day ▪ may be covered with a sterile bandage ▪ if bandaged, let dry first 		Other information		<ul style="list-style-type: none"> ▪ does not contain, nor is intended to be a substitute for ethyl or grain alcohol ▪ store at room temperature 		Inactive ingredients purified water		Questions or comments? 1-844-308-8600	
Drug Facts																																									
Active ingredient	Purpose																																								
Isopropyl alcohol 70%	First aid antiseptic																																								
Use[s] first aid to help prevent the risk of infection in:																																									
<ul style="list-style-type: none"> ▪ minor cuts ▪ scrapes ▪ burns 																																									
Warnings																																									
For external use only. Flammable. Keep away from heat or flame. Will produce serious gastric disturbances if taken internally.																																									
Ask a doctor before use if you have																																									
<ul style="list-style-type: none"> ▪ deep or puncture wounds ▪ animal bites ▪ serious burns 																																									
When using this product																																									
<ul style="list-style-type: none"> ▪ do not get in eyes ▪ do not apply over large areas of the body ▪ do not use longer than 1 week unless directed by a doctor 																																									
Stop use and ask doctor if condition persists or gets worse.																																									
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																									
Caution - Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or on mucous membranes. Avoid inhaling this product.																																									
Directions																																									
<ul style="list-style-type: none"> ▪ clean the affected area ▪ apply product on the affected area of the body 1 to 3 times a day ▪ may be covered with a sterile bandage ▪ if bandaged, let dry first 																																									
Other information																																									
<ul style="list-style-type: none"> ▪ does not contain, nor is intended to be a substitute for ethyl or grain alcohol ▪ store at room temperature 																																									
Inactive ingredients purified water																																									
Questions or comments? 1-844-308-8600																																									

PHARMA C WIPES 70 ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55239-327
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55239-327-00	88 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/01/2022	

Labeler - Kleen Test Products Corporation (168165814)

Revised: 11/2023

Kleen Test Products Corporation