

PAIN RELIEVING- lidocaine patch
Medhome Pharma Inc

Lidocaine 4% Purpose: Topical Anesthetic

Topical Anesthetic

For temporary relief of pain

For external use only

localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering

Conditions worsen

Symptoms persists for more than 7 days

Symptoms clear up and occur again within a few days

Use only as directed

Avoid contact with the eyes, mucous membranes or rashed

Do not bandage tightly

More than 1 patch at a time

On wounds or damaged skin

With a heating pad

If you are allergic to any ingredients of this product

localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering

Conditions worsen

Symptoms persists for more than 7 days

Symptoms clear up and occur again within a few days

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Adult and Children 12 years of age and over:

Clean and dry affected area

Remove film from patch and apply to the skin (see illustration)

Apply 1 patch at a time to affected area, not more than 3 to 4 times daily

Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

This is a strip, patch dosage form.

The active ingredient strength is 4% w/w.

One patch one time, no more than 8 hours one time.

Glycerin, Sodium Polyacrylate, Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Kaolin, Titanium Dioxide, Polysorbate 80, Propylene Glycol, Tartaric Acid, Polyacrylic Acid, Polyvinylpyrrolidone K90, Methylparaben, Propylparaben, Water

Avoid storing product in direct sunlight
Protect product from excessive moisture



PAIN RELIEVING

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84007-160
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TARTARIC ACID (UNII: W4888I119H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
KAOLIN (UNII: 24H4NWX5CO)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POVIDONE K90 (UNII: RDH86HJV5Z)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84007-160-15	15 in 1 BOX	10/23/2025	
1	NDC:84007-160-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:84007-160-30	30 in 1 BOX	10/23/2025	
2	NDC:84007-160-01	12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/23/2025	

Labeler - Medhome Pharma Inc (129936136)

Registrant - Medhome Pharma Inc (129936136)

Revised: 10/2025

Medhome Pharma Inc