

PAIN RELIEVEING GEL-PATCH- lidocaine patch

Bullet point LLC

Adults and children 12 years old and over:

- Clean and dry the affected area.
- Apply 1 patch to the affected area.
- Do not exceed 1 patch at a time.
- Leave in place for up to 8 hours.
- Do not use more than 1 patch in 24 hours unless directed by a doctor.

Children under 12 years old: ask a doctor.

For external use only

Dihydroxyaluminum Aminoacetate, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

For temporary relief of pain.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control.

Topical anesthetic.

OPEN HERE

ACTIVE INGREDIENT (IN EACH PATCH)

Lidocaine 4% Topical anesthetic

USE

Temporary relief of minor pain

WARNINGS

- For external use only
- Do not apply to broken, irritated, or swollen skin
- Keep out of reach of children and pets
- See carton for full Drug Facts and ingredient list

DIRECTIONS

Adults and children 12 years and over:
Clean and dry affected area. Apply one patch for up to 8 hours. Do not use more than 2 patches in 24 hours.

Children under 12: ask a doctor.

Discard after single use.

OTHER INFORMATION

Store in a clean, dry place.
Protect from excessive moisture.

Manufactured for:
NOVEHA®
Pharmaceuticals LLC, Maryland
21215 USA

www.noveha.com



Child-Resistant Packaging

Made in China

6

OPEN HERE

NDC# XXX XXXXXX

NOVEHA®

LIDOCAINE 4% PAIN RELIEVING GEL-PATCH



Temporary relief of pain in:

Back • Neck • Shoulders • Knees & Elbows

UP TO 8 HOURS
OF APPLICATION



NUMBING
RELIEF



UNSCENTED



30
PATCHES
5.5" X 3.94"
(14CM X 10CM)

MAXIMUM OTC STRENGTH

PAIN RELIEVING GEL-PATCH

Lidocaine 4%

Desensitize aggravated nerves for temporary relief of pain
• Back • Neck • Shoulders • Knees & Elbows
1 Patch 5.5" x 3.94" (14cm x 10cm) Apply for 8 hours

Drug Facts	
Active Ingredients	Purpose
Lidocaine 4%	Topical anesthetic
Uses: For temporary relief of pain	
Warnings: For external use only	
Do not use: More than 1 patch at a time • On wounds or damaged skin • For more than one week without consulting a doctor • If you are allergic to any ingredients of this product.	
When using this product: Use only as directed	
• Avoid contact with the eyes, mucous membranes or rashes	
• Do not bandage tightly	
Stop use and ask a doctor if:	
• Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering	
• Conditions worsen	
• Symptoms persist for more than 7 days	
• Symptoms clear up and occur again within a few days	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
Adult and Children 12 years of age and over:	
• Clean and dry affected area	
• Remove film from patch and apply to the skin (see illustration)	
• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily	
• Remove patch from the skin after at most 8-hour application	
Children under 12 years of age: Consult a doctor	
Other Information	
• Avoid storing product in direct sunlight	
• Protect product from excessive moisture.	
Inactive Ingredients	
Dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyethylene glycol, polyacrylic acid, polyvinylpyrrolidone K90, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water	
Contact Us	
Tel: 1-888-898-8834	

DIRECTIONS:



1. Separate the protective film.



2. Remove one side of the film.



3. Apply patch to skin.



4. Remove remaining film.



5. Press firmly in place.



CHILD-RESISTANT
PACKAGING

Manufactured for:
NOVEHA® Pharmaceuticals
LLC, Maryland 21215 USA

Made in China



LOT
EXP

NOVEHA®

NDC# XXX XXXXXX

NOVEHA®

LIDOCAINE 4% PAIN RELIEVING GEL-PATCH



Temporary relief of pain in:

Back • Neck • Shoulders • Knees & Elbows

UP TO 8 HOURS
OF APPLICATION



UNSCENTED



30
PATCHES
5.5" X 3.94"
(14CM X 10CM)

MAXIMUM OTC STRENGTH

For best results, use NOVEHA® patches alongside these simple daily habits:



Drink water to support joints.



Take breaks from long sitting.



Keep good posture every day.

Relief made simple with NOVEHA®.

PAIN RELIEVEING GEL-PATCH

lidocaine patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84008-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
TARTARIC ACID (UNII: W4888I119H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
GLYCERIN (UNII: PDC6A3C0OX)	
KAOLIN (UNII: 24H4NWX5CO)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84008-001-02	30 in 1 BOX	11/03/2025	
1	NDC:84008-001-01	12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M017	11/03/2025	

Labeler - Bullet point LLC (118190100)

Registrant - Bullet Point LLC (118190100)

Establishment

Name	Address	ID/FEI	Business Operations
ShanghaiChuangshiMedicalTechnology(Group)Co.,Ltd.		546872672	manufacture(84008-001) , label(84008-001)

Revised: 10/2025

Bullet point LLC