

**WALGREENS PAIN RELIEVING LIDOCAINE- lidocaine patch**  
**Walgreen Co.**

-----  
**Walgreens Pain Relieving Lidocaine Patch**

**Active ingredient**

Lidocaine 4%

**Purpose**

Topical anesthetic

**Use**

For the temporary relief of pain.

**Warnings**

**For external use only**

**Do not use**

- more than 1 patch on your body at a time
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- Use only as directed
- Read and follow all directions and warnings on this carton
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membrane
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch
- **NOTE:** patches may not adhere as well to all individuals, skin types, or certain parts of the body.

**Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

ask a physician before use

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- **Adults and children 12 years and older:** clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area
- once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin
- do not remove patch and reapply, this will result in the patch not sticking
- avoid strenuous exercise while wearing patch, this will result in patch not sticking
- do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- **Children under 12 years of age:** ask a doctor.

**Other information**

Store at room temperature - do not exceed 86° Fahrenheit, 30 ° Celsius.

**Inactive ingredients**

Aluminium Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Povidone, Propylene Glycol, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

**Principal Display Panel - 3.94 IN x 5.51 IN Carton Label**

Walgreens

Compare to the active ingredient in Aspercreme<sup>®</sup> Maximum Strength Lidocaine Patch ††

Pain Relieving Lidocaine Patch

Lidocaine 4% / Topical Anesthetic

Maximum OTC Strength\*

Medicated

Odor Free

- Desensitizes aggravated nerves & relieves pain
- Flexible adhesive patch
- Single-use application

5 PATCHES

3.94 IN x 5.51 IN

(10 cm x 14 cm) EACH



## WALGREENS PAIN RELIEVING LIDOCAINE

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-6727
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYACRYLIC ACID (8000 MW)</b> (UNII: 73861X4K5F)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ALUMINUM GLYCINATE</b> (UNII: 1K713C615K)	
<b>WATER</b> (UNII: 059QF0K0OR)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6727-05	5 in 1 BOX	02/10/2026	
1		13 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/10/2026	

**Labeler** - Walgreen Co. (008965063)

Revised: 3/2026

Walgreen Co.