

# **TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment**

**Fred's, Inc.**

-----  
**Triple Antibiotic**

## ***Drug Facts***

---

<b><i>Active ingredients (in each gram)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

---

## **Uses**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

## **Warnings**

**For external use only.**

### **Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

### **Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### **Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

### **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum

### **Questions?**

Call **1-866-923-4914**

**DISTRIBUTED BY: fred's, Inc.  
4300 NEW GETWELL RD,  
MEMPHIS, TN 38118**

### **PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

fred's  
Pharmacy

NDC 55315-180-56

Compare to the  
Active Ingredients in  
Neosporin<sup>®</sup>\*

TRIPLE ANTIBIOTIC  
OINTMENT

ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.  
NET WT 1 oz (28.4g)

fred's  
Pharmacy

NDC 55315-180-56

Compare to the  
Active Ingredients in  
Neosporin<sup>®</sup>

# TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns. NET WT 1 oz (28.4g)

fred's  
Pharmacy

# TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

# TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns. NET WT 1 oz (28.4g)

fred's  
Pharmacy  
TRIPLE ANTIBIOTIC  
OINTMENT ORIGINAL STRENGTH  
Bacitracin Zinc USP • Neomycin Sulfate USP  
Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

LPK-8887-0  
1118-0  
55

T51  
B50,3  
ENG19,13

100% satisfaction  
guaranteed  
Questions or comments:  
1-855-331-FRED (3733)



NO VARNISH/NO AQ  
NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

www.fredsincc.com  
MEMPHIS, TN 38118  
4300 NEW GETWELL RD,  
DISTRIBUTED BY: fred's, Inc.

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin<sup>®</sup>  
Made in Canada

<p><b>Drug Facts</b> (continued)</p> <p><b>Active ingredients (in each gram) Purpose</b> Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic</p> <p><b>Uses</b> • first aid to help prevent infection in minor: • cuts • scrapes • burns</p> <p><b>Warnings</b> For external use only. Do not use • if you are allergic to any of the ingredients • in the eyes • over large areas of the body</p> <p><b>Ask a doctor before use if you have</b> • deep or puncture wounds • animal bites • serious burns</p> <p><b>Stop use and ask a doctor if</b> • you need to use longer than 1 week • condition persists or gets worse • rash or other allergic reaction develops</p> <p><b>Inactive ingredients</b> cocca butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum</p> <p><b>Other information</b> • To open: unscrew cap, pull tab to remove foil seal • store at 20° to 25°C (68° to 77°F) • see carton or tube crimp for lot number and expiration date</p> <p><b>Directions</b> • clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage</p> <p><b>Questions?</b> Call 1-866-923-4914</p>	<p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>
--	--

FIRST AID ANTIBIOTIC OINTMENT  
ORIGINAL STRENGTH

TRIPLE ANTIBIOTIC  
OINTMENT  
Bacitracin Zinc USP • Neomycin Sulfate USP  
Polymyxin B Sulfate USP

## TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55315-180
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>COTTONSEED OIL</b> (UNII: H3E878020N)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-180-56	1 in 1 CARTON	11/15/2018	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M004	11/15/2018	

**Labeler** - Fred's, Inc. (005866116)

## Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(55315-180)

Revised: 7/2025

Fred's, Inc.