

**AMERICAN RED CROSS FIRST AID- benzalkonium chloride
0.13%(w/w)/lidocaine hcl 4.0%(w/w) spray
Zhejiang Guoyao Jingyue Aerosol Co., Ltd.**

American Red Cross First Aid Spray

Active ingredients

Benzalkonium Chloride 0.13%(w/w)

Lidocaine HCL 4.0%(w/w)

Purpose

First Aid Antiseptic

External Analgesic

Uses

- temporarily relieves pain and itching due to: sunburn, minor burns, minor cuts, scrapes, insect bites, minor skin irritations, first aid to help kill germs.

Warnings

For external use only.

Flammable, keep away from heat, spark, electrical, fire or flame.

When using this product

- avoid contact with eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

Stop use and ask a doctor if:

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days
- itching, rash or irritation develops

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- adult and children 2 years or older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- to apply to face, spray into palm of hand and gently apply

Other information

- Store cap tightly closed and at controlled room temperature
- avoid excessive heat

Inactive ingredients

Water(Aqua)

Butane

Ethyl alcohol

Propylene glycol

Propane

Label



First Aid Spray

Benzalkonium CL 0.13%
Lidocaine HCL 4%

First Aid Antiseptic & Pain Reliever

- First aid to help kill germs
- Temporarily relieves pains in minor cuts, scrapes, burns & insect bites
- Helps relief pain due to minor skin irritations

Use only in well ventilated area; fumes may be harmful



NET WT 5 OZ (141g)

ALWAYS READ

Drug Facts

Active ingredient

Benzalkonium Chloride 0.13% (w/w)
Lidocaine HCL 4.0% (w/w)

Purpose

First Aid Antiseptic
External Analgesic

Uses

temporarily relieves pain and itching due to:
sunburn minor burns minor cuts
scrapes insect bites minor skin
irritations first aid to help kill germs

Warnings

For external use only.

Flammable, keep away from heat, spark, electrical, fire or flame

When using this product avoid contact with eyes use only as directed. Intentional misuse by deliberately concentrating and inhaling can be harmful or fatal. contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F

Stop use and ask a doctor if condition worsens symptoms last more than 7 days or clear up and occur again within a few days itching, rash or irritation develops

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions adults and children 2 years or older: apply to affected area not more than 3 to 4 times daily children under 2 years of age: ask a doctor apply to face, spray into palm of hand and gently apply

Other information store cap tightly closed and at controlled room temperature avoid excessive heat

Inactive ingredients Water (Aqua), Ethyl alcohol, Butane, Propylene glycol, Propane

Questions/Comments?

Call toll-free 1-877-879-6999 or email us at info@amgbrandsllc.com

First Aid Spray

Benzalkonium CL 0.13%
Lidocaine HCL 4%

Connect with us!

Every year, the Red Cross responds to disasters big and small, providing comfort and hope to tens of thousands of families. Learn more at redcross.org



Official Licensed Product of the American Red Cross. The American Red Cross name and logo are registered trademarks of the American National Red Cross.

American Red Cross

OFFICIAL LICENSED PRODUCT

Distributed by: My Imports USA LLC,
500 Frank W Burr Blvd., Teaneck, NJ 07666
www.amgbrandsllc.com
Designed in USA / Made in China



Extremely Flammable



ITEM#ARC609512

AMERICAN RED CROSS FIRST AID

benzalkonium chloride 0.13%(w/w)/lidocaine hcl 4.0%(w/w) spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75742-072
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HCL (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPANE (UNII: T75W9911L6)	
WATER (UNII: 059QF0KO0R)	
BUTANE (UNII: 6LV4FOR43R)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75742-072-01	141 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	10/27/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/27/2025	

Labeler - Zhejiang Guoyao Jingyue Aerosol Co., Ltd. (554529812)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Guoyao Jingyue Aerosol Co., Ltd.		554529812	manufacture(75742-072)