

SINUS AND ALLERGY RELIEF- chlorpheniramine maleate, phenylephrine hcl tablet
Amerisource Bergen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Neighbor Pharmacy 44-462

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat
 - nasal congestion
 - sneezing
 - sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dosage**

- excitability may occur, especially in children
- drowsiness may occur avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

NDC 46122-597-62

**Good
Neighbor
Pharmacy®**

MAXIMUM STRENGTH

**Sinus + Allergy
Relief PE**

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

Antihistamine, Nasal Decongestant

Relief of:

- Sneezing, Itchy Eyes & Runny Nose
- Sinus Pressure & Congestion

24 Tablets

Actual Size

50844 ORG031946208

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Distributed By
AmerisourceBergen
1300 Morris Drive
Chesterbrook, PA 19087
Questions or Concerns?
www.mygnp.com



Distributed By
AmerisourceBergen
1300 Morris Drive
Chesterbrook, PA 19087
Questions or Concerns?
www.mynp.com

Sinus + Allergy Relief PE

MAXIMUM STRENGTH

Drug Facts KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each tablet)
Chlorpheniramine maleate 4 mg, Antihistamine
Phenylephrine HCl 10 mg, Nasal decongestant

Uses
temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
runny nose, itchy or itchy of the nose or throat, sneezing, sinus congestion and pressure, nasal congestion

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have high blood pressure, heart disease, thyroid disease, diabetes, glaucoma, difficulty in urination due to enlargement of the prostate gland, a breathing problem such as emphysema or chronic bronchitis, or if you are taking sedatives or tranquilizers.
When using this product do not exceed recommended dosage. Excitability may occur, especially in children. Drowsiness may occur.

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Directions
adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
children under 12 years: do not use.

Drug Facts (continued)
avoid alcoholic beverages
alcohol, sedatives and tranquilizers may increase drowsiness
use caution when driving a motor vehicle or operating machinery
Stop use and ask a doctor if nervousness, dizziness, or sleepiness occur
symptoms do not improve within 7 days or occur with a fever
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Inactive ingredients croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

(Questions or comments?) 1-800-426-9391

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING
50944 ORG031946208

No Varnish/No Print Lot # & Expiry Area

B-0045-462-08 ORG031946208

Sinus + Allergy Relief PE

MAXIMUM STRENGTH



NDC 46122-597-62

Sinus + Allergy Relief PE

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

MAXIMUM STRENGTH

Antihistamine, Nasal Decongestant

- Relief of:
- Sneezing, Itchy Eyes & Runny Nose
 - Sinus Pressure & Congestion

24 Tablets

Actual Size



GNP 44-462

SINUS AND ALLERGY RELIEF
chlorpheniramine maleate, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-597	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg	
	PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg	
Inactive Ingredients				
	Ingredient Name		Strength	
	CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
	ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)			
	MAGNESIUM STEARATE (UNII: 70097M6I30)			
	MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
	STEARIC ACID (UNII: 4ELV7Z65AP)			
Product Characteristics				
Color	WHITE	Score	no score	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	44;462	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-597-62	1 in 1 CARTON	05/30/2019	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part341	05/30/2019		

Labeler - Amerisource Bergen (007914906)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(46122-597)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(46 122-597)

Revised: 3/2020

Amerisource Bergen