

CONRX PAIN RELIEVER SINUS HEADACHE- phenylephrine hydrochloride and acetaminophen tablet
Eagle Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ConRX® Pain Reliever Sinus Headache

Drug Facts

Active ingredients (in each caplet)	Purposes
Acetaminophen 325 mg	Pain reliever
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves:
 - headache
 - minor aches and pains
 - nasal congestion
 - sinus congestion and pressure
 - helps clear nasal passages; shrinks swollen membranes

Warnings

Liver Warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- high blood pressure
- diabetes

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- do not use more than directed

Stop use and ask a doctor if

- any new symptoms occur
- you get nervous, dizzy, or sleepless
- painful area is red or swollen
- pain or nasal congestion gets worse or lasts for more than 7 days
- fever gets worse or lasts for more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- adults and children 12 years and over: take 2 caplets every 4 hours; not more than 12 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- store at controlled room temperature 20°-25°C (68°-77°F)
- read all product information before using. Keep this box for important information.

Inactive ingredients

benzoic acid, carnauba wax, corn starch, FD&C blue # 1, light mineral oil, magnesium stearate, microcrystalline cellulose, polysorbate 20, povidone, propylene glycol, stearic acid, titanium dioxide, talc, gelatin, polyethylene glycol sodium starch glycolate, sodium benzoate, hydroxypropylmethyl cellulose

Questions or comments?

1-855-619-7900

PRINCIPAL DISPLAY PANEL - 50 x 2 Caplet Pouch Box

See New Warnings Information & Directions

Compare to the Active Ingredients in

***EXCEDRIN*[®] SINUS
HEADACHE***

ConRx[®]

PAIN RELIEVER

SINUS

HEADACHE

Acetaminophen and Phenylephrine HCl

Aspirin Free • Pain Reliever / Nasal Decongestant

TO OPEN

PUSH IN TAB AND PULL OUT

**Compare to the Active Ingredients in
*EXCEDRIN[®] SINUS
HEADACHE***

2 Caplets Each Pouch

See New Warnings Information & Directions
Compare to the Active Ingredients in

EXCEDRIN **SINUS**
HEADACHE

ConRx[®]

PAIN RELIEVER
SINUS
HEADACHE

Acetaminophen and Phenylephrine HCl
Aspirin Free • Pain Reliever / Nasal Decongestant

TO OPEN
PUSH IN TAB AND PULL OUT

Compare to the Active Ingredients in
EXCEDRIN.SINUS
HEADACHE

2 Caplets Each Pouch

See New Warnings Information & Directions
Compare to the Active Ingredients in

EXCEDRIN.SINUS
HEADACHE

ConRx[®] PAIN RELIEVER
SINUS
HEADACHE

Acetaminophen and Phenylephrine HCl

Acetaminophen and Phenylephrine HCl
Aspirin Free • Pain Reliever / Nasal Decongestant



CONPRX[®]
PAIN RELIEVER
SINUS
HEADACHE

Acetaminophen and Phenylephrine HCl
Aspirin Free • Pain Reliever / Nasal Decongestant
2 Caplets Each Pouch

EXCIPENT
HEADACHE

See New Warnings Information & Directions in
FLYCEPINDIN/SINUS

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg
 Phenylephrine HCl 5 mg

Purposes

Pain reliever
 Nasal decongestant

Uses • temporarily relieves:

- headache
- minor aches and pains
- nasal congestion
- sinus congestion and pressure
- helps clear nasal passages; shrinks swollen membranes

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 12 caplets in 24 hours, which is the maximum daily amount.

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- high blood pressure
- diabetes

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

When using this product

- do not use more than directed

Stop use and ask a doctor if

- any new symptoms occur
- painful area is red or swollen
- fever gets worse or lasts for more than 3 days
- you get nervous, dizzy, or sleepless
- pain or nasal congestion gets worse or lasts for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- adults and children 12 years and over: take 2 caplets every 4 hours; not more than 12 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- store at controlled room temperature 20°-25°C (68°-77°F)
- read all product information before using. Keep this box for important information.

Inactive ingredients benzoic acid, carnauba wax, corn starch, FD&C Blue # 1, light mineral oil, magnesium stearate, microcrystalline cellulose, polyorbate 20, povidone, propylene glycol, stearic acid, titanium dioxide, talc, gelatin, polyethylene glycol sodium starch glycolate, sodium benzoate, hydroxypropylmethyl cellulose.

Questions or comments? 1-855-619-7900

See New Warnings Information & Directions
Compare to the Active Ingredients in

EXCEDRIN. **SINUS
HEADACHE**

ConRx[®] **PAIN RELIEVER
SINUS
HEADACHE**

Acetaminophen and Phenylephrine HCl
Aspirin Free • Pain Reliever / Nasal Decongestant

*This product is not manufactured or distributed by:
Novartis Consumer Health, Inc., Eagle Distributors, Inc.,/ConRx[®]
does not own the Excedrin[®] trademark.



Product manufactured for:
Eagle Distributors, Inc.
Los Angeles, CA 90011



CONRX PAIN RELIEVER SINUS HEADACHE

phenylephrine hydrochloride and acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68737-240
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)	Phenylephrine Hydrochloride	5 mg
Acetaminophen (UNII: 362O9ITL9D) (Acetaminophen - UNII:362O9ITL9D)	Acetaminophen	325 mg

Inactive Ingredients

Ingredient Name	Strength
Benzoic Acid (UNII: 8SKN0B0MIM)	
Carnauba Wax (UNII: R12CBM0EIZ)	
Starch, Corn (UNII: O8232NY3SJ)	
Fd&C Blue No. 1 (UNII: H3R47K3TBD)	
Sodium Benzoate (UNII: OJ245FE5EU)	
light mineral oil (UNII: N6K5787QVP)	
Magnesium Stearate (UNII: 70097M6I30)	
Cellulose, Microcrystalline (UNII: OP1R32D61U)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
Povidones (UNII: FZ989GH94E)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Polyethylene Glycols (UNII: 3WJQ0SDW1A)	
Stearic acid (UNII: 4ELV7Z65AP)	
Titanium dioxide (UNII: 15FIX9V2JP)	
Talc (UNII: 7SEV7J4R1U)	
Gelatin (UNII: 2G86QN327L)	
Sodium Starch Glycolate Type A Corn (UNII: AG9B65PV6B)	
Hypromelloses (UNII: 3NXW29V3WO)	

Product Characteristics

Color	BLUE	Score	2 pieces
Shape	OVAL	Size	18mm
Flavor		Imprint Code	CRX
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68737-240-24	50 in 1 BOX		
1		2 in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/31/2014	

Labeler - Eagle Distributors, Inc. (929837425)

Revised: 2/2014

Eagle Distributors, Inc.