VICKS DAYQUIL HOT REMEDY COLD AND FLU- acetaminophen, dextromethorphan hbr powder, for solution Procter & Gamble Manufactura S de RL de CV

Vicks [®] DayQuil™ HOT REMEDY COLD & FLU

Vicks® DayQuil™ HOT REMEDY COLD & FLU

Drug Facts

Active Ingredients (in each Packet)

Acetaminophen 500 mg

Dextromethorphan HBr 20 mg

Purpose

Headache, Fever, Sore Throat, Minor Aches & Pains Cough

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert:

Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning:

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 6 doses per 24 hrs
- Dissolve contents of one packet into 8 oz. of hot water and stir briskly; sip while hot. Consume entire drink within 10-15 minutes
- If using a microwave, add contents of one packet to 8 oz. of cool water, stir briskly before and after heating. Do not overheat

Other information

- each packet contains: potassium 10 mg
- phenylketonurics: contains phenylalanine 64 mg per dose
- do not exceed 25°C.

Inactive ingredients

acesulfame potassium, aspartame, carboxymethylcellulose, citric acid, D&C Yellow No. 10, FD&C Blue No. 1, FD&C Red No. 40, flavor, sodium citrate, sucrose, tricalcium phosphate

Questions?

1-800-362-1683

TAMPER EVIDENT: DO NOT USE IF SACHET IS OPENED OR TORN.

Keep outer package for complete product information.

MADE IN MEXICO

DIST. BY PROCTER & GAMBLE,

CINCINNATI OH 45202

PRINCIPAL DISPLAY PANEL - 8 packet package

NEW FORMULA

Vicks ® DayQuil™ HOT REMEDY

COLD & FLU

Acetaminophen,

Dextromethorphan HBr

Headache, Fever, Sore Throat, Minor Aches & Pains

Cough

HONEY LEMON FLAVORED

Non-Drowsy

8 POWDER PACKETS



VICKS DAYQUIL HOT REMEDY COLD AND FLU

acetaminophen, dextromethorphan hbr powder, for solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58933-552
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	500 mg in 5 g	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 5 g	

Inactive Ingredients			
Ingredient Name	Strength		
TRICALCIUM PHOSPHATE (UNII: K4C08XP666)			
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)			
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)			
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
ASPARTAME (UNII: Z0H242BBR1)			
SUCROSE (UNII: C151H8M554)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
CARBOXYMETHYLCELLULOSE (UNII: 05JZ17B19X)			
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor	HONEY (Honey Lemon)	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:58933-552- 01	5 g in 1 PACKET; Type 0: Not a Combination Product	06/11/2025		
2	NDC:58933-552- 08	8 in 1 PACKAGE	06/11/2025		
2		5 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/11/2025	

Labeler - Procter & Gamble Manufactura S de RL de CV (812807550)

Revised: 10/2025 Procter & Gamble Manufactura S de RL de CV