

**OXYGEN- oxygen gas**  
**ILMO Products Company**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

ILMO products company

7 EASTGATE DRIVE

JACKSONVILLE, ILLINOIS 62650

217-245-2183

NO SMOKING

**OXYGEN, COMPRESSED USP**  
**UN1072**  
 PRODUCED BY AIR LIQUEFACTION



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX required.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.  
 CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

**ILMO** products company 7 EASTGATE DRIVE JACKSONVILLE, ILLINOIS 62650 217-245-2183

**NO SMOKING NO VAPING**



# OXYGEN

## REFRIGERATED LIQUID, USP

### UN 1073



**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.**

#### WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX required.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.  
 CAS: 7782-44-7

#### DANGER

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.**

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.



**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:

Contents:

Expiration Date:



**DO NOT REMOVE THIS PRODUCT LABEL**

PRINTED BY RATERMANN MFG., INC.  
 www.rmlorder.com

OXYGEN

REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING

For emergency use only when administered by properly trained personnel for oxygen

deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**DANGER**

**MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.**

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.**

CAS: 7782-44-7

**NO SMOKING**

**NO VAPING**

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot number:

Contents:

Expiration Date:

**DO NOT REMOVE THIS PRODUCT LABEL**

<b>OXYGEN</b>			
oxygen gas			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:51486-720
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name		Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	990 mL in 1 L	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51486-720-01	419 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
2	NDC:51486-720-02	179 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
3	NDC:51486-720-03	148 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
4	NDC:51486-720-04	46 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
5	NDC:51486-720-05	9542 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
6	NDC:51486-720-06	7051 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
7	NDC:51486-720-07	4361 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
8	NDC:51486-720-08	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
9	NDC:51486-720-09	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
10	NDC:51486-720-10	651 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
11	NDC:51486-720-11	566 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
12	NDC:51486-720-12	369 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
13	NDC:51486-720-13	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	01/01/2022
14	NDC:51486-720-14	394 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
15	NDC:51486-720-15	795 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
16	NDC:51486-720-16	1098 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
17	NDC:51486-720-17	450 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
18	NDC:51486-720-18	280 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
19	NDC:51486-720-19	405 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
20	NDC:51486-720-20	424 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1990	01/01/2022
21	NDC:51486-720-21	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
22	NDC:51486-720-22	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
23	NDC:51486-720-23	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
24	NDC:51486-720-24	2165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
25	NDC:51486-720-25	3470 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
26	NDC:51486-	6900 L in 1 CYLINDER; Type 0: Not a Combination	01/01/1990	

26	720-26	Product	01/01/1990	
27	NDC:51486-720-27	9340 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	
28	NDC:51486-720-28	150.1 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1990	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	01/01/1990	

## Labeler - ILMO Products Company (005436332)

### Establishment

Name	Address	ID/FEI	Business Operations
ILMO Products Company		005436332	manufacture(51486-720)

### Establishment

Name	Address	ID/FEI	Business Operations
ILMO Products Company		025392432	manufacture(51486-720)

### Establishment

Name	Address	ID/FEI	Business Operations
ILMO Products Company		025769902	manufacture(51486-720)

### Establishment

Name	Address	ID/FEI	Business Operations
ILMO PRODUCTS COMPANY		171836906	manufacture(51486-720)

### Establishment

Name	Address	ID/FEI	Business Operations
ILMO Products Company		791271133	manufacture(51486-720)

Revised: 10/2025

ILMO Products Company