

GLYCERIN - glycerin suppository
Chain Drug Marketing Association Inc.

Quality Choice Glycerin Supp.

Active ingredient (in each suppository)

Glycerin 2.1 g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort of burning sensation

Ask a Doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

adults and children 6 years and over

1 suppository, or as directed by a doctor

children 2 to under 6 years

use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Glycerin Suppositories, 50 count

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Glycerin Suppositories, 50 count

Distributed by Quality Choice

Novi, MI 48376-0995

www.qualitychoice.com

QC_50ct.jpg

NDC : 83324-0284-50

QC
QUALITY
CHOICE

*Compare to the
active in FLEET®
Glycerin
Suppositories*

Glycerin Suppositories

Laxative

For Relief of
Occasional
Constipation

50 Adult Suppositories

IF FOIL IS BROKEN OR MISSING, DO NOT USE.

Drug Facts

Active ingredient
(in each suppository) Glycerin 2.1g Laxative

Purpose

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only
May cause rectal discomfort or a burning sensation.

Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using product

These symptoms may indicate a serious condition.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage	
adults and children 6 years and over	1 suppository, or as directed by a doctor
children 2 to under 6 years	use Child Suppositories

Insert suppository well up into rectum.
Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients
purified water, sodium hydroxide, stearic acid

*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®.

©Distributed by C.D.M.A., Inc.
43157 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300

QC 94560
Rev. 03/212

6 35515 98240 6

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-284
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

Strength

GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)			GLYCERIN	2.1 g
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-284-50	50 in 1 JAR; Type 0: Not a Combination Product	10/29/2025	
2	NDC:83324-284-25	25 in 1 JAR; Type 0: Not a Combination Product	10/29/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M007	10/29/2025	

Labeler - Chain Drug Marketing Association Inc. (011920774)

Registrant - DSC Laboratories Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(83324-284)

Revised: 10/2025

Chain Drug Marketing Association Inc.