

**GOOD NEIGHBOR PHARMACY EMERGENCY PREPAREDNESS AND FIRST AID  
CONTAINS 167 PIECES - benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate,  
polymyxin b sulfate, water, isopropyl alcohol, benzocaine, aspirin, ethyl alcohol  
AmerisourceBergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**GOOD Neighbor Pharmacy Emergency Preparedness and First Aid Contains 167 Pieces**

**ACTIVE INGREDIENTS:**

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings:

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder BC-001

# Genuine First Aid Burn Cream

**Antiseptic Pain Relief  
With Aloe**

**ACTIVE INGREDIENTS:**

**Benzalkonium**

**Chloride 0.13%**

**Lidocaine HCL 0.5%**

**Net Wt 0.9g - (1/32 oz)**



Manufactured in CHINA for  
**GENUINE FIRST AID**

**Drug Facts**

**Purpose:** First aid antiseptic,  
external analgesic

**Uses:** First aid to help prevent  
infection and for the temporary  
relief of pain and itching

associated with: • minor cuts  
• scrapes • burns

**Warnings:**

For external use only

**Do not use** • in eyes • in large  
quantities • over raw blistered  
areas, or on deep puncture  
wounds, animal bites or serious  
burns • for more than one week

**Keep out of reach of children.**

If ingested, contact a Poison  
Control Center right away.

**Directions:** • clean affected area  
• apply small amount not more  
than 3 times daily • may be  
covered with a sterile bandage

**Other information:**

Store at room temperature



600609



2015/01

Active Ingredient:

Purpose

Benzalkonium Chloride 0.40%..... First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP:

Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

DRUG FACTS - Antiseptic Towelette

**Active ingredient:** Benzalkonium Chloride 0.40%, First Aid Antiseptic

**Use:** For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

**Do not use:** In the eyes, or over large areas of the body.

**Directions:** Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

**Inactive ingredient:** Purified water.

Made in CHINA

---TEAR HERE---

REORDER AST-001



Genuine First Aid LLC, Clearwater FL 33755  
www.GenuineFirstAid.com



GENUINE FIRST AID®



Active Ingredient: .....Bacitracin Zinc 400 units

Neomycin Sulfate 5mg ( equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Uses: To help prevent infection in:  
minor cuts; scrapes; burns

Warnings:

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Reorder TAO-001

# Genuine Triple Antibiotic

**First Aid Ointment  
To Help Prevent Infection**

**Each Gram Contains:**

**Bacitracin Zinc 400 units**

**Neomycin Sulfate 5 mg**

**(equivalent to 3.5 mg**

**Neomycin base)**

**Polymyxin B Sulfate 5000 units**

**Net Wt 0.5g · (1/64 oz)**



Manufactured in CHINA for  
**GENUINE FIRST AID®**

## **Drug Facts**

**Uses:** To help prevent infection  
in • minor cuts • scrapes • burns

**Warnings:**

**For external use only**

**Do not use** • in eyes • over large  
areas of the body • if allergic to  
any of the ingredients • for more  
than one week unless directed  
by a physician

**Stop use and consult a doctor**

• if the condition persists or gets  
worse • a rash or other allergic  
reaction develops

**Keep out of reach of children.**

If ingested, contact a Poison  
Control Center right away.

**Directions:** • clean affected area  
• apply small amount of this product  
(an amount equal to the surface  
area of the tip of a finger) on the  
area 1 to 3 times daily • may be  
covered with a sterile bandage

**Other information:**

Store at room temperature

LOT

600609



2015/01

Active Ingredient:

Purified Water USP...q.s.

Inactive Ingredients:

Sodium Chloride USP 44mg

Monobasic Sodium Phosphate USP 18mg

Sodium Phosphate Dibasic USP 111mg

Edetate Disodium USP 10mg

Benzalkonium Chloride 0.5mg  
NF (as preservative)

Store in a cool place. For irrigation only.

Discard unused portion of the solution.

Not for injection.

Warning:

If you experience eye pain, changes in vision, continued redness or irritation of the eye,

or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.

Do not use if solution changes color or becomes cloudy.

#### Directions

Remove contacts before using.

Twist top to remove.

Flush the affected area as needed. Control

Rate of flow by pressure on the bottle. Do not touch

tip of the container to any surface. Do not reuse.

If necessary continue flushing with emergency eyewash or shower.

Discard bottle after use.

#### Uses:

For flushing or irrigating the eyes to

remove loose foreign material, air pollutants,

or chlorinated water.

Code No.: GUJ/DRUG/G/1080

Batch No.:

Mfg Date:

Exp: Date:

10ml

Sterile Isotonic Buffered Genuine

Eyewash

For single use only

# 10ml

Sterile Isotonic buffered  
**GENUINE Eyewash**  
For single use only

**Directions:** Remove contact lens before using. Twist top to remove. Flush the affected area as needed. Control rate of flow by pressure on the bottle. Do not touch tip of the container to any surface. Do not reuse. If necessary, continue flushing with emergency eyewash or shower. Discard bottle after use.

**Uses:** For flushing or irrigating the eyes to remove loose foreign material, air pollutants, or chlorinated water.

**Each 10 ml contains:**

**Active Ingredient:**  
Purified Water ...q.s.

**Inactive Ingredients:**  
Sodium Chloride  
Monobasic Sodium Phosphate  
Dibasic Sodium Phosphate  
Edetate Disodium  
Benzalkonium Chloride  
NF (as preservative)

Store in a cool place. For irrigation only. Discard unused portion of the solution. Not for injection.

Mfg. Lic. No.: KTK/28/332/2002  
Batch No.:  
Mfg. date:  
Exp. date:

**Manufactured in INDIA for GENUINE FIRST AID**

**Warning:**  
If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor. Do not use if solution changes color or becomes cloudy.

REORDER EYEW-10S

FOR EXTERNAL USE ONLY

**STERILE A**

Active Ingredient:

Purpose

Isopropyl Alcohol, 70% v/v.....

Antiseptic

Use: For preparation of skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad

Genuine First Aid LLC, Clearwater FL 33755

[www.GenuineFirstAid.com](http://www.GenuineFirstAid.com)

1/pouch

GENUINE FIRST AID



# Alcohol Cleansing Pad

## Toallitas Húmedas con Alcohol



Genuine First Aid LLC, Clearwater FL 33755  
www.GenuineFirstAid.com



GENUINE FIRST AID®



**DRUG FACTS - Alcohol Cleansing Pad**

**Active Ingredient:** Isopropyl Alcohol, 70% v/v . . . . .  
**Purpose:** Antiseptic  
**Use:** For preparation of the skin before injection.  
**Warnings: For external use only.**  
**Flammable - keep away from fire or flame.**  
**Do not use:** with electrocautery, in the eyes  
**Stop use** if irritation and redness develop.  
If condition persists for more than 72 hours, consult your doctor.  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions:** Wipe injection site vigorously and discard.  
**Other information:** Store at room temperature 15°-30° C (59°-86° F)  
**Inactive ingredient:** Purified water.

--- TEAR HERE ---

LOT/EXP:                      Made in CHINA  
**20140301**

Active Ingredient:    Purpose:  
  
Benzocaine, 6% w/v.....      Topical Anesthetic  
  
SD alcohol, 60% w/v.....      Antiseptic  
Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.  
Warnings: For external use only.  
  
Avoid contact with eyes. If this happens, rinse thoroughly with water.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
Flammable - keep away from fire or flame.  
Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.  
Made in CHINA

LOT/EXP:



Insect Sting Relief Pad

Genuine First Aid LLC, Clearwater FL 33755  
www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

REORDER ISRP-001

**DRUG FACTS - Insect Sting Relief Pad**

**Active Ingredient:** Benzocaine, 6% w/v; Topical Anesthetic  
SD alcohol, 60% w/v; Antiseptic

**Use:** For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

**Warnings:** For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Flammable - keep away from fire or flame. Avoid contact with eyes. If this happens, rinse thoroughly with water.

**Do not use:** In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

Made in CHINA

-----  
TEAR HERE  
-----



Genuine First Aid LLC, Clearwater FL 33755  
www.GenuineFirstAid.com



**GENUINE FIRST AID**



Active ingredient (in each tablet)

Purpose

Aspirin 81 mg (NSAID\*). . . . . Analgesic/Antipyretic

\*nonsteroidal anti-inflammatory drug

Uses

temporary relief of minor aches, pains and headaches

to reduce fever associated with colds, sore throats, teething

## Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of reye's syndrome, a rare but serious illness.

**Stomach bleeding warning:** This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user; has had stomach ulcers or bleeding problems takes a blood thinning (anticoagulant) or steroid drug takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) takes more or for a longer time than directed is age 60 or older has 3 or more alcoholic drinks every while using this product.

Do not use

if you are allergic to aspirin or any other pain relievers/fever reducers

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

for at least 7 days after a tonsillectomy or oral surgery

Ask a doctor before use if you have;

asthma

stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems

a child experiencing arthritis pain

if you are;

allergic to aspirin

taking prescription drug for anticoagulation (thinning of blood), diabetes, gout or arthritis

Stop use and ask a doctor if;

an allergic reaction occurs, Seek medical help right away

pain or fever persists

new or unexpected symptoms occur

redness or swelling is present

ringing in ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed

Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours, Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 years: Consult a doctor.

Store at room temperature

tamper evident sealed packets

do not use any opened or torn packets

Inactive ingredients flavor, FD and C yellow No. 6, saccharin, sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by GENUINE FIRST AID

600 Cleveland Str Suite 400, Clearwater, FL 33755

2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg



GENUINE FIRST AID.

2 Tablets

## Chewable Aspirin 81mg

**Active ingredient (in each tablet) Purpose**  
Aspirin 81 mg (NSAID\*) . . . . . Analgesic/Antipyretic  
\*nonsteroidal anti-inflammatory drug

### Uses

- temporary relief of minor aches, pains and headaches
- to reduce fever associated with colds, sore throats, teething

### Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Stomach bleeding warning:** This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user ■ has had stomach ulcers or bleeding problems ■ takes a blood thinning (anticoagulant) or steroid drug ■ takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ takes more or for a longer time than directed ■ is age 60 or older ■ has 3 or more alcoholic drinks every day while using this product

**Do not use** ■ if you are allergic to aspirin or any other pain relievers/fever reducers ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor ■ for at least 7 days after a tonsillectomy or oral surgery

### Warnings (continued)

**Ask a doctor before use if you have** ■ asthma ■ stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems ■ a child experiencing arthritis pain

**if you are** ■ allergic to aspirin ■ taking a prescription drug for anticoagulation (thinning of the blood), diabetes, gout or arthritis

**Stop use and ask a doctor if** ■ an allergic reaction occurs. Seek medical help right away ■ pain or fever persists ■ new or unexpected symptoms occur ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs

**If pregnant or breast-feeding,** ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.

### Directions Do not use more than directed

**Adults and Children (12 years and older):** Chew 4 to 8 tablets with water every 4 hours. Do not exceed 48 tablets in 24 hours unless directed by a doctor.

**Children Under 12 Years:** Consult a doctor

### Other information

- store at room temperature
- tamper evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients** flavor, FD&C yellow #6, saccharin sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by GENUINE FIRST AID  
600 Cleveland Str Suite 400, Clearwater, FL 33755

Active Ingredient:

Ethyl Alcohol 62 percent

Uses: For hand washing to decrease bacteria on the skin

Warnings:

For external use only

Flammable, keep away from fire or flame

Do not use in the eyes. In case of contact, rinse eyes thoroughly with water.

Stop use and consult a doctor if irritation and redness develop

and persist for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Empty contents into palm. Rub hands until gel dissipates. Recommended for repeated use.

Other Information: Store at 15 to 25 degree Celsius (59 to 77 degree Fahrenheit)

Genuine Hand Sanitizer

Instant Gel

Antiseptic Handwash

with Vitamin E and Aloe

Kills 99.9 percent of germs

Without Water

Active Ingredient:

Ethyl Alcohol 62 percent

Net Wt 0.9g (1/32 oz)

Manufactured in China For

Genuine First Aid.

Reorder HS-001

# Genuine Hand Sanitizer

**Instant Gel  
Antiseptic Handwash  
with Vitamin E & Aloe**

**Kills 99.9% of Germs  
Without Water  
Active Ingredient:  
Ethyl alcohol 62%  
Net Wt 0.9g - (1/32 oz)**



Manufactured in CHINA for  
**GENUINE FIRST AID.**

## **Drug Facts**

**Uses:** For hand washing to decrease bacteria on the skin

### **Warnings:**

For external use only

Flammable, keep away from fire or flame

Do not use in the eyes. In case of contact, rinse eyes thoroughly with water

Stop use and consult a doctor if irritation and redness develop and persist for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Empty contents into palm. Rub hands until gel dissipates. Recommended for repeated use

**Other information:** Store at 15° to 25° C (59° to 77° F)



600600



2015/01

GENUINE FIRST AID.

CONTAINS 167 PIECES

Genuine  
Emergency  
Preparedness  
and First Aid Kit

HOME WORK OUTDOORS OFFICE AUTO

New !

1 Emergency Preparedness 1

2 Emergency Preparedness 2

3 Small Cuts and Burns

4 Medium Cuts/Burns and Severe Bleeding

5 Protection and CPR

## 6 Instruments

### REFILL PACKS AVAILABLE FOR EACH POCKET

#### Carrying Case

- 1 Soft-side Bag
- 1 Easy Access Pocket System

#### Emergency Preparedness (1)

- 1 Emergency Poncho 50"X80"
- 1 Emergency Blanket 38"X60"

#### Emergency Preparedness (2)

- 1 Procedural Mask, 3 Ply
- 1 Whistle
- 1 Light Stick
- 1 Radio w/ Headphones and Flashlight
- 2 Batteries

#### Medium Cuts, Burns and Severe Bleeding

- 1 First Aid Tape Roll 1/2"x 2.5yds
- 1 Combine Pad 5"X9"
- 1 Roller Gauze Bandage 3"X4.1yds
- 1 Antiseptic Towelette
- 1 Triple Antibiotic Ointment 0.9gr
- 1 Sterile Gauze Pad 2"X2"
- 1 Sterile Eye Pad
- 1 Sterile Eye Wash 10ml
- 1 Burn Cream

#### Protection and CPR

- 2 Medical Grade Vinyl Gloves
- 1 Instant Cold Compress
- 2 Alcohol Cleansing Pads
- 1 Insect Sting Relief Pad
- 2 Chewable Aspirin Tablets
- 1 Triangular Bandage 42"x42"x59"
- 1 CRP Breathing Barrier
- 1 Hand Sanitizer

#### Instruments

- 1 Emergency First Aid Guide
- 1 Emergency Preparedness Refill Guide
- 1 Plastic Tweezers
- 1 Thermometer Strip
- 1 Scissors
- 6 Assorted Safety Pins
- 2 Wooden Finger Splints

Copyright c 2009 Genuine First Aid LLC. All rights reserved.

Manufactured in China for:

Genuine First Aid LLC.  
600 Cleveland Street  
Suite 400



Clearwater, FL 33755

www.GenuineFirstAid.com

GENUINE FIRST AID



## GOOD NEIGHBOR PHARMACY EMERGENCY PREPAREDNESS AND FIRST AID CONTAINS 167 PIECES

benzalkonium chloride, lidocaine, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, water, isopropyl alcohol, benzocaine, aspirin, ethyl alcohol kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24385-804
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-804-01	1 in 1 KIT		

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKAGE	0.9 g
Part 2	3 PACKAGE	2.4 mL
Part 3	1 BOTTLE	10 mL
Part 4	2 PACKAGE	1 mL
Part 5	1 PACKAGE	0.5 mL
Part 6	1 PACKAGE	2
Part 7	1 TUBE	0.5 g
Part 8	1 PACKAGE	0.9 g

## Part 1 of 8

### GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

#### Product Information

Item Code (Source) NDC:52124-0004

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-1	0.9 g in 1 PACKAGE		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	05/24/2010	

## Part 2 of 8

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

#### Product Information

<b>Item Code (Source)</b>	NDC:52124-0001
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.40 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	05/24/2010	

## Part 3 of 8

**STERILE ISOTONIC BUFFERED GENUINE EYEWASH**  
water liquid

### Product Information

<b>Item Code (Source)</b>	NDC:52124-0005
<b>Route of Administration</b>	OPHTHALMIC

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.16 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

EDETATE DISODIUM (UNII: 7FLD91C86K)

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0005-1	10 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	05/24/2010	

### Part 4 of 8

### ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

### Product Information

Item Code (Source)	NDC:52124-0002
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0002-1	0.5 mL in 1 PACKAGE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	05/14/2010	

## Part 5 of 8

### INSECT STING RELIEF PAD

benzocaine,alcohol liquid

#### Product Information

Item Code (Source) NDC:52124-0008

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6 mL in 100 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 mL in 100 mL

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0008-1	0.5 mL in 1 PACKAGE		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	05/14/2010	

## Part 6 of 8

### CHEWABLE ASPIRIN

aspirin tablet, chewable

#### Product Information

Item Code (Source) NDC:52124-0012

Route of Administration ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

#### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SACCHARIN (UNII: FST467XS7D)	
SODIUM CATION (UNII: LYR4M0NH37)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	orange (ORANGE)	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	ASPIRIN
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0012-1	2 in 1 PACKAGE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	05/14/2010	

## Part 7 of 8

**GENUINE TRIPLE ANTIBIOTIC**  
bacitracin zinc,neomycin sulfate,polymyxin b sulfate ointment

## Product Information

Item Code (Source)	NDC:52124-0003
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------



1	NDC:52124-0003-1	0.5 g in 1 TUBE		
---	------------------	-----------------	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	05/14/2010	

## Part 8 of 8

### GENUINE HAND SANITIZER

alcohol gel

## Product Information

Item Code (Source)	NDC:52124-0006
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 g in 100 g

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0006-1	0.9 g in 1 PACKAGE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	05/14/2010	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part354	05/24/2010	

**Labeler** - AmerisourceBergen (007914906)

## Establishment

Name	Address	ID/FEI	Business Operations
GFA Production ( Xiamen) Co., Ltd		421256261	manufacture

