

DAY-TIME COLD/FLU RELIEF- acetaminophen, dextromethorphan hydrobromide, phenylephrine hcl liquid
Discount Drug Mart

Orange Day-Time COLD/FLU RELIEF

Drug Facts

Active Ingredients (in each 15 mL, 1 tablespoon)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCL 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Keep out of reach of children

Keep this and all drugs out of the reach of children.

Uses

temporarily relieves these common cold/flu symptoms:

- minor aches and pains
- headache
- sore throat
- fever
- nasal congestion
- cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if adult/child takes: ● more than 4 doses in 24 hours, which is the maximum daily amount for this product ● with other drugs containing acetaminophen ● 3 or more alcoholic drinks everyday while using this product.

Allergy Alert: Acetaminophen may cause severe skin reactions.

Symptoms may include: ● skin reddening ● blisters ● rash

If skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, Nausea, or vomiting, consult a doctor promptly.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other drug containing acetaminophen (prescription or nonprescription) If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- persistent or chronic cough such as occur with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacist before use if

the user is taking the blood thinner warfarin

When using this product

- do not use more than directed (see overdose warning)
- avoid alcoholic drinks

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- new symptoms occur
- fever gets worse or lasts more than 3 days
- pain or cough gets worse or lasts more than 5 days (children) 7 days (adults)
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Overdose warning:

Taking more than the recommended dose (overdose) could cause serious health

problems, including liver damage. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as recommended (see overdose warning)
- use dosage cup or tablespoon (TBSP)
- do not exceed 4 doses per 24 hours

| age | dose |
|---------------------------------------|------------------------------|
| adults and children 12 years and over | 30 mL (2 TBSP) every 4 hours |
| children 6 years to under 12 years | 15 mL (1 TBSP) every 4 hours |
| children 4 years to under 6 years | ask a doctor |
| children under 4 years | do not use |

* When using Day Time and Night Time products, carefully read each label to ensure correct dosing.

Other information

- sodium content per tablespoon: 10 mg
- store at room temperature

DO NOT USE IF IMPRINTED SHRINK BRAND IS MISSING OR BROKEN
Failure to follow these warnings could result in serious consequences.

Inactive ingredients

citric acid, FD and C Yellow # 6, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucrose

Questions?

Call weekdays **1-877-798-5944**

Product Label: DISCOUNT drug mart FOOD FAIR Orange Day-Time COLD/FLU RELIEF

Drug Facts (continued)

- pain or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding ask a health professional before use. Keep this and all drugs out of the reach of children.

Overdose Warning: Taking more than the recommended dose (overdose) could cause serious health problems, including liver damage. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • take only as recommended (see overdose warning)
 • use dosage cup or tablespoon (TBSF) • do not exceed 4 doses per 24 hours

| age | dose |
|---------------------------------------|------------------------------|
| adults and children 12 years and over | 30 mL (2 TBSF) every 4 hours |
| children 6 years to under 12 years | 15 mL (1 TBSF) every 4 hours |
| children 4 years to under 6 years | ask a doctor |
| children under 4 years | do not use |

• When using Day Time and Night Time products, carefully read each label to ensure correct dosing.

Other information • sodium content per tablespoon: 10 mg
 • store at room temperature

Inactive ingredients citric acid, FD&C Yellow # 6, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sucrose

Questions? Call weekdays 1-877-798-5944
 *This product is not manufactured or distributed by Proctor & Gamble, owner of the registered trademark Vicks® DayQuil®.

SATISFACTION GUARANTEED
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO THE STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINNA, OHIO 44256

LR-064 REV02
 0 93351 01753 7

DISCOUNT drug mart FOOD FAIR

*COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® DAYQUIL®

Orange Day-Time

COLD/FLU RELIEF

Acetaminophen..... Pain Reliever/Fever Reducer
 Dextromethorphan HBR..... Cough Suppressant
 Phenylephrine HCL..... Nasal Decongestant

12 FL OZ (354 mL)

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN
 Failure to follow these warnings could result in serious consequences

Drug Facts

| Active Ingredients (in each 15 mL, 1 tablespoon) | Purpose |
|--|-----------------------------|
| Acetaminophen 325 mg | Pain reliever/fever reducer |
| Dextromethorphan HBR 10 mg | Cough suppressant |
| Phenylephrine HCl 5 mg | Nasal decongestant |

Uses temporarily relieves these common cold/flu symptoms:
 • minor aches and pains • headache • sore throat • fever
 • nasal congestion • cough due to minor throat and bronchial irritation

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if adult/child takes: • more than 4 doses in 24 hours, which is the maximum daily amount for this product • with other drugs containing acetaminophen • 3 or more alcoholic drinks everyday while using the product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash
 If skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or a pharmacist before taking this product.
 • with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

Ask a doctor before use if you have
 • liver disease • heart disease • thyroid disease • diabetes
 • high blood pressure • trouble urinating due to enlarged prostate gland
 • persistent or chronic cough such as occurs with smoking, asthma, or emphysema • cough accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin

When using this product • do not use more than directed (see overdose warning) • avoid alcoholic drinks

Stop use and ask a doctor if • you get nervous, dizzy or sleepless
 • new symptoms occur • fever gets worse or lasts more than 3 days ▶

*COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® DAYQUIL®

DISCOUNT

drug mart

FOOD FAIR

Orange Day-Time Cold/Flu Relief

Acetaminophen Pain Reliever/Fever Reducer

Dextromethorphan HBR Cough Suppressant

Phenylephrine HCL Nasal Decongestant

12 FL OZ (354 mL)

* This product is not manufactured or distributed by Proctor and Gamble owner of the registered trademark Vicks® DayQuil®

LR-064 REV 02

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO THE STORE WHERE PURCHASED. IF UNABLE TO RETURN TO THE STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE MEDINNA, OHIO 44256

res

DAY-TIME COLD/FLU RELIEF

acetaminophen, dextromethorphan hydrobromide, phenylephrine hcl liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:53943-506 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|----------------------------------|--------------------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg in 15 mL |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg in 15 mL |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg in 15 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics

| | | | |
|-----------------|-----------------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | ORANGE (ORANGE) | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:53943-506-28 | 354 mL in 1 BOTTLE; Type 0: Not a Combination Product | 10/25/2014 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 10/25/2014 | |

Labeler - Discount Drug Mart (047741335)

