

**MILD IODINE TINCTURE- iodine and sodium iodine and alcohol liquid
KROGER COMPANY**

kroger-iodine tincture mild

Active ingredient

IodineTincture USP 2%

Purpose

First Aid Antiseptic

Uses

First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Flammable, Keep away from fire or flame,

Do not use longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have, deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

the condition persists or gets worse.

When using this product

■ do not use in eyes. If contact occurs flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.

Will stain skin and clothing.

Keep out of reach of children.

In case of accidental ingestion, contact Poison Control Center immediately.

Directions

Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.

Inactive Ingredient

Purified Water

Questions?

1-888-632-6900

PROUDLY DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

R1025 L0001174

1 fl oz. bottle label

Kroger

Iodine 2%

Tincture, USP

Alcohol 47%

first aid antiseptic

For External Use Only

FLAMMABLE POISON

1 fl oz (30 mL)

Drug Facts		Drug Facts (continued)
Active ingredient Iodine 2% Tincture USP	Iodine 2% Tincture, USP Alcohol 47%	Will stain skin and clothing.
Purpose First Aid Antiseptic		Keep out of reach of children. In case of accidental ingestion, contact Poison Control Center immediately.
Uses First aid to help prevent infection in minor cuts, scrapes and burns.	First Aid Antiseptic	Directions Clean the affected area. Apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.
Warnings For external use only. Flammable, keep away from fire or flame.	For External Use Only	Inactive ingredient Purified Water
Do not use longer than 1 week unless directed by a doctor.	FLAMMABLE POISON	Questions? Call 1-800-632-6900
Ask a doctor before use if you have, deep or puncture wounds, animal bites, or serious burns.	1 FL OZ (30 mL)	PROUDLY DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
Stop use and ask a doctor if the condition persists or gets worse.		
When using this product ■ do not use in eyes. If contact occurs flush with large amounts of water while lifting upper and lower lids ■ do not apply over large areas of the body.▶		0 41260 02683 6

MILD IODINE TINCTURE

iodine and sodium iodine and alcohol liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:59450-030

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	470 mg in 1 mL
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59450-030-36	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/11/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/11/2026	

Labeler - KROGER COMPANY (006999528)

Registrant - BIONPHARMA INC. (079637826)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(59450-030)

Revised: 3/2026

KROGER COMPANY