

LANCOME PARIS UV EXPERT AQUAGEL DEFENSE 50 PLUS SUNSCREEN BROAD SPECTRUM SPF 50 PLUS PRIMER AND MOISTURIZER- avobenzone, homosalate, octisalate and octocrylene cream
SICOS ET CIE

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flame, or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, alcohol denat., styrene/acrylates copolymer, dimethicone, acrylates/dimethicone copolymer, tocopherol, dicaprylyl ether, sodium polyacrylate, sodium dodecylbenzenesulfonate, sodium benzoate, diethylhexyl syringylidenemalonate, phenoxyethanol, PEG-8 laurate, trisodium ethylenediamine disuccinate, menthyl lactate, pentylene glycol, mentha piperita (peppermint) extract, xanthan gum, propanediol, leontopodium alpinum flower/leaf extract, caprylyl glycol, caprylic/capric triglyceride, acrylates/c10-30 alkyl acrylate crosspolymer, moringa oleifera seed extract, rosa meichibon/delgramaue callus, disodium phosphate, citric acid, potassium sorbate, glycerin, fragrance

Questions or comments?

1-800-LANCOME (1-800-526-2663) Monday - Friday (9 a.m. - 5 p.m. EST)

SUITABLE FOR SENSITIVE SKIN
NON-COMEDOGENIC

Drug Facts (continued)

Directions

- For sunscreen use:
- apply generously and evenly 15 minutes before sun exposure
 - reapply at least every 2 hours
 - use a water resistant sunscreen if swimming or sweating
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, alcohol denat., styrene/acrylates copolymer, dimethicone, acrylates/dimethicone copolymer, tocopherol, dicaprylyl ether, sodium polyacrylate, sodium dodecylbenzenesulfonate, sodium benzoate, diethylhexyl syringylidenemalonate, phenoxethanol, peg-8 laurate, trisodium ethylenediamine disuccinate, menthyl lactate, pentylene glycol, mentha piperita (peppermint) extract, xanthan gum, propanediol, leontopodium alpinum flower/leaf extract, caprylyl glycol, caprylic/capric triglyceride, acrylates/c10-30 alkyl acrylate crosspolymer, moringa oleifera seed extract, rosa meichibon/delgramaue callus, disodium phosphate, citric acid, potassium sorbate, glycerin, fragrance

Questions or comments?

1-800-LANCOME (1-800-526-2663)
Monday - Friday (9 a.m. - 5 p.m. EST)

C262576/1

885444 13

LANCÔME
PARIS

Lancome.com

LA402 10



**Primer & Moisturizer
UV EXPERT
Aqualgel Defense 50+
Broad Spectrum SPF 50+
All skin types, even sensitive**

This formula, enriched with Antioxidants Vitamin E, Edelweiss Extract and Moringa Seed Extract, helps to protect the skin from external aggressions.

Apply this water-like refreshing, lightweight and invisible formula every day on your face, as a makeup primer or moisturizer.

THIS PRODUCT CAN
BE SOLD ONLY BY
APPROVED DISTRIBUTORS
LANCÔME PARIS
14 rue Royale 75008 Paris
LANCÔME,
LUXURY PRODUCTS LLC,
10 HUDSON YARDS,
NEW YORK, NY 10001
IMP. BY LANCÔME CANADA,
MONTREAL, H4T 1K5
TSA 75000
93584 ST-QUEEN CEDEX FR

Made in France

3614272489578

LANCÔME
PARIS



UV EXPERT

AQUAGEL
DEFENSE 50+
SUNSCREEN

BROAD SPECTRUM SPF 50+
PRIMER & MOISTURIZER

WITH ANTIOXIDANT VITAMIN E

AQUAGEL TECHNOLOGY
LIGHTWEIGHT + COOLING + INVISIBLE

30 ml 1.0 FL. OZ.

Drug Facts (continued)

- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Flammable until dry. Do not use near fire, flame or heat.

Drug Facts

Active ingredients	Purpose
Avobenzonone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn

NUMÉRO
DE
LOT

SUITABLE FOR SENSITIVE SKIN
NON-COMEDOGENIC

Drug Facts (continued)

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, alcohol denat., styrene/acrylates copolymer, dimethicone, acrylates/dimethicone copolymer, tocopherol, dicaprylyl ether, sodium polyacrylate, sodium dodecylbenzenesulfonate, sodium benzoate, diethylhexyl syringylidenemalonate, phenoxethanol, peg-8 laurate, trisodium ethylenediamine disuccinate, menthyl lactate, pentylene glycol, mentha piperita (peppermint) extract, xanthan gum, propanediol, leontopodium alpinum flower/leaf extract, caprylyl glycol, caprylic/capric triglyceride, acrylates/c10-30 alkyl acrylate crosspolymer, moringa oleifera seed extract, rosa meichibon/delgramaue callus, disodium phosphate, citric acid, potassium sorbate, glycerin, fragrance

Questions or comments?

1-800-LANCOME (1-800-526-2663)
Monday - Friday (9 a.m. - 5 p.m. EST)

C262576/1

885444 13

LANCÔME
PARIS

Lancome.com

LA402 10



**Primer & Moisturizer
UV EXPERT
Aqualgel Defense 50+
Broad Spectrum SPF 50+
All skin types, even sensitive**

This formula, enriched with Antioxidants Vitamin E, Edelweiss Extract and Moringa Seed Extract, helps to protect the skin from external aggressions.

Apply this water-like refreshing, lightweight and invisible formula every day on your face, as a makeup primer or moisturizer.

THIS PRODUCT CAN
BE SOLD ONLY BY
APPROVED DISTRIBUTORS
LANCÔME PARIS
14 rue Royale 75008 Paris
LANCÔME,
LUXURY PRODUCTS LLC,
10 HUDSON YARDS,
NEW YORK, NY 10001
IMP. BY LANCÔME CANADA,
MONTREAL, H4T 1K5
TSA 75000
93584 ST-QUEEN CEDEX FR

Made in France

3614272489578

LANCÔME
PARIS



UV EXPERT

AQUAGEL
DEFENSE 50+
SUNSCREEN

BROAD SPECTRUM SPF 50+
PRIMER & MOISTURIZER

WITH ANTIOXIDANT VITAMIN E

AQUAGEL TECHNOLOGY
LIGHTWEIGHT + COOLING + INVISIBLE

30 ml 1.0 FL. OZ.

Drug Facts (continued)

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only
Flammable until dry. Do not use near fire, flame or heat.

Drug Facts

Active ingredients

Avobenzene 3% Sunscreen

Homosalate 15% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 7% Sunscreen

Purpose

Sunscreen

Sunscreen

Sunscreen

Sunscreen

Uses

- helps prevent sunburn

NUMÉRO
DE
LOT



LANCÔME PARIS UV EXPERT AQUAGEL DEFENSE 50 PLUS SUNSCREEN BROAD SPECTRUM SPF 50 PLUS PRIMER AND MOISTURIZER

avobenzone, homosalate, octisalate and octocrylene cream

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:51150-142

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
homosalate (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	homosalate	150 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
STYRENE/ACRYLAMIDE COPOLYMER (50000 MW) (UNII: 5Z4DPO246A)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
SODIUM DODECYLBENZENESULFONATE (UNII: 554127163Y)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
PHENOXYETHANOL (UNII: H1E492ZZ3T)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
MENTHA X PIPERITA WHOLE (UNII: 79M2M2UDA9)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PROPANEDIOL (UNII: 5965N8W85T)	
LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWERING TOP (UNII: QQC1AK06RK)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
MORINGA OLEIFERA LEAF (UNII: 4WET1AWO9B)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-142-01	1 in 1 CARTON	07/01/2021	

1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:51150-142-02	1 in 1 CARTON	02/01/2022	
2		10 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:51150-142-03	1 in 1 CARTON	02/01/2022	12/30/2024
3		5 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:51150-142-04	1 in 1 CARTON	02/01/2022	12/30/2024
4		1 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2021	

Labeler - SICOS ET CIE (276993581)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-142) , pack(51150-142)

Revised: 12/2023

SICOS ET CIE