

# **CHILDREN ACETAMINOPHEN ORAL SOLUTION- acetaminophen liquid VERITYRX. LLC**

-----  
**APAP Child 160MG/5mL**

**Active ingredient (per 5 mL teaspoonful)**

Acetaminophen 160 mg

**Purpose**

Pain Reliever/Fever Reducer

**Warnings**

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has** liver disease.

**Ask a doctor before use if your child is** taking the blood thinning drug warfarin.

**When using this product: Do not exceed recommended dose.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- toothache

- the common cold
- temporarily reduces fever
- flu
- sore throat

**If pregnant or breast-feeding,** ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults/children even if you do not notice any signs or symptoms.

### Directions

- **do not take more than directed**
- find dose in chart below
- if possible, use weight to dose, otherwise use age
- dosage may be repeated every 4 hours, or as directed by a doctor
- do not give more than 5 doses in 24 hours

Weight (lbs)	under 24	24-35	36-47	48-59	60-71	72-95
Age (years)	under 2	2 to 3	4 to 5	6 to 8	9 to 10	11
Dosage	consult	1 tsp (5	1 1/2 tsp	2 tsp (10	2 1/2 tsp	3 tsp (15
Teaspoonful (tsp)	Physician	mL)	(7.5 mL)	mL)	(12.5 mL)	mL)

**Inactive ingredients:** artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate, sucralose



VERITYRX

NDC: 83939-0010-02 Qty: 10 CUPS

CHILDREN'S ACETAMINOPHEN  
160MG/5ML

\*See package insert for indications and dosage schedule.


Store at 20°C to 25°C (68°F - 77°F); permitted excursions between 15°C to 30°C (59°F - 86°F) / Protect from freezing and Light / Alcohol / Aspirin free / Cherry flavor. \*\*Keep this and all medications out of the reach of children\*\*



NDC: 83939-0010-02 Qty: 10 CUPS  
CHILDREN'S ACETAMINOPHEN 160MG/5ML  
(Acetaminophen Original NDC: 0904-7014-16)



GTIN: 00383939001028  
S/N:  
Exp:  
Lot:



Distributed by: VerityRx 20225 NE 16th  
Place Miami, FL 33179

Call to Reorder: 844-837-4897

## CHILDREN ACETAMINOPHEN ORAL SOLUTION

acetaminophen liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83939-0010(NDC:0904-7014)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

**SUCRALOSE** (UNII: 96K6UQ3ZD4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83939-0010-1	1 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product	11/10/2025	
2	NDC:83939-0010-2	10 in 1 BOX, UNIT-DOSE	11/10/2025	
2		1 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
3	NDC:83939-0010-3	40 in 1 BOX, UNIT-DOSE	11/10/2025	
3		1 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
4	NDC:83939-0010-4	50 in 1 BOX, UNIT-DOSE	11/10/2025	
4		1 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
5	NDC:83939-0010-5	100 in 1 BOX, UNIT-DOSE	11/10/2025	
5		1 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/01/2019	

**Labeler** - VERITYRX. LLC (097807737)

Revised: 11/2025

VERITYRX. LLC