KOSHER MEDS CHILDRENS ALLERGY RELIEF- diphenhydramine hcl solution Mollec Inc

Active Ingredient

(in each 5 mL teaspoonful)
Diphenhydramine HCl 12.5mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
- sneezing
- runny nose

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- glaucoma
- a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• if needed, take every 4-6 hours

do not take more than 6 doses in 24 hours

Children under 4 years of age:	do not use
Children 4 to under 6 years of age:	do not use unless directed by a doctor
Children 6 to under 12 years of age:	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

Other Information

- Keep carton for full directions for use
- each teaspoonful contains: sodium 10 mg
- store at 20° 25° C (68° 77° F)
- dosage cup provided

Inactive ingredients

Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

Product label



THE KOSHER CERTIFIED

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient (in each 5 mL teaspoonful) Purpose Diphenhydramine HCl 12.5mg.....Antihistamin

Warnings

Warnings
Do not use with any other product containing diphenhydramine, even one used on skin who make a child sleepy
Ask a doother before use of the child has glaucoma a breathing problem such as chronic bronchitis Ask a doother or pharmasian before use if the child in taking sedatives or tranquitizers
When using this product marked drowsness may occur excitations and tranquitizers may increase drowsness and tranquitizers may increase drowsness and tranquitizers may increase drowsness.

drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions if needed, take every 4-6 hours

a do not take more man o desce in 24 nodes		
Children under 4 years of age:	do not use	
Children 4 to under 6 years of age:	do not use unless directed by a doctor	
Children 6 to under 12 years of age:	1 to 2 teaspoonfuls (12.5 mg to 25 mg)	
it jours of ago.	(iz.o ing to zo ing	

Drug Facts (continued)

Other Information

Keep certon for full directions for use
each teaspoonful contains: sodium 10 mg
store at 20° - 25° C (68° - 77° F) ■ store at 20° - 25° C (6 ■ dosage oup provided

Inactive ingredients Citric acid, D&C Red # 33, FD&C Red # 40, flavor,

glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucros

Questions or comments? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-796-5944

This product is not manufactured or distributed by McNeil PPC, Inc., distributor of Benadry/ Allergy liquid.

Distributed by: kosher-med Monsey, NY 10952 USA www.kosher-meds.com



(kosher-meds)

Children's Allergy Relief

THE KOSHER CERTIFIED CHILDREN'S ALLERGY RELIEF

NDC 82179-004-04

COMPARE TO CHILDREN'S BENADRYL* ALLERGY*
active ingredient

kosher-meds

children's **Allergy Relief**

Diphenhydramine HCI **Antihistamine Oral Solution**

RELIEVES:

- Itchy Watery Eyes Sneezing

- Runny Nose Itchy Throat



Cherry Flavor

NDC 82179-004-04

COMPARE TO CHILDREN'S BENADRYL* ALLERGY* active ingredient

kosher-meds

Children's **Allergy Relief**

Diphenhydramine HCI **Antihistamine Oral Solution**

RELIEVES:

- Itchy Watery Eyes Sneezing
- Runny Nose Itchy Throat




4 fl oz (118 mL)

4 fl oz (118 mL)



LOT:

EXP



KOSHER MEDS CHILDRENS ALLERGY RELIEF

diphenhydramine hcl solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82179-004

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	12.5 mg
(DIPHENHYDRAMINE - UNII:8GTS82S83M)	HYDROCHLORIDE	in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	

ı	Packaging				
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
:	NDC:82179-004-	1 in 1 CARTON	04/18/2024		
:	L	118 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	04/18/2024		

Labeler - Mollec Inc (040088196)

Revised: 5/2024 Mollec Inc