

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION I10- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O10- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O20- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O30- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O40- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O50- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O60- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B10- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B20- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B30- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF20- octinoxate and titanium dioxide cream

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION WB20- octinoxate and titanium dioxide cream

SHISEIDO AMERICAS CORPORATION

CLÉ DE PEAU BEAUTÉ RADIANT FLUID FOUNDATION

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 4.9%	Sunscreen
TITANIUM DIOXIDE 2.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE•WATER•BUTYLENE GLYCOL•GLYCERIN•PEG-10
DIMETHICONE•CYCLOMETHICONE•BIS-BUTYLDIMETHICONE POLYGLYCERYL-
3•POLYMETHYLSILSESQUIOXANE•ERYTHRITOL•XYLITOL•BARIUM
SULFATE•DIPHENYLSILOXY PHENYL TRIMETHICONE•DIMETHICONE/VINYL
DIMETHICONE CROSSPOLYMER•POLYQUATERNIUM-51•SODIUM ACETYLATED
HYALURONATE•ROSA ROXBURGHII FRUIT EXTRACT•HYDROLYZED CONCHIOLIN
PROTEIN•HYDROLYZED SILK•SYNTHETIC FLUORPHLOGOPITE•DIMETHICONE/PEG-
10/15 CROSSPOLYMER•DISTEARDIMONIUM HECTORITE•SORBITAN
SESQUIISOSTEARATE•ALUMINUM HYDROXIDE•ALUMINUM DISTEARATE•DISODIUM
EDTA•ALUMINA•TRIETHOXYCAPRYLYLSILANE•POLYSILICONE-
2•TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL
DIMETHICONE•TOCOPHEROL•DIPROPYLENE GLYCOL•SILICA•VINYL
DIMETHICONE/METHICONE SILSESQUIOXANE
CROSSPOLYMER•BHT•ALCOHOL•PHENOXYETHANOL•FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - I10

clé de peau
BEAUTÉ

radiant fluid foundation

**BROAD SPECTRUM
SPF 24
SUNSCREEN**

30mL 1 FL. OZ.

radiant fluid foundation

110

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

110

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

G.L.O. 33336

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33336 *



Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
 - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts (continued)

Inactive ingredients


DIMETHICONE · WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHIOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-10/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOESTEATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILICONE-2 · TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE · CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - O10

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

O10

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

O10

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33337

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33337 *



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
 - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE - WATER - BUTYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - CYCLOMETHICONE - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - POLYMETHYLSILSESQUOXANE - ERYTHRITOL - XYLITOL - BARIUM SULFATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - ROSA ROXBURGHII FRUIT EXTRACT - HYDROLYZED CONCHOLIN PROTEIN - HYDROLYZED SILK - SYNTHETIC FLUORPHLOGOPITE - DIMETHICONE/PEG-1Q/15 CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - SORBITAN SESQUISOSEARATE - ALUMINUM HYDROXIDE - ALUMINUM DISTEARATE - DISODIUM EDTA - ALUMINA - TRIETHOXYCAPRYLYLSILANE - POLYSILICONE-2 - TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - TOCOPHEROL - DIPROPYLENE GLYCOL - SILICA - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER - BHT - ALCOHOL - PHENOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA -

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - O20

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

O 20

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

O 20

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33338 |

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33338

*



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE - WATER - BUTYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - CYCLOMETHICONE - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - POLYMETHYLSILSESQUOXANE - ERYTHRITOL - XYLITOL - BARIUM SULFATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - ROSA ROXBURGHII FRUIT EXTRACT - HYDROLYZED CONCHOLIN PROTEIN - HYDROLYZED SILK - SYNTHETIC FLUORPHLOGOPITE - DIMETHICONE/PEG-1Q/15 CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - SORBITAN SESQUISOESTEARATE - ALUMINUM HYDROXIDE - ALUMINUM DISTEARATE - DISODIUM EDTA - ALUMINA - TRIETHOXYCAPRYLYLSILANE - POLYSILICONE-2 - TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - TOCOPHEROL - DIPROPYLENE GLYCOL - SILICA - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER - BHT - ALCOHOL - PHENOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA -

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - O30

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

O 30

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

O30

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33339

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33339

*



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE - WATER - BUTYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - CYCLOMETHICONE - BIS-BUTYLDIMETHICONE - POLYGLYCERYL-3 - POLYMETHYLSILSESQUOXANE - ERYTHRITOL - XYLITOL - BARIUM SULFATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - ROSA ROXBURGHII FRUIT EXTRACT - HYDROLYZED CONCHILIN PROTEIN - HYDROLYZED SILK - SYNTHETIC FLUORPHLOGOPITE - DIMETHICONE/PEG-1Q/15 CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - SORBITAN SESQUISOESTEATE - ALUMINUM HYDROXIDE - ALUMINUM DISTEARATE - DISODIUM EDTA - ALUMINA - TRIETHOXYCAPRYLYLSILANE - POLYSILICONE-2 - TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - TOCOPHEROL - DIPROPYLENE GLYCOL - SILICA - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER - BHT - ALCOHOL - PHENOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA -

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - O40

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

O40

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

O40

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% ... Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33340

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33340 *



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ **apply liberally** 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ **reapply** at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
· limit time in the sun, especially from 10 a.m. - 2 p.m.
· wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

**BROAD SPECTRUM
SPF 24
SUNSCREEN**

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE - WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE · POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-10/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOSEARATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILOXANE-2 · TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - O50

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

O 50

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN
O 50
READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% ... Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33341

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33341 *



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ **apply liberally** 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ **reapply** at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
· limit time in the sun, especially from 10 a.m. - 2 p.m.
· wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

**BROAD SPECTRUM
SPF 24
SUNSCREEN**

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE - WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE · POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-10/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOSEARATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILOXANE-2 · TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - O60

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

O 60

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

O 60

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% ... Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
GLO. 33342

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33342

*



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE · WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-10/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOSTEARATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILICONE-2 · TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - B10

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

B10

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

B10

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

G.L.O. 33343

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33343

*



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE · WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-10/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOSTEARATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILICONE-2 · TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - B20

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

B 20

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN
B 20
READ INSERTION.

Drug Facts

Active ingredients

Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33344

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33344 *



Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts (continued)

Inactive ingredients


DIMETHICONE - WATER - BUTYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - CYCLOMETHICONE - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - POLYMETHYLSILSESQUOXANE - ERYTHRITOL - XYLITOL - BARIUM SULFATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - ROSA ROXBURGHII FRUIT EXTRACT - HYDROLYZED CONCHOLIN PROTEIN - HYDROLYZED SILK - SYNTHETIC FLUORPHLOGOPITE - DIMETHICONE/PEG-10/15 COPOLYMER - DISTEARDIMONIUM HECTORITE - SORBITAN SESQUISOESTEARATE - ALUMINUM HYDROXIDE - ALUMINUM DISTEARATE - DISODIUM EDTA - ALUMINA - TRIETHOXYCAPRYLYLSILANE - POLYSILOXANE-2 - TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - TOCOPHEROL - DIPROPYLENE GLYCOL - SILICA - VINYL DIMETHICONE/METHICONE SILSESQUOXANE COPOLYMER - BHT - ALCOHOL - PHENOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA -

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - B30

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

B 30

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

B 30

READ INSERTION.

Drug Facts

Active ingredients

Purpose

OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

GLO. 33345

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33345 *



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶

Drug Facts
(continued)

Inactive ingredients

DIMETHICONE - WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE · POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-1Q/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOESTERATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILOXANE-2 · TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?


Call toll free
1-800-906-7503



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - BF20

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

BF 20

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN
BF 20
READ INSERTION.

Drug Facts

Active ingredients

Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

G.L.O. 33346

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33346 *



Drug Facts
(continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts
(continued)

Inactive ingredients


DIMETHICONE · WATER · BUTYLENE GLYCOL · GLYCERIN · PEG-10 DIMETHICONE · CYCLOMETHICONE · BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 · POLYMETHYLSILSESQUOXANE · ERYTHRITOL · XYLITOL · BARIUM SULFATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER · POLYQUATERNIUM-51 · SODIUM ACETYLATED HYALURONATE · ROSA ROXBURGHII FRUIT EXTRACT · HYDROLYZED CONCHOLIN PROTEIN · HYDROLYZED SILK · SYNTHETIC FLUORPHLOGOPITE · DIMETHICONE/PEG-10/15 CROSSPOLYMER · DISTEARDIMONIUM HECTORITE · SORBITAN SESQUISOSEARATE · ALUMINUM HYDROXIDE · ALUMINUM DISTEARATE · DISODIUM EDTA · ALUMINA · TRIETHOXYCAPRYLYLSILANE · POLYSILOXANE-2 · TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE · TOCOPHEROL · DIPROPYLENE GLYCOL · SILICA · VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER · BHT · ALCOHOL · PHENOXYETHANOL · FRAGRANCE · TITANIUM DIOXIDE · IRON OXIDES · MICA ·

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - WB20

clé de peau
BEAUTÉ

radiant fluid foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

30mL 1 FL. OZ.

radiant fluid foundation

WB 20

clé de peau
BEAUTÉ
RADIANT FLUID FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN
WB 20
READ INSERTION.

Drug Facts

Active ingredients

Purpose
OCTINOXATE 4.9% Sunscreen
TITANIUM DIOXIDE 2.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
GLO. 33347

www.cledepeau-beaute.com

This package is made using bagasse paper (a non-wood paper).

7 29238 33347 *



Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor ▶



radiant fluid foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts (continued)

Inactive ingredients


DIMETHICONE - WATER - BUTYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - CYCLOMETHICONE - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - POLYMETHYLSILSESQUOXANE - ERYTHRITOL - XYLITOL - BARIUM SULFATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - POLYQUATERNIUM-51 - SODIUM ACETYLATED HYALURONATE - ROSA ROXBURGHII FRUIT EXTRACT - HYDROLYZED CONCHOLIN PROTEIN - HYDROLYZED SILK - SYNTHETIC FLUORPHLOGOPITE - DIMETHICONE/PEG-10/15 CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - SORBITAN SESQUISOESTEARATE - ALUMINUM HYDROXIDE - ALUMINUM DISTEARATE - DISODIUM EDTA - ALUMINA - TRIETHOXYCAPRYLYLSILANE - POLYSILICONE-2 - TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - TOCOPHEROL - DIPROPYLENE GLYCOL - SILICA - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER - BHT - ALCOHOL - PHENOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA -

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503



CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION I10

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-193
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-193-60	1 in 1 CARTON	09/01/2014	09/01/2023
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	09/01/2023

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O10

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-194
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	

CYCLOMETHICONE (UNII: NMQ347994Z)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ERYTHRITOL (UNII: RA96B954X6)
XYLITOL (UNII: VCQ006KQ1E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALUMINUM OXIDE (UNII: LMI26O6933)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-194-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-195
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-195-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O30

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-196
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-196-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 040

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-197
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	

XYLITOL (UNII: VCQ006KQ1E)
BARIUM SULFATE (UNII: 25BB7EKE2E)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALUMINUM OXIDE (UNII: LMI26O6933)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-197-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O50

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-198
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
-----------------	----------	----------

Ingredient Name	Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-198-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O60

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-199
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-199-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B10

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-200
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	

DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALUMINUM OXIDE (UNII: LMI26O6933)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-200-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)

TITANIUM DIOXIDE

825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-201-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B30

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-202-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-203
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ALUMINUM OXIDE (UNII: LMI26O6933)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALCOHOL (UNII: 3K9958V90M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-203-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION WB20

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-204
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1617 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	825 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ERYTHRITOL (UNII: RA96B954X6)	
XYLITOL (UNII: VCQ006KQ1E)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-204-60	1 in 1 CARTON	09/01/2014	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	09/01/2014	

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-193, 58411-194, 58411-195, 58411-196, 58411-197, 58411-198, 58411-199, 58411-200, 58411-201, 58411-202, 58411-203, 58411-204) , analysis(58411-193, 58411-194, 58411-195, 58411-196, 58411-197, 58411-198, 58411-199, 58411-200, 58411-201, 58411-202, 58411-203, 58411-204)

Revised: 12/2023

SHISEIDO AMERICAS CORPORATION