

**BIONICA PAIN RELIEVING GEL - arnica, belladonna, bellis, bryonia, cuprum acet, cuprum sulph, calendula, hypericum, ledum, rhus tox, ruta, symphytum, sulphuricum ac, calc fluor, calc phos, calch sulph, ferrum phos, kali sulph, mag phos, nat mur, nat phos, nat sulphuricum gel Origin BioMed Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts**

### **Active Ingredients**

Arnica 30C, 6X HPUS, Belladonna 30C,6X HPUS, Bellis 30C, 6X HPUS, Bryonia 12C, 6X HPUS, Cuprum Acet 12X HPUS,Cuprum Sulph 12X HPUS, Calendula 12C, 6X HPUS, Hypericum 30C, 6X HPUS, Ledum 12C HPUS, Rhus Tox 30C, 6X HPUS, Ruta 30C, 6X HPUS, Symphytum 12X HPUS, Sulphuricum Ac 6X HPUS, Calc Fluor 12C,10X HPUS, Calc Phos 10X HPUS, Calc Sulph 6X HPUS, Ferrum Phos 12C, 10X HPUS, Kali Mur 6X HPUS, Kali Phos 6X HPUS, Kali Sulph 6X HPUS, Mag Phos 30C, 10X HPUS, Nat Mur 12X HPUS, Nat Phos 6X HPUS, Nat Sulphuricum 12C, 6X HPUS.

The letters “HPUS” indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States

### **Purpose**

Minor Pain Reliever

### **Uses**

---

Temporary relief of minor pain associated with:

- arthritis
- strains
- bruises
- sprains
- injuries
- sore muscles and joints

As per Homeopathic Materia Medica.

---

### **Warnings**

**FOR EXTERNAL USE ONLY.**

#### **Do not**

- apply to wounds, broken or damaged skin
- apply over large areas of the body

#### **When using this product**

- avoid contact with eyes or mucus membranes
- occasionally an increase in skin redness, sensitivity or irritation can occur with initial application. This can be a normal reaction. Discontinue use if skin irritation persists or does not subside.

#### **Stop use and ask a doctor if**

- condition worsens

- symptoms persist for more than 7 days or clear up and occur again within a few days
- excessive skin irritation occurs

**If pregnant or breast feeding**,ask a health professional before use.

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 2 years of age and older apply liberally to the affected area, rubbing gently until fully absorbed
- use once every half hour within the first four hours of pain, then 3 times daily
- children under 2 years of age: consult a physician

### **Other Information**

- store below 30°C
- protect from strong magnetic fields
- tamper resistant: do not use if inner protective seal is broken

### **Inactive Ingredients**

Aloe Barbadensis Leaf Juice, Carbomer, Citrus Lemon (Lemon) Fruit Water, Glycerin, Lonicera japonica (Honeysuckle) Flower Extract, Lonifera Caprifolium (Honeysuckle) Extract, Purified Water

### **Questions?**

1-877-Bionica (1-877-246-6422)

---

Distributed by:

Origin BioMed Inc.  
102 Chain Lake Dr, Unit 1K,  
Halifax, N.S, Canada, B3S 1A7

**MADE IN U.S.A.**

**[www.getbionica.com](http://www.getbionica.com)**

---

### **Principal Display Panel**

NDC: 15377-012-03

PAIN RELIEVING

TEMPORARILY RELIEVES MINOR PAIN ASSOCIATED WITH:  
ARTHRITIS, STRAINS, BRUISES, SPRAINS, INJURIES, SORE MUSCLES AND JOINTS

- NON-GREASY
- NO CAPSAICIN

• NO MENTHOL

24 Active Ingredients: including Arnica, Magnesium, Potassium and Calcium

HOMEOPATHIC

NET WT 3 oz (85 g)

**Bionica** PAIN RELIEVING GEL

NDC: 15377-012-03

**PAIN RELIEVING**

TEMPORARILY RELIEVES MINOR PAIN ASSOCIATED WITH: ARTHRITIS, STRAINS, BRUISES, SPRAINS, INJURIES, SORE MUSCLES AND JOINTS

• NON-GREASY • NO CAPSAICIN • NO MENTHOL

**PAIN RELIEVING**

TEMPORARILY RELIEVES MINOR PAIN ASSOCIATED WITH: ARTHRITIS, STRAINS, BRUISES, SPRAINS, INJURIES, SORE MUSCLES AND JOINTS

• NON-GREASY • NO CAPSAICIN • NO MENTHOL

**PAIN RELIEVING**

TEMPORARILY RELIEVES MINOR PAIN ASSOCIATED WITH: ARTHRITIS, STRAINS, BRUISES, SPRAINS, INJURIES, SORE MUSCLES AND JOINTS

• NON-GREASY • NO CAPSAICIN • NO MENTHOL

**Bionica** PAIN RELIEVING GEL

**Bionica** PAIN RELIEVING GEL

**Bionica** PAIN RELIEVING GEL

24 Active Ingredients: including Arnica, Magnesium, Potassium and Calcium

Distributed by:  
Origin BioMed Inc.  
102 Chain Lake Dr, Unit 1K,  
Halifax, N.S. Canada, B3S 1A7  
MADE IN U.S.A.

**Drug Facts**

Active Ingredients	Purpose
Amica 30C, 6X HPUS, Belladonna 30C, 6X HPUS, Bellis 30C, 6X HPUS, Bryonia 12C, 6X HPUS, Cuprum Acet 12X HPUS, Cuprum Sulph 12X HPUS, Calendula 12C, 6X HPUS, Hypericum 30C, 6X HPUS, Ledum 12C HPUS, Rhus Tox 30C, 6X HPUS, Ruta 30C, 6X HPUS, Symphytum 12X HPUS, Sulphuricum Ac 6X HPUS, Calc Fluor 12C, 10X HPUS, Calc Phos 10X HPUS, Calc Sulph 6X HPUS, Ferrum Phos 12C, 10X HPUS, Kali Mur 6X HPUS, Kali Phos 6X HPUS, Kali Sulph 6X HPUS, Mag Phos 30C, 10X HPUS, Nat Mur 12X HPUS, Nat Phos 6X HPUS, Nat Sulphuricum 12C, 6X HPUS.	Minor Pain Reliever

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

**Uses**  
Temporary relief of minor pain associated with:  
• arthritis • strains • bruises • sprains • injuries  
• sore muscles & joints  
As per Homeopathic Materia Medica.

**Warnings**  
**FOR EXTERNAL USE ONLY.**  
**Do not**  
■ apply to wounds, broken or damaged skin  
■ apply over large areas of the body  
**When using this product**  
■ avoid contact with eyes or mucus membranes  
■ occasionally an increase in skin redness, sensitivity or irritation can occur with initial application. This can be a normal reaction. Discontinue use if skin irritation persists or does not subside.  
**Stop use and ask a doctor if**  
■ condition worsens  
■ symptoms persist for more than 7 days or clear up and occur again within a few days  
■ excessive skin irritation occurs  
**If pregnant or breast feeding**, ask a health professional before use.  
**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

**Directions**  
■ adults and children 2 years of age and older apply liberally to the affected area, rubbing gently until fully absorbed  
■ use once every half hour within the first four hours of pain, then 3 times daily  
■ children under 2 years of age: consult a physician

**Other Information**  
■ store below 30°C ■ protect from strong magnetic fields ■ tamper resistant: do not use if inner protective seal is broken

**Inactive Ingredients**  
Aloe Barbadosensis Leaf Juice, Carbomer, Citrus Limon (Lemon) Fruit Water, Glycerin, Lonicera japonica (Honeysuckle) Flower Extract, Lonicera Caprifolium (Honeysuckle) Extract, Purified Water

**Questions?** 1-877-Bionica (1-877-246-6422)

www.getbionica.com HOMEOPATHIC NET WT 3 oz (85 g) www.getbionica.com

# BIONICA PAIN RELIEVING GEL

arnica, belladonna, bellis, bryonia, cuprum acet, cuprum sulph, calendula, hypericum, ledum, rhus tox, ruta, symphytum, sulphuricum ac, calc fluor, calc phos, calch sulph, ferrum phos, kali sulph, mag phos, nat mur, nat phos, nat sulphuricum gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:15377-012
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ARNICA MONTANA FLOWER</b> (UNII: OZ0E5Y15PZ) (ARNICA MONTANA FLOWER - UNII:OZ0E5Y15PZ)	ARNICA MONTANA FLOWER	30 [hp_C] in 85 g
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	30 [hp_C] in 85 g
<b>BELLIS PERENNIS</b> (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	30 [hp_C] in 85 g
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	12 [hp_C] in 85 g
<b>CUPRIC ACETATE</b> (UNII: 39M11XPH03) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC ACETATE	12 [hp_X] in 85 g
<b>CUPRIC SULFATE</b> (UNII: LRX7AJ16DT) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	12 [hp_X] in 85 g
<b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	12 [hp_C] in 85 g
<b>HYPERICUM PERFORATUM</b> (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	30 [hp_C] in 85 g
<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	12 [hp_C] in 85 g
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	30 [hp_C] in 85 g
<b>RUTA GRAVEOLENS FLOWERING TOP</b> (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	30 [hp_C] in 85 g
<b>COMFREY ROOT</b> (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII:M9VVZ08EKQ)	COMFREY ROOT	12 [hp_X] in 85 g
<b>SULFURIC ACID</b> (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF)	SULFURIC ACID	6 [hp_X] in 85 g
<b>CALCIUM FLUORIDE</b> (UNII: O3B55K4YK1) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	12 [hp_C] in 85 g
<b>TRIBASIC CALCIUM PHOSPHATE</b> (UNII: 91D9GV0Z28) (PHOSPHATE ION - UNII:NK08V8K8HR)	TRIBASIC CALCIUM PHOSPHATE	10 [hp_X] in 85 g
<b>CALCIUM SULFATE ANHYDROUS</b> (UNII: E934B3V59H) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM SULFATE ANHYDROUS	6 [hp_X] in 85 g
<b>FERROSO FERRIC PHOSPHATE</b> (UNII: 91GQH8I5F7) (FERROSO FERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSO FERRIC PHOSPHATE	12 [hp_C] in 85 g
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CHLORIDE	6 [hp_X] in 85 g
<b>POTASSIUM PHOSPHATE, DIBASIC</b> (UNII: CI71S98N1Z) (PHOSPHATE ION - UNII:NK08V8K8HR)	POTASSIUM PHOSPHATE, DIBASIC	6 [hp_X] in 85 g
<b>POTASSIUM SULFATE</b> (UNII: 1K573LC5TV) (SULFATE ION - UNII:7IS9N8KPMG)	POTASSIUM SULFATE	6 [hp_X] in 85 g
<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	30 [hp_C] in 85 g
<b>SODIUM SULFATE</b> (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS -	SODIUM SULFATE	12 [hp_C]

UNII:36KCS0R750)	SODIUM SULFATE	in 85 g
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	12 [hp_X] in 85 g
<b>SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE</b> (UNII: 70WT22SF4B) (PHOSPHATE ION - UNII:NK08V8K8HR)	SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE	6 [hp_X] in 85 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LONICERA JAPONICA FLOWER</b> (UNII: 4465L2WS4Y)	
<b>LONICERA CAPRIFOLIUM FLOWER</b> (UNII: 5N1WD9784U)	
<b>WATER</b> (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15377-012-03	1 in 1 CARTON		
1		85 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/03/2013	

**Labeler** - Origin BioMed Inc. (206071222)

### Establishment

Name	Address	ID/FEI	Business Operations
ABCO Laboratories, Inc.		029618279	manufacture(15377-012)

### Establishment

Name	Address	ID/FEI	Business Operations
C-Care LLC		120585950	manufacture(15377-012)

Revised: 5/2014

Origin BioMed Inc.