

PAIN RELIEF GEL-ROLL ON- lidocaine and menthol gel

Bullet point LLC

Active Ingredient

Lidocaine 4.0% (w/w Purpose: Topical Anesthetic)

Menthol 1.0% (w/w Purpose: Topical Analgesic)

Purpose

(Lidocaine) Topical Anesthetic

(Menthol) Topical Analgesic

Warnings

For external use only

Use

Temporary relief of pain

Do not use

• On large areas of the body or on cut, irritated, or swollen skin not apply to wounds or damaged skin • on puncture wounds • for more than one week without consulting a doctor.

When using this product

- Use only as directed. Read and follow all directions and warnings on this label
- Do not allow contact with eyes and mucous membranes
- Do not bandage or apply local heat (such as heating patches) or a medicated patch to the area of use
- Do not use at the same time as other topical analgesics

Stop use if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur within a few days

Ask a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur within a few days

Flammable

- Keep away from fire or flame

If pregnant or breast-feeding

- Ask a health professional before use

Keep out of reach of children

If swallowed, get medical help or contact the Poison Control Center right away

Directions

Adults and children 12 years of age and over:

- Apply a thin layer to the affected area for 6 to 8 hours
- Not to exceed 3 applications in a 24 hour period

Children under 12 years old: Consult a doctor

Inactive Ingredients

Aloe Vera Extract, Carbomer, Isopropyl myristate, Lavender Oil, Phenoxyethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Vitamin E, Water

Child-resistant packaging. Close the cap tightly after use.



FAST ACTING



LONG LASTING





VANISHING SCENT

2.5 Fl Oz (73 ml)
MAXIMUM OTC STRENGTH

Drug Facts	
Active Ingredients	Purpose
Lidocaine 4%.....	Topical anesthetic
Menthol 1%	Topical anesthetic
Use temporary relief of pain	
Warnings For external use only	
Do not use •on large areas of the body or on cut, irritated or swollen skin not apply to wounds or damaged skin •on puncture wounds •for more than one week without consulting a doctor	
When using this product •use only as directed. read and follow all directions and warnings on this label •do not allow contact with eyes and mucous membranes •do not bandage or apply local heat (such as heating patches) or a medicated patch to the area of use •do not use at the same time as other topical analgesics	
Stop use and ask a doctor if •condition worsens •redness is present •irritation develops •symptoms persist for more than 7 days or clear up and occur within a few days	
Flammable •keep away from fire or flame	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions Adult and Children 12 years of age and over •apply a thin layer to affected area 6 to 8 hours, not to exceed 3 application in a 24 hour period Children under 12 years of age: Consult a doctor	
Inactive Ingredients Aloe Vera Extract, Carbomer, Isopropyl myristate, Lavender Oil, Phenoxyethanol, Polysorbate 80, Propylene Glycol, Tartaric acid, Vitamin E, Water	
Questions and Comments Call +1-888-806-6834	
Manufactured for: NOVEHA® Pharmaceuticals LLC, Maryland 21215 USA	Child-resistant packaging. Close cap tightly after use.
Made in China	

LOT
EXP





PAIN RELIEF GEL-ROLL ON

lidocaine and menthol gel

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:84008-002

Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	0.04 g in 1 mL	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	0.01 g in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
TARTARIC ACID (UNII: W4888I119H)				
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
LAVENDER OIL (UNII: ZBP1YXW0H8)				
.ALPHA.-TOCOPHEROL, D- (UNII: N9PR3490H9)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84008-002-02	1 in 1 BOX	11/03/2025	
1	NDC:84008-002-01	73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	11/03/2025	

Labeler - Bullet point LLC (118190100)

Registrant - Bullet Point LLC (118190100)

Establishment				
Name	Address	ID/FEI	Business Operations	
ShanghaiChuangshiMedicalTechnology(Group)Co.,Ltd.		546872672	manufacture(84008-002) , label(84008-002)	