

**PREMIER VALUE FAMOTIDINE- famotidine tablet, film coated**  
**Premier Value**

-----  
**Premier Value® Famotidine**

***Drug Facts***

**Active ingredient (in each tablet)**

Famotidine, USP 20 mg

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert**

Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor
- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

## Other information

- store at 20° to 25° C (68° to 77° F)
- protect from moisture
- read the directions and warnings before use
- keep the carton. It contains important information.

## Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, pregelatinized starch, talc, titanium dioxide

## Questions?

call **1-800-406-7984**

Distributed By:  
Pharmacy Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

## PRINCIPAL DISPLAY PANEL - 25 Tablet Bottle Carton

†COMPARE TO THE ACTIVE INGREDIENT  
IN MAXIMUM STRENGTH PEPCID AC®

Premier  
Value®

MAXIMUM STRENGTH  
Famotidine Tablets, USP 20 mg  
Acid Controller

Acid Reducer

- Just One Tablet  
Prevents & Relieves Heartburn  
Due to Acid Indigestion

25 Tablets

INDEPENDENTLY TESTED  
PV  
SATISFACTION GUARANTEED

† COMPARE TO THE ACTIVE INGREDIENT  
IN MAXIMUM STRENGTH PEPCID AC®



MAXIMUM STRENGTH  
Famotidine Tablets, USP 20 mg  
**Acid Controller**  
Acid Reducer

25 Tablets



† COMPARE TO THE ACTIVE INGREDIENT  
IN MAXIMUM STRENGTH PEPCID AC®



MAXIMUM STRENGTH  
Famotidine Tablets, USP 20 mg  
**Acid Controller**  
Acid Reducer

✓ **Just One Tablet**

Prevents & Relieves Heartburn  
Due to Acid Indigestion



25 Tablets



- Tips for Managing Heartburn**
- Do not lie flat or bend over after eating
  - Do not wear tight-fitting clothing around the stomach
  - Do not eat before bedtime
  - Base the head of your bed
  - Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
  - Eat slowly and avoid big meals
  - If overweight, lose weight
  - Quit smoking

Expiration Date:

**NON VARNISH**

Batch No.

**TAMPER EVIDENT: DO NOT USE IF THE CARTON OR PRINTED FOIL UNDER CAP IS OPEN OR TORN.**  
See end panel for batch number and expiration date.  
All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Pepcid AC®.



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



Distributed By:  
Piermarco Value Alliance, LLC  
407 East Lancaster Avenue,  
Wayne, PA 19087

Ro816

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

**Questions?** call 1-800-406-7984

**Inactive Ingredients:** colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, pregelatinized starch, talc, titanium dioxide

**Other Information**

- store at 20° to 25° C (68° to 77° F)
- protect from moisture
- read the directions and warnings before use
- keep the carton. It contains important information.

**Drug Facts (continued)**

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor
- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- requent chest pain
- requent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting

**Directions**


- adults and children 12 years and over: to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

**Stop use and ask a doctor if**


- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breastfeeding,** ask a health professional before use.


**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).



5131585



5131585



**PRINCIPAL DISPLAY PANEL - 25 Tablet Bottle Label**

Premier Value®

MAXIMUM STRENGTH  
Famotidine Tablets, USP 20 mg  
Acid Controller  
Acid Reducer

- Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion

25 Tablets

INDEPENDENTLY TESTED  
PV  
SATISFACTION GUARANTEED



**PREMIER VALUE FAMOTIDINE**

famotidine tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68016-010
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
STARCH, CORN (UNII: O8232NY3SJ)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	035
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-010-81	30 in 1 BLISTER PACK; Type 0: Not a Combination Product	06/25/2010	
2	NDC:68016-010-82	60 in 1 BOTTLE; Type 0: Not a Combination Product	06/25/2010	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090283	06/25/2010	

## PREMIER VALUE FAMOTIDINE

famotidine tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-008
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)		FAMOTIDINE	20 mg	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
STARCH, CORN (UNII: O8232NY3SJ)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
<b>Product Characteristics</b>				
Color	white	Score	no score	
Shape	ROUND	Size	8mm	
Flavor		Imprint Code	036	
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-008-01	25 in 1 BOTTLE; Type 0: Not a Combination Product	07/23/2010	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA090283	07/23/2010		

**Labeler** - Premier Value (101668460)

**Registrant** - Sun Pharmaceutical Industries Inc. (146974886)

### Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(68016-010, 68016-008)