MULTIVITAMIN WITH FLUORIDE- .alpha.-tocopherol acetate, dl-, ascorbic acid, cyanocobalamin, folic acid, niacin, pyridoxine, riboflavin, sodium fluoride, thiamine mononitrate, vitamin a and vitamin d tablet, chewable Method Pharmaceuticals, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Multivitamin with Fluoride 0_25 mg

MULTIVITAMIN WITH FLUORIDE

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA.

Prescribing Information

Each Fluoride Chewable Tablet Contains:

Supplement Facts

Dosage Size 1 Chewable Tablet

	Amount per Tablet	% DV Adults and Children 4 years or More
Vitamin A (as Vitamin A acetate)	2500 IU	50%
Vitamin C (as ascorbic acid)	60 mg	100%
Vitamin D (as cholecalciferol)	400 IU	100%
Vitamin E (d-alpha tocopheryl acetate)	15 IU	50%
Thiamine (as thiamine)	1.05 mg	70%
Riboflavin (as riboflavin)	1.2 mg	71%
Niacin (as niacinamide)	13.5 mg	68%
Vitamin B6 (as pyridoxine HCl)	1.05 mg	53%
Folate (as folic acid)	300 mcg	75%
Vitamin B12 (as cyanocobalamin)	4.5 mcg	75%
Fluoride (as sodium fluoride)	0.25 mg	*

*Daily value (DV) not established

Multivitamin with Fluoride 0.25 mg Chewable Tablets active ingredient for caries prophylaxis: Fluoride as sodium fluoride

Multivitamin with Fluoride 0.25 mg Chewable Tablets provide sodium fluoride and ten essential vitamins in a chewable tablet.

Other ingredients: citric acid, magnesium stearate, mannitol, microcrystalline cellulose, orange flavor, sucralose, talc, xylitol.

CLINICAL PHARMACOLOGY

It is well established that fluoridation of the water supply (1 ppm fluoride) during the period of tooth development leads to a significant decrease in the incidence of dental caries.

Multivitamin with Fluoride 0.25 mg Chewable Tablets provide sodium fluoride and ten essential vitamins in a chewable tablet. Because the tablets are chewable, they provide a *topical* as well as *systemic* source of fluoride. *Hydroxyapatite* is the principal crystal for all calcified tissue in the human body. The fluoride ion reacts with the hydroxyapatite in the tooth as it is formed to produce the more caries-resistant crystal, *fluorapatite*. The reaction may be expressed by the equation:

Ca10(PO4)6(OH)2 + 2F- ----- Ca10(PO4)6F2 + 2OH-

(Hydroxyapatite) (Fluorapatite)

Three stages of fluoride deposition in tooth enamel can be distinguished:

1. Small amounts (reflecting the low levels of fluoride in tissue fluids) are incorporated into the enamel crystals while they are being formed.

2. After enamel has been laid down, fluoride deposition continues in the surface enamel. Diffusion of fluoride from the surface inward is apparently restricted.

3. After eruption, the surface enamel acquires fluoride from the water, food, supplementary fluoride and smaller amounts from saliva.

INDICATIONS AND USAGE

Supplementation of the diet with ten essential vitamins.

Supplementation of the diet with fluoride for caries prophylaxis.

Multivitamin with Fluoride 0.25 mg Chewable Tablets provide 0.25 mg fluoride in tablet form for children 4-6 years of age in areas where the drinking water contains 0.3 through 0.6 ppm of fluoride.

Multivitamin with Fluoride 0.25 mg Chewable Tablets supply significant amounts of Vitamins A, C, D, E, thiamine, riboflavin, niacin, vitamin B6, vitamin B12, and folate to supplement the diet, and to help assure that nutritional deficiencies of these vitamins will not develop.

Thus, in a single easy-to-use preparation, children obtain ten essential vitamins and the important mineral, fluoride. The American Academy of Pediatrics recommends that children up to age 16, in areas where drinking water contains less than optimal levels of fluoride, receive daily fluoride supplements.

Children using **Multivitamin with Fluoride 0.25 mg Chewable Tablets** regularly should receive semiannual dental examinations. The regular brushing of teeth and attention to good oral hygiene practices are also essential. Multivitamin with Fluoride Chewable Tablets is a prescription product for the clinical dietary management of the metabolic processes of caries prophylaxis and provides supplementation of the diet with ten essential vitamins.

WARNING

Keep out of the reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

CAUTION

Do not eat or drink dairy products within one hour of fluoride administration.

Should be chewed. This product, as all chewable tablets, is not recommended for children under age 4 due to risk of choking.

PRECAUTION

The suggested dose of **Multivitamin with Fluoride 0.25 mg Chewable Tablets** should not be exceeded, since dental fluorosis may result from continued ingestion of large amounts of fluoride.

Before prescribing Multivitamin with Fluoride 0.25 mg Chewable Tablets:

1. Determine the fluoride content of the drinking water from all major sources.

2. Make sure the child is not receiving significant amounts of fluoride from other sources such as medications and swallowed toothpaste.

3. Periodically check to make sure that the child does not develop significant dental fluorosis.

ADVERSE REACTIONS

Allergic rash and other idiosyncrasies have been rarely reported.

DOSAGE AND ADMINISTRATION

One tablet daily, to be dissolved in the mouth or chewed before swallowing. Do not give a chewable tablet to a child younger than 4 years old.

HOW SUPPLIED

Multivitamin Chewable tablets containing 0.25 mg fluoride are round yellowish/cream tablets with orange and yellow speckles. Debossed with "M163" on one side.

NDC: 58657-163-90 (90 count)

NDC: 58657-163-01 (100 count)

STORAGE

Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). See USP Controlled Room Temperature.

Dispense in a tight, light resistant container with a child-resistant closure as defined in the USP/NF. All prescription substitutions using this product shall be pursuant to state statutes as applicable. This is not an Orange Book product.

Manufactured For: Method Pharmaceuticals Fort Worth, TX 76118

Rev. 06/2019

PRINCIPAL DISPLAY PANEL

NDC 58657-163-90 Multivitamin with Fluoride Chewable Tablets 0.25 mg Orange Flavor Rx Only 90 Tablets

Method Pharmaceuticals	Supplement Dosage Size 1 Chewable Ta	t Facts		Tablets de as Tablets ins in a	ırate, ivor,	2	
NDC 38037-103-90	Amount Per	% DV Adults and	Children	able able	stea Je fila		
Multivitamin				s: F s: F s: F s: F s: F	rang		
Multivitamin	and the second se			g Ct	nesi a, ol	33	
with Elwavida				esse esse	nag	<u>~</u>	
with Fluoride	and the second se	and the second		0.2 pro	d T		
Chewable Tablets	Vitamin B ₁ (as thiamine)	1.05 mg	70%	ide ide and	ne o		
circivable labiets	Vitamin B ₂ (as riboflavin)	1.2 mg	71%	uor ide	호텔	0	
0.25 mg	Niacin (as niacinamide)	13.5 mg	68%	Her Hor	Vilto	00	
0.25 mg	Vitamin B ₆ (as pyridoxine HCI)	1.05 mg		with tient with with	ent c, x		
Orange Flavor	Vitamin Bg (as folic acid)	300 µg		diu in order	tal		
	Vitamin B ₁₂ (as cyanocobalamin)	4.5 µg	75%	ng tan	ngr se,	m	
KX UNIY	Fluoride (as sodium fluoride)	0.25 mg		Multivi active i sodium Multivi provide	ab rite		
	NDC 58657-163-90 Multivitamin with Fluoride Chewable Tablets 0.25 mg Orange Flavor Rx Only	NDC 58657-163-90 Multivitamin with Fluoride Chewable Tablets 0.25 mg Orange Flavor NDC 58657-163-90 Dosage Size 1 Chewable Ta Amount Per Tablet Vitamin A (as vitamin A acetate) Vitamin C (as ascorbic acid) Vitamin B ₁ (as thiamine) Vitamin B ₂ (as pyridoxine HCI) Vitamin B ₂ (as folic acid) Vitamin B ₂ (as folic acid) Vitamin B ₂ (as open combined)	NDC 58657-163-90 Dosage Size 1 Chewable Tablet Multivitamin with Fluoride Chewable Tablets Modults and Tablet 0.25 mg Orange Flavor 0.25 mg Vitamin B ₂ (as tolicacid) 105 mg Vitamin B ₂ (as tolicacid) 100 µg Vitamin B ₂ (as tolicacid) 300 µg Vitamin B ₁₂ (as cyanocobalamin) 4.5 µg	NDC 58657-163-90 Dosagë Size 1 Chewable Tablet Multivitamin with Fluoride Chewable Tablets % DV Adults and Children 4 Years or More 0.25 mg Orange Flavor % DV Adults and Children 4 Years or More Vitarnin A acetate) 2500 IU / 1375 mcg 0.25 mg Orange Flavor 100 kg Vitarnin B ₂ (as ribariamide) 135 mg Vitarnin B ₂ (as ribariamin	Amount Per Tablet % DV Adults and Children 4 Years or More Amount Per Tablet % DV Adults and Children 4 Years or More Multivitamin with Fluoride Chewable Tablets % DV Adults and Children 4 Years or More Vitarrin A (as vitarrin A acetate) 2500 IU / 1375 mog Vitarrin C (as ascorbic acid) 60 mg Vitarrin B2 (as cholecaciferol) 400 IU / 10 mg Vitarrin B2 (as cholecaciferol) 100 fs Vitarrin B2 (as ribotavin) 12 mg Niacin (as niacinarride) 135 mg Vitarrin B2 (as ribotavin) 12 mg Vitarrin B2 (as ribotavin) 145 µg Vitarrin B2 (as concorbalamin) 45 µg Vitarrin B12 (as concorbalamin) 45 µg	Supplement Facts NDC 58657-163-90 Multivitamin with Fluoride Chewable Tablets Operation of the statistic of the	NUC 58657-163-90 Multivitamin with Fluoride Chewable Tablets 0.25 mg

PRINCIPAL DISPLAY PANEL

NDC 58657-163-01 Multivitamin with Fluoride Chewable Tablets 0.25 mg Orange Flavor Rx Only 100 Tablets



MULTIVITAMIN WITH FLUORIDE

.alpha.-tocopherol acetate, dl-, ascorbic acid, cyanocobalamin, folic acid, niacin, pyridoxine, riboflavin, sodium fluoride, thiamine mononitrate, vitamin a and vitamin d tablet, chewable

Product Information						
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58657-163			
Route of Administration	ORAL					
	•					
Active Ingredient/Active Mo	iety					

Ingredient Name	Basis of Strength	Strength
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	2500 [iU]
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	60 mg
VITAMIN D (UNII: 9 VU1KI44GP) (VITAMIN D - UNII:9 VU1KI44GP)	VITAMIN D	400 [iU]
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHATOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA TOCOPHEROL, DL-	15 [iU]
THIAMINE MONONITRATE (UNII: 8K0I04919X) (Thiamine ION - UNII:4ABT0J945J)	THIAMINE	1.05 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	1.2 mg
NIACIN (UNII: 2679MF687A) (NIACIN - UNII:2679MF687A)	NIACIN	13.5 mg
PYRIDO XINE (UNII: KV2JZ1BI6Z) (PYRIDO XINE - UNII:KV2JZ1BI6Z)	PYRIDO XINE	1.05 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII: 935E97BOY8)	FOLIC ACID	300 ug
CYANOCOBALAMIN (UNII: P6 YC3EG204) (CYANOCOBALAMIN - UNII:P6 YC3EG204)	CYANOCOBALAMIN	4.5 ug
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.25 mg

Inactive Ingredients				
	Ingredient Name		Strength	
CITRIC ACID	MONOHYDRATE (UNII: 2968PHW8QP)			
MAGNESIUM	STEARATE (UNII: 70097M6I30)			
MANNITOL (UNII: 30WL53L36A)			
CELLULOSE	, MICRO CRYSTALL INE (UNII: OP1R32D61U)			
SUCRALOSE	(UNII: 96K6UQ3ZD4)			
TALC (UNII: 7	/SEV7J4R1U)			
XYLITOL (UI	NII: VCQ006KQ1E)			
Product C	haracteristics			
Color	VELLOW (vollowich/croam)	Score		

Color	YELLOW (yellowish/cream)	Score	no score
Shape	ROUND	Size	9 m m
Flavor	ORANGE	Imprint Code	M163
Contains			

D 1	•
Packa	o ino
I UCNU	55

\$	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58657-163-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	07/20/2018	
2	2 NDC:58657-163-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/20/2018	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
UNAPPROVED DRUG OTHER		07/20/2018			

Labeler - Method Pharmaceuticals, LLC (060216698)