

WELMATE LIDOCAINE PAIN RELIEVING PATCH- lidocaine patch
YYBA CORP

YYBA Lidocaine Patch C

ACTIVE INGREDIENTS

Lidocaine 4.0%

PURPOSE

Topical anesthetic

USES

Temporarily relieves minor pain

WARNINGS

For external use only

WARNINGS

Do not use

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened

When using this product

- Use only as directed
- Read and follow all directions and warnings on this pack
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets
- Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch

Stop use and ask a doctor if

- Condition worsens
- Redness is present Irritation develops

- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied

If pregnant or breast-feeding

- ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

DIRECTIONS

Adults and children over 12 years: Clean and dry affected area. Remove film from patch (see illustration). Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use

Children 12 years of age or younger: Consult a physician.

OTHER INFORMATION

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

INACTIVE INGREDIENTS

aluminum glycinat, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Questions? 1-866-933-6337

LIDOCAINE 4% NUMBING PATCH

MAXIMUM STRENGTH OTC*

Drug Facts	Purpose
Active ingredient Lidocaine HCl Use For temporary relief of pain Warnings For external use only Do not use: ■ More than one patch at a time ■ On wounds or damaged skin ■ With a heating pad ■ If your allergic to any ingredients of this product Other risks: ■ Use only as directed ■ Avoid contact with the eyes, mucous membranes or clothes ■ Do not bandage tightly Stop use and consult a doctor if: ■ Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and bleeding ■ Conditions worsen ■ Symptoms persist for more than 7 days ■ Symptoms clear up and occur again within a few days If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-422-1222 right away. Directions Adults and children 12 years of age and over: Clean and dry affected area. Remove film from patch and apply to the skin (see illustration). Apply 1 patch at a time to affected area, not more than 3 to 4 times daily. Remove patch from the skin after at most 8-hour application. Other information Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-422-1222 right away. Inactive ingredients Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylate 80, Propylene Glycol, Polyacrylic Acid, PVP, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water. Questions? 1-866-933-6337 <small>*Maximum strength without a prescription This product is manufactured in a facility compliant with Current Good Manufacturing Practices (cGMP) as regulated by the FDA</small>	

How to Apply

No-Mess Single Use Application

Pull to separate film

Peel off one side of film

Place patch on skin

Peel off other side of film

Press firmly on skin

Apply for up to 8 hours

Child-Resistant Packaging

NDC 73581-111-30

LIDOCAINE 4% NUMBING PATCH

MAXIMUM STRENGTH OTC*

APPLY UP TO 8 HRS

- Easy to Apply and Remove
- Stay-put Flexible Patch
- Desensitizes Nerves, Relieves Pain
- Unscented

RECOMMENDED BY HEALTHCARE PROFESSIONALS

VALUE SIZE 30 PATCHES

3.93 IN x 5.51 IN (10 cm x 14 cm)

Desensitizes Aggravated Nerves Relieves Pain in the: Back, Neck, Shoulder, & Leg

- ✓ Provides Temporary Pain Relief
- ✓ Flexible Adhesive Patch
- ✓ Single - Use Application
- ✓ Unscented Formula

cGMP**

Introducing Welspring Affordable Trusted Relief

Approved by 100% U.S.A. 800-422-1222 welspringmeds.com

Made in China

WELMATE LIDOCAINE PAIN RELIEVING PATCH

lidocaine patch

Product Information

Product Type		HUMAN OTC DRUG	Item Code (Source)		NDC:73581-912	
Route of Administration		TRANSDERMAL, TOPICAL				
Active Ingredient/Active Moiety						
Ingredient Name				Basis of Strength		Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)				LIDOCAINE		0.04 g in 1 g
Inactive Ingredients						
Ingredient Name						Strength
TARTARIC ACID (UNII: W4888I119H)						
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)						
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)						
KAOLIN (UNII: 24H4NWX5CO)						
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)						
METHYLPARABEN (UNII: A2I8C7HI9T)						
POLYSORBATE 80 (UNII: 6OZP39ZG8H)						
WATER (UNII: 059QF0KO0R)						
PROPYLPARABEN (UNII: Z8IX2SC1OH)						
GLYCERIN (UNII: PDC6A3C0OX)						
POVIDONE (UNII: FZ989GH94E)						
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)						
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)						
Packaging						
#	Item Code	Package Description		Marketing Start Date		Marketing End Date
1	NDC:73581-912-30	30 in 1 CARTON		11/01/2025		
1		12 g in 1 PATCH; Type 0: Not a Combination Product				
Marketing Information						
Marketing Category		Application Number or Monograph Citation		Marketing Start Date		Marketing End Date
OTC Monograph Drug		M017		11/01/2025		

Labeler - YYBA CORP (006339772)