

**MITCHUM SMART SOLID- aluminum zirconium tetrachlorohydrate gly liquid liquid**  
**Revlon Consumer Products Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Mitchum Smart Solid**

Aluminum Zirconium Tetrachlorohydrate Gly 20%

**Purpose**

Antiperspirant

**Warnings:**

For external use only.

Do not use on broken skin

Ask a doctor before use if you have kidney disease

Stop use if rash or irritation occurs

If swallowed, get medical help or contact a Poison Control Center right away.

**Inactive Ingredients**

AQUA ((WATER) EAU), DIPROPYLENE GLYCOL, HYDROXYSTEARIC ACID, PEG-12 DIMETHICONE, GLYCERIN, CYCLOPENTASILOXANE, PARFUM (FRAGRANCE), ACETAMIDE MEA, AGAROSE, DIMETHICONE CROSSPOLYMER, LINALOOL, HEXYL CINNAMAL, ALPHA-ISOMETHYL IONONE, XYLITOL, CITRONELLOL, LIMONENE, CINNAMYL ALCOHOL, BENZYL CINNAMATE

Reduces underarm wetness

Mitchum Smart Solid

Clinical Performance

Net wt. 2.5oz/ 70g

FOR POSITION ONLY  
DOES NOT PRINT

MITCHUM SMART SOLID MENS 2.5OZ UNSCENTED  
WRAP LABEL  
TR05460 / 1103-15  
5.2734"W x 3.1547"H



SUBSTRATE IS SILVER PP  
OVERALL SATIN VARNISH

**BACKGROUND IMAGE WITH BURST PRINTS:**  
4/C (MATCH DARK GREEN, TOYO 10280, TOYO 10894 & WHITE):  
FINAL ART, CROP AND BLEED AS SHOWN

**MITCHUM LOGO, SMART SOLID BACKGROUND, WHITE TEXT AND UPC BOX PRINTS:**  
100% WHITE

**SMART SOLID TEXT PRINTS:**  
TOYO 10820 100% TO 0 OVER 100% WHITE

**GREEN TEXT, OUTLINES AND UPC PRINT:**  
100% MATCH DARK GREEN

**SCENT TEXT PRINTS:**  
100% PMS 3125

**CYAN RULES REPRESENT DIE AND MEASUREMENTS:** DO NOT PRINT

**CYAN DASHED RULES REPRESENT LIVE AREA:** DO NOT PRINT

**PRINTER NOTE**  
SANCOA TO  
PROVIDE COLOR  
ROTATION

**PRINTER NOTE**  
SANCOA RESPONSIBLE  
TO MATCH COLOR  
AND FINISH TO  
APPROVED REVLO  
PROOF

UPC: 3-0997-8324-14-0

### Mechanical Approval

Diak Release: 12-02-09

**LIMITATION OF LIABILITY:**  
DO NOT PRINT ON ENGLISH WITHOUT PROOF INSPECTION  
All digital files, line plates, and proofs should be thoroughly inspected by the customer immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to approve and proofread all digital files, line plates, and proofs prior to any plating, engraving, and/or printing. Should the work be found to be incorrect upon the recipient's inspection, call 647-296-6000 or 1-800-621-1929 outside IL, and ask for the Production Manager or contact the Customer Service Representatives managing this job, and insure that corrections are made prior to using the product. The liability of Schawk shall be limited to correcting the work product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over time, any press work, press delays, and/or missing of insertion dates.

**SCHAWK!**  
1600 East Sheridan Avenue  
Des Plaines, IL 60018  
Phone: 647-296-6000  
800-621-1929  
Fax: 647-296-9486

For support please contact the following:  
Level 1: Customer Service: Susan Gojny  
susan.gojny@schawk.com - 647.759.7945  
Level 2: Customer Service: Amy Gilman  
amy.gilman@schawk.com - 647.752.7265  
Package Developer: Donna Lisowski  
donna.lisowski@schawk.com - 732-287-7644

Client: Revlon Brand: Mitchum Job #: 484228A Anthem #: 26901  
Description: Mitchum Mens Smart Solid 2.5oz Unscented Wrap Label  
Component: Wrap Label Program #: Project #: TR05460  
Stock #: 208316-52 MLI #: 22150 Product #: 1103-15  
Size: 5.2734"W x 3.1547"H Die #: n/a  
File Name: REV\_484228A02\_TR05460.ai Software: 12  
Op/Date: CV 11-4-09, 12-02

Color	100%	75%	50%	25%	15%	10%	5%	2%	1%	Other	Offset
Cyan											Match Dark Green
Magenta											Match Dark Green Screen
Yellow											Printline 3125 C
Black											Revlon Callouts
White											Revlon
White											TOYO 10820
White											TOYO 10894

Reason for change:  
1. Revision Date: 12-02-09  
2. Change description Date: 09-03-09  
3. Change description Date: 09-03-09  
4. Change description Date: 09-03-09

Mitchum Smart Solid  
Clinical Performance  
Net wt. 2.5oz/ 70g

FOR POSITION ONLY  
DOES NOT PRINT



MITCHUM SMART SOLID WOMENS 2.5OZ POWDER  
WRAP LABEL  
TM01656 / 1103-18  
5.2734"W x 3.1547"H



SUBSTRATE IS SILVER PP  
OVERALL SATIN VARNISH

BACKGROUND IMAGE WITH BURST PRINTS:  
4/C (PMS 204, TOYO 10290, TOYO 10306 & WHITE);  
FINAL ART, CHOP AND BLEED AS SHOWN

MITCHUM LOGO, SMART SOLID BACKGROUND, WHITE TEXT AND UPC BOX PRINTS:  
100% WHITE

SMART SOLID TEXT PRINTS:  
TOYO 10290 100% TO 0 OVER 100% WHITE

GREEN TEXT, OUTLINES AND UPC PRINT:  
100% PMS 3278

SCENT TEXT PRINTS:  
100% PMS 212

PINK BOX PRINTS:  
100% PMS 204 OVERPRINTING 100% WHITE

CYAN RULES REPRESENT DIE AND  
MEASUREMENTS: DO NOT PRINT

CYAN DASHED RULES REPRESENT LIVE AREA:  
DO NOT PRINT

**PRINTER NOTE**  
SANCOA TO  
PROVIDE COLOR  
ROTATION

**PRINTER NOTE**  
SANCOA RESPONSIBLE  
TO MATCH COLOR  
AND FINISH TO  
APPROVED REVLON  
PROOF

UPC: 3-0997-0956-14-1

**Mechanical Approval** Disk Release: 7-22-08

**LINEWORK OF LIABILITY**  
DO NOT ALTER OR CHANGE WITHOUT  
PROTECT INSPECTION  
All color files, fill colors, and graphics shall be  
discussible (marked by the supplier)  
to any plates, separate, single prints,  
to be the responsibility of the customer to  
verify and proceed if slight file, fill,  
color, and prints when in any printing  
specify single prints. Should the work  
be found to be incorrect later the supplier  
should advise, call 312-298-0222 or  
312-298-1100 within 14 days and for the  
Production Manager or contact the Customer  
Service Representative regarding this  
job, and insure that corrections are made  
prior to using the plates. The liability of  
Sancoa shall be limited to correcting the  
work product. Sancoa shall not be liable  
for any other loss or damage including but  
not limited to loss of the printing press or  
software, equipment, any press setup, plate  
making, color matching or handling time.

**SCHMIDT**  
100 East Chicago Avenue  
Des Plaines, IL 60018  
Phone: 847-298-0222  
847-298-1100  
Fax: 847-298-9498

For support please contact the following:  
Level 1: Customer Service: Susan Gilgley  
susan.gilgley@schmidt.com - 847.758.7045  
Level 2: Customer Service: Amy Simon  
amy.simon@schmidt.com - 847.758.7348  
Package Development: Dana Diermyer  
dana.diermyer@schmidt.com - 782-297-5313

Client: Revlon Brand: Mitchum Job #: 478018A Address #: 22458  
Description: Mitchum Women Smart Solid 2.5oz Powder Wrap Label  
Component: Wrap Label Program #: Project #: TM01656  
Size: 5.2734"W x 3.1547"H Ink #: n/a  
File Name: REV\_478018A03\_TM01656.ai Software: 12  
Op/Date: 07-10-08 07-17-08

Color	Offset
1	PANTONE 3278 C
2	PANTONE 204 C
3	TOYO 10290
4	TOYO 10306
5	PANTONE 212 C
6	REVLON WHITE #
7	REVLON WHITE #
8	REVLON CALLOUTS

Change	Date
1. Release disk	Date: 07-17-08
2. No Issues	Date: 07-20-08
3. Changes Approved	Date: 08-08-08
4. Changes Discard/Issue	Date: 08-08-08

# MITCHUM SMART SOLID

aluminum zirconium tetrachlorohydrate gly liquid liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-613
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY (UNII: 8O386558JE) (ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY - UNII:8O386558JE)	ALUMINUM ZIRCONIUM TETRACHLOROXYDREX GLY	0.2 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
.BETA.-CITRONELLOL, (R)- (UNII: P010UT964K)	

GERANIOL (UNII: L837108USY)
LIMONENE, (+/-)- (UNII: 9MC3B4447)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
WATER (UNII: 059QF0KO0R)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
12-HYDROXYSTEARIC ACID (UNII: 933ANU3H2S)
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)
GLYCERIN (UNII: PDC6A3C0OX)
CYCLOHEXYL CINNAMATE (UNII: 2955WP594O)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
XYLITOL (UNII: VCQ006KQ1E)
CINNAMYL ALCOHOL (UNII: SS8YOP444F)
BENZYL CINNAMATE (UNII: V67O3RO97U)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
ACETIC MONOETHANOLAMIDE (UNII: A9O0818TWD)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-613-25	73 mL in 1 CONTAINER; Type 0: Not a Combination Product	12/01/2009	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	12/01/2009	

## MITCHUM SMART SOLID

aluminum zirconium tetrachlorohydrate gly liquid liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-614
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM ZIRCONIUM TETRACHLOROXYDRATE GLY (UNII: 8O386558JE) (ALUMINUM ZIRCONIUM TETRACHLOROXYDRATE GLY - UNII:8O386558JE)	ALUMINUM ZIRCONIUM TETRACHLOROXYDRATE GLY	0.2 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
12-HYDROXYSTEARIC ACID (UNII: 933ANU3H2S)	

PEG-12 DIMETHICONE (UNII: ZEL54N6W95)
GLYCERIN (UNII: PDC6A3C0OX)
CYCLOHEXYL CINNAMATE (UNII: 2955WP594O)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
XYLITOL (UNII: VCQ006KQ1E)
CINNAMYL ALCOHOL (UNII: SS8YOP444F)
BENZYL CINNAMATE (UNII: V67O3RO97U)
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)
ACETIC MONOETHANOLAMIDE (UNII: A9O0818TWD)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
GERANIOL (UNII: L837108USY)
LIMONENE, (+/-)- (UNII: 9MC3B4447)
LINALOOL, (+/-)- (UNII: D81QY6I88E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-614-25	73 mL in 1 CONTAINER; Type 0: Not a Combination Product	12/01/2009	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	12/01/2009	

**Labeler** - Revlon Consumer Products Corp (788820165)

### Establishment

Name	Address	ID/FEI	Business Operations
REVLON, INC.		809725570	manufacture(10967-613, 10967-614)

Revised: 11/2019

Revlon Consumer Products Corp