

**ACETAMINOPHEN- acetaminophen tablet, coated**  
**HARRIS TEETER**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**HTE-1098-2019-0930**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 caplets every 6 hours while symptoms last</li><li>▪ swallow whole – do not crush, chew, or dissolve</li><li>▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
children under 12 years	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

**Other information**

- store between 20-25°C (68-77°F)
- retain carton for complete product information

**Inactive ingredients**

acesulfame potassium, flavor, hypromellose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, sodium starch glycolate, stearic acid, titanium dioxide

**Questions or comments?**

1-844-705-4384

**PRINCIPAL DISPLAY PANEL**

Acetaminophen

†Compare to the Active Ingredient in Tylenol® Extra Strength Cool Caplets

Extra Strength, 500 mg

PAIN RELIEVER / FEVER REDUCER

Contains No Aspirin

For Adults

Instant Cooling Sensation

50 COOL TASTE CAPLETS

Actual Size

INK AND COATING FREE  
FOR LOT AND  
EXPIRATION STAMPING



DO NOT USE IF IMPRINTED SEAL  
UNDER CAP IS BROKEN OR MISSING

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® Extra Strength Cool Caplets.

**Drug Facts**

**Active ingredient (in each caplet)**  
Acetaminophen 500 mg... Pain reliever/fever reducer

**Purpose**

**Uses**  
temporarily relieves minor aches and pains due to:  
the common cold  
backache  
minor pain of arthritis  
toothache  
menstrual and menstrual cramps  
temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
more than 4,000 mg of acetaminophen in 24 hours  
with other drugs containing acetaminophen  
3 or more alcoholic drinks every day while using this product.  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
skin reddening  
hives  
rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
if you are allergic to acetaminophen or any of the inactive ingredients in this product.  
Ask a doctor before use if you have liver disease.

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**  
pain gets worse or lasts more than 10 days  
fever gets worse or lasts more than 3 days  
new symptoms occur  
redness or swelling is present  
These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

**Overdose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

do not take more than directed (see overdose warning)  
adults and children 12 years and over  
take 2 caplets every 6 hours while symptoms last  
swallow whole – do not crush, chew, or dissolve  
do not take more than 6 caplets in 24 hours, unless directed by a doctor  
do not use for more than 10 days unless directed by a doctor  
children under 12 years  
ask a doctor

**Other information**

store between 20-25°C (68-77°F)  
retain carton for complete product information

**Drug Facts (continued)**

**Inactive ingredients**  
acesulfame potassium, flavor, hypromellose, polyethylene glycol, povidone, pregelatinized starch, polyethylene glycol, sodium starch glycolate, stearic acid, titanium dioxide

**Questions or comments?**

1-844-705-4394

PROUDLY DISTRIBUTED BY:

HARRIS TEETER, LLC  
MATHENS, NC 28105

your plus guarantee.

1-800-432-6111 or harristeeter.com

**Acetaminophen**

**Extra Strength  
500 mg**

**PAIN RELIEVER /  
FEVER REDUCER**

- Contains No Aspirin
- Instant Cooling Sensation
- For Adults



**50 COOL  
TASTE CAPLETS**

CN

**Acetaminophen**

**Extra Strength, 500 mg**

**PAIN RELIEVER / FEVER REDUCER**

- Contains No Aspirin
- Instant Cooling Sensation
- For Adults



**50 COOL TASTE CAPLETS**



Compare to the Active Ingredient in Tylenol® Extra Strength Cool Caplets

CN

CN

<b>ACETAMINOPHEN</b> acetaminophen tablet, coated			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72036-098
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 23OV73Q5G9)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor	MINT	Imprint Code	AAA;1098
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72036-098-02	1 in 1 CARTON	06/01/2013	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	06/01/2013	

**Labeler** - HARRIS TEETER (047279351)