ANTI DIARRHEAL- loperamide hcl solution Rebel Distributors Corp

Rite Aid Corporation Anti-Diarrheal Drug Facts

Active ingredient (in each 5 mL)

Loperamide HCl 1 mg

Purpose

Anti-diarrheal

Uses

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Do not use

if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics

When using this product

• tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise use age.

• only use attached measuring cup to dose product

adults and children 12 years and over	4 teaspoonfuls (1 dosage cup) after the first loose stool; 2 teaspoonfuls (1/2 dosage cup) after each subsequent loose stool; but no more than 8 teaspoonfuls in 24 hours
children 9-11 years (60-95 lbs)	2 teaspoonfuls (1/2 dosage cup) after the first loose stool; 1 teaspoonful (1/4 dosage cup) after each subsequent loose stool; but no more than 6 teaspoonfuls in 24 hours
children 6-8 years (48- 59 lbs)	2 teaspoonfuls (1/2 dosage cup) after the first loose stool; 1 teaspoonful (1/4 dosage cup) after each subsequent loose stool; but no more than 4 teaspoonfuls in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- do not use if carton is opened or if printed plastic neckband is broken or missing
- store between 20°-25°C (68°-77°F)
- see bottom panel for lot number and expiration date


Inactive ingredients

alcohol (0.5%), benzoic acid, citric acid, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucrose

Questions or comments?

1-800-719-9260

Principal Display Panel



Store at controlled room temperature 15°-30°C (59°-86°F) Keep medication out of the reach of children.

ANTI DIARRHEAL

loperamide hcl solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21695-978(NDC:0113-0377)	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LOPERAMIDE HYDRO CHLO RIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII: 6 X9 O C 3 H 4 II)	LOPERAMIDE HYDROCHLORIDE	1 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)			
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	ORANGE (amber, clear, pale)	Score	
Shape		Size	
Flavor	CHERRY (cherry mint)	Imprint Code	
Contains			

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:21695-978-04	1 in 1 CARTON			
1		120 mL in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA073243	07/13/1992	

Labeler - Rebel Distributors Corp (118802834)

Establishment				
Name	Address	ID/FEI	Business Operations	
Rebel Distributors Corp		118802834	RELABEL, REPACK	

Revised: 9/2011 Rebel Distributors Corp