

PAIN RELIEF- lidocaine patch
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.

Zeey, Pain Relief

Active ingredient

Lidocaine 4% Purpose: Topical Anesthetic

Purpose

Topical Anesthetic

Uses

For temporary relief of pain

Warnings

For external use only

Ask a doctor if:

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

When using this product

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashed
- Do not bandage tightly

Do not use

- More than 1 patch at a time
- On wounds or damaged skin
- For more than one week without consulting a doctor
- If you are allergic to any ingredients of this product

Stop use if:

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen

- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

Pregnancy or breast feeding

If pregnant or breastfeeding, ask a health professional before use

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Dosage forms & strengths

This is a strip, patch dosage form.

The active ingredient strength is 4% w/w.

One patch one time, no more than 8 hours one time.

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Povidone, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.

Questions or Comments?

86-21-31166566 webmaster@csigroup.com.cn

Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Package label. Principal display panel

130mm

165mm

ZEEY® FAST ACTING PAIN RELIEF

PAIN RELIEF

4% LIDOCAINE

KNEE GEL-PATCH



Desensitizes aggravated nerves in the knee and relieves knee pain.

- Fast-Acting
- Numbs pain away
- Perfect size for the knee

1 PATCH
1 PATCH-5.11" x 3.93" (13cm x 10cm)

APPLY FOR 8 HOURS

CUT HERE

PAIN RELIEF

4% LIDOCAINE

KNEE GEL-PATCH

Drug Facts	before use
Active Ingredient Lidocaine 4%.....Topical anesthetic	Purpose Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Uses: For temporary relief of pain	Directions Adult and Children 12 years of age and over: • Clean and dry affected area • Remove film from patch and apply to the skin (see illustration) • Apply 1 patch at a time to affected area, not more than 3 to 4 times daily Children under 12 years of age: Consult a doctor
Warnings For external use only	Other Information • Avoid storing product in direct sunlight • Protect product from excessive moisture
Do not use : • More than 1 patch at a time • On wounds or damaged skin • For more than one week without consulting a doctor • If you are allergic to any ingredients of this product	Inactive Ingredients Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Povidone, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.
When using this product: • Use only as directed • Avoid contact with the eyes, mucous membranes or rashes • Do not bandage tightly	Questions or Comments? 86-21-31166566 webmaster@csigroup.com.cn
Stop use and ask a doctor if: • Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering • Conditions worsen • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days	
If pregnant or breast-feeding, ask a health professional	

Produced by
SHANGHAI CHUANSHI MEDICAL TECHNOLOGY (GROUP) CO., LTD
No.388 Zhongyuan Road, Qingsu, Shanghai, 201716, China
E-mail: webmaster@csigroup.com.cn
Tel: 86-21-31166566
Fax: 86-21-31166568
www.csigroup.com.cn

Made in China

Child-Resistant Packaging



13.5x10x17.5cm

香祺金 #B49374

PAIN RELIEF 4% LIDOCAINE KNEE GEL-PATCH

Drug Facts
Active Ingredient LIDOCAINE — Purpose: Local anesthetic
Uses: For temporary relief of pain.
Warnings: For external use only.
Do not use: • More than 1 patch at a time. • On wounds or lacerations. • For more than one week without consulting a doctor. • If you are allergic to any ingredients in this product.
When using this product: • Use only as directed.
Stop use and ask a doctor if: • Continued skin reactions occur, such as rash, itching, redness, irritation, and swelling and blistering.
Conditions treated: • Sprains/strains persist for more than 7 days.
Symptoms clear up and occur again within a few days.
If pregnant or breast feeding, ask a health professional.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions: • Clean and dry affected area.
Adult and Children 12 years of age and over: • Remove the protective film and apply to the skin (see illustration).
Children under 12 years of age: Consult a doctor.
Other information: • Avoid using product in direct sunlight.
Inactive ingredients: Cholesterol, Polyethylene Glycol, Polyethylene Glycol, Polysorbate 80, Propylene Glycol, Polysorbate 40, Phosphate Buffer, Polysorbate 20, Polysorbate 80, Polysorbate 40, Polysorbate 20, Polysorbate 80, Polysorbate 40, Polysorbate 20, Polysorbate 80, Polysorbate 40, Polysorbate 20, Polysorbate 80.
Questions or Comments? 86-21-3198568 webmaster@sigmap.com.cn

Produced by
 SHANGHAI HANGSHI MEDICAL TECHNOLOGY (GROUP) CO., LTD
 No. 2682 Changyang Road, Dajiao, Shanghai, 201776, China
 Email: webmaster@sigmap.com.cn
 Tel: 86-21-3198568
 Fax: 86-21-3198568
 www.sigmap.com.cn



PAIN RELIEF

lidocaine patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73557-189
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
KAOLIN (UNII: 24H4NWX5CO)	

TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73557-189-30	30 in 1 BOX	11/10/2025	
1		1 in 1 BAG		
1		9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/10/2025	

Labeler - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Registrant - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(73557-189) , label(73557-189)

Revised: 11/2025

Shanghai Chuangshi Medical Technology (Group) Co., Ltd.