

**TRACELESS TOUCH FOUNDATION BROAD SPECTRUM SPF 45 REFILL CUSHION
COMPACT- titanium dioxide and zinc oxide cream
TOM FORD BEAUTY DIST**

**TRACELESS TOUCH FOUNDATION BROAD SPECTRUM SPF 45 REFILL CUSHION
COMPACT**

Drug Facts

Active ingredients

Titanium Dioxide 7.6%

Zinc Oxide 5.1%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • dimethicone • butyloctyl salicylate • octyldodecyl neopentanoate • butylene glycol • isononyl isononanoate • lauryl peg-9 polydimethylsiloxyethyl dimethicone • diethylhexyl succinate • phenyl trimethicone • methyl trimethicone • silica • dimethicone silylate • tocopheryl acetate • magnesium sulfate • dipentaerythrityl tri-polyhydroxystearate • porphyra yezoensis (algae) extract • silk powder/serica/poudre de soie • morinda citrifolia fruit extract • sapindus mukorossi fruit extract • litchi chinensis seed extract • thermus thermophilus ferment • caffeine • glycerin • lavandula angustifolia (lavender) oil • citrullus vulgaris (watermelon) fruit extract • lens esculenta (lentil) fruit extract • laminaria saccharina extract • pyrus malus (apple) fruit extract • acetyl hexapeptide-8 • palmaria palmata extract • sodium lactate • ascorbyl glucoside • tourmaline • caprylyl methicone • cetyl peg/ppg-10/1 dimethicone • caesalpinia spinosa gum • hydrolyzed wheat protein/pvp crosspolymer • caprylyl glycol • sodium pca • dimethicone/peg-10/15 crosspolymer • polyhydroxystearic acid • sodium hyaluronate • dimethicone crosspolymer-3 • triethoxycaprylylsilane • laureth-4 • alumina • dipropylene glycol • dextrin • pentylene glycol • citric acid • linalool • sodium benzoate • chlorphenesin • phenoxyethanol • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 77499)] <iln44824>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 12 g Jar Carton

TOM FORD

TRACELESS TOUCH FOUNDATION
BROAD SPECTRUM SPF 45 REFILL
SATIN-MATTE CUSHION COMPACT

NET WT. .42 OZ./12 g e

SHADE LABEL FPO

TF

TOM FORD

Drug Facts
[continued]

[+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 77499)] <||n44824>

Other information
protect the product in this container from excessive heat and direct sun

TOM FORD BEAUTY, DIST.
NEW YORK, NY 10022
W.L.B.LTD., G.U.32.3DD, U.K.
MADE IN JAPAN T6ER



TRACELESS TOUCH FOUNDATION
BROAD SPECTRUM SPF 45 REFILL
SATIN-MATTE CUSHION COMPACT
NET WT./POIDS NET .42 OZ./12 g e

T6ER-01-1112

UPC / FPO

Drug Facts

Active ingredients
Titanium Dioxide 7.6%
Zinc Oxide 5.1%

Purpose
Sunscreen

Use helps prevent sunburn

Drug Facts [continued]

and sunglasses
• children under 6 months of age: ask a doctor

Inactive ingredients
water\aquaeau • dimethicone • butyloctyl

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats ▶

salicylate • octyldodecyl neopentanoate • butylene glycol • isononyl isononanoate • lauryl peg-9 polydimethylsiloxyethyl dimethicone • diethylhexyl succinate • phenyl trimethicone • methyl trimethicone • silica • dimethicone silylate • tocopheryl acetate • magnesium sulfate • dipentaerythryl tri-polyhydroxystearate • porphyra yezoensis (algae) extract • silk powder\serica\poudre de soie • morinda citrifolia fruit extract • sapindus mukorossi fruit extract • litchi chinensis seed extract • thermus thermophilus ferment • caffeine • glycerin • lavandula angustifolia (lavender) oil • citrullus vulgaris (watermelon) fruit extract • lens esculenta (lentil) fruit extract • laminaria saccharina extract • pyrus malus (apple) fruit extract • acetyl hexapeptide-8 • palmaria palmata extract • sodium lactate • ascorbyl glucoside • tourmaline • caprylyl methicone • cetyl peg/ppg-10/1 dimethicone • caesalpinia spinosa gum • hydrolyzed wheat protein/pvp crosspolymer • caprylyl glycol • sodium pca • dimethicone/peg-10/15 crosspolymer • polyhydroxystearic acid • sodium hyaluronate • dimethicone crosspolymer-3 • triethoxycaprylsilane • laureth-4 • alumina • dipropylene glycol • dextrin • pentylene glycol • citric acid • linalool • sodium benzoate • chlorphenesin • phenoxyethanol • ▶

TRACELESS TOUCH FOUNDATION BROAD SPECTRUM SPF 45 REFILL CUSHION COMPACT

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76398-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	7.6 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
DIPENTAERYTHRITYL TRI-POLYHYDROXYSTEARATE (UNII: D21K655H52)
PHYMATOLITHON CALCAREUM (UNII: 6J1M3WA0ZK)
NONI FRUIT (UNII: 7829X3G2X5)
SAPINDUS MUKOROSI FRUIT (UNII: 66H9NW427Y)
LITCHI CHINENSIS SEED (UNII: 9294024N9Q)
THERMUS THERMOPHILUS LYSATE (UNII: 775R692494)
CAFFEINE (UNII: 3G6A5W338E)
GLYCERIN (UNII: PDC6A3C0OX)
LAVENDER OIL (UNII: ZBP1YXW0H8)
WATERMELON (UNII: 231473QB6R)
LENS CULINARIS FRUIT (UNII: ZYZ076G9JH)
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)
APPLE (UNII: B423VGH5S9)
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)
PALMARIA PALMATA (UNII: 7832HOY4ZQ)
SODIUM LACTATE (UNII: TU7HW0W0QT)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
CAESALPINIA SPINOSA RESIN (UNII: WL3883U2PO)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
LAURETH-4 (UNII: 6HQ855798J)
ALUMINUM OXIDE (UNII: LMI26O6933)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
SODIUM BENZOATE (UNII: OJ245FE5EU)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76398-009-01	1 in 1 CARTON	03/01/2019	
1		12 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	03/01/2019	

Labeler - TOM FORD BEAUTY DIST (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Nippon Shikizai, inc.		692076308	manufacture(76398-009)

Revised: 10/2023

TOM FORD BEAUTY DIST