

DURADRY SWEAT MINIMIZING GEL- aluminum chloride hexahydrate gel
Novadore USA Inc

Duradry Sweat Minimizing Gel

Active ingredient

ALUMINUM CHLORIDE (HEXAHYDRATE) 15%

Purpose

Antiperspirant

Uses

Reduces underarm perspiration

Warnings

For external use only
Stop use if rash or irritation occurs.

Do not use

- On broken, irritated or recently shaved skin.
- Immediately after bathing.
- In or near eyes. If contact occurs, rise eyes thoroughly with water.

Ask a doctor before use

if you have kidney disease

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply to underarms only.
- Apply a small amount of product to underarms at bedtime. It may itch during initial application.
- The next morning, rinse underarms with abundant water and apply a regular antiperspirant. For best results, use DURADRY® AM.
- Apply DURADRY® PM for a few nights in a row or until the excessive perspiration is controlled. Then Apply twice a week or as needed for maintenance.

Inactive ingredients

Aqua, Propylene Glycol, Xanthan Gum, Sodium Bicarbonate, Disodium EDTA, Salicylic Acid.

Questions?

Learn more at duradry.com

Duradry Sweat Minimizing Gel (ALUMINUM CHLORIDE HEXAHYDRATE)

**Simply Natural,
Seriously Dry.**

Drug Facts

Active Ingredient:	Purpose:
Aluminum Chloride (Hexahydrate) 15%....	Antiperspirant

Uses: Reduces underarm perspiration.

Warnings:
For external use only.

Do not use on broken, irritated or recently shaved skin
• Immediately after bathing • In or near eyes. If contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if rash or irritation occurs.
Ask a doctor before use if you have kidney disease.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Apply to underarms only • Apply a pea-sized amount on each underarm at bedtime. It may itch during initial applications • The following day, rinse underarms with abundant water and soap and apply your daily antiperspirant. For best results, use DURADRY® Deodorizing Body Wash and DURADRY® Antiperspirant Deodorant Stick • Apply for a few consecutive nights or until the excessive perspiration is controlled. Then apply twice a week or as needed for maintenance.

Inactive Ingredients: Aqua, Propylene Glycol, Xanthan Gum, Sodium Bicarbonate, Disodium EDTA, Salicylic Acid.

Questions? Learn more at duradry.com

TRIM APPLICATOR TIP BEFORE FIRST USE.

Win, Shop, Learn

MADE IN USA
Dist. by NOVADORE USA Inc.
Miami, FL 33179

Duradry

Sweat Minimizing Gel

Underarms

4
8 60002 30401

Duradry

ALUMINUM CHLORIDE (HEXAHYDRATE)
ANTIPERSPIRANT
0.4 FL. OZ. (10.5 mL)

Underarms



Sweat Minimizing Gel

A Dry Tomorrow Starts Tonight.

Drug Facts

Active Ingredient: Aluminum Chloride (Hexahydrate)15%.....
Purpose: Antiperspirant

Uses: Reduces underarm perspiration

Warnings:

For external use only

Do not use • On broken, irritated or recently shaved skin • Immediately after bathing • In or near eyes. If contact occurs, rinse eyes thoroughly with water Stop use if rash or irritation occurs •

Ask a doctor before use if you have kidney disease. Keep out of reach of children. If

swallowed, get medical help or contact a Poison Control Center immediately.

Directions: Apply to underarms only • Apply a pea-sized amount on each underarm at bedtime. It may itch during initial applications • The following day, rinse underarms with abundant water and soap and apply your daily antiperspirant. For best results, use DURADRY® Cleansing Wash and DURADRY® Antiperspirant Stick • Apply for a few consecutive nights or until the excessive perspiration is controlled. Then apply twice a week or as needed for maintenance.

Inactive Ingredients: Aqua, Propylene Glycol, Xanthan Gum, Sodium Bicarbonate, Disodium EDTA, Salicylic Acid.

Questions? Learn more at duradry.com

MADE IN USA • Dist. by NOVADORE USA Inc • Miami, FL 33179

DURADRY SWEAT MINIMIZING GEL

aluminum chloride hexahydrate gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69990-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLORIDE (UNII: 3CYT62D3GA) (ALUMINUM CATION - UNII:3XHB1D032B)	ALUMINUM CHLORIDE	150 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69990-103-01	1 in 1 POUCH	02/20/2018	
1		10.5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	01/01/2015	

Labeler - Novadore USA Inc (079777451)**Registrant** - Novadore USA Inc (079777451)

Revised: 11/2025

Novadore USA Inc