

CLENZIDERM THERAPEUTIC MOISTURIZER- glycerin cream
OMP, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

OBAGI®
Clenziderm M.D.™
Therapeutic
Moisturizer

DRUG FACTS

Active ingredient

Glycerin 20%

Purpose

Skin protectant

Uses

- Temporarily protects and helps relieve chapped or cracked skin.
- Helps protect from the drying effects of wind and cold weather.

Warnings

For external use only

When using this product

- do not get into eyes.

Stop and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days.

Do not use on

- deep or puncture wounds
- animal bites
- serious burns.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply as needed.

- Children under 6 months: ask a doctor.

Other information

- Store away from heat and direct sunlight.
- Store at controlled room temperature: 15°C–25°C (59°F–77°F)

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, allantoin, butylparaben, cetyl dimethicone, corn starch modified, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, ethylparaben, isobutylparaben, lauryl PEG/PPG-18/18 methicone, methylparaben, phenoxyethanol, propylparaben, triethanolamine, water

Questions or comments?

1.800.636.7546. Monday-Friday 9a.m.-4p.m. Pacific Time

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Label

OBAGI® MEDICAL

CLENZIderm M.D.™

Therapeutic Moisturizer

Glycerin 20%

Skin Protectant

1.7 fl. oz. (50 mL)



CLENZiderm M.D.™

Therapeutic Moisturizer

Glycerin 20%
Skin Protectant

1.7 fl. oz. (50 mL)

Drug Facts

Active ingredient

Glycerin 20% Skin protectant

Purpose

Uses: ■ Temporarily protects and helps relieve chapped or cracked skin. ■ Helps protect from the drying effects of wind and cold weather.

Warnings: For external use only. When using this product

■ do not get into eyes. **Stop use and ask a doctor if** ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days. **Do not use on** ■ deep or puncture wounds ■ animal bites ■ serious burns. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: ■ Apply as needed. ■ Children under 6 months: ask a doctor.

Other information: ■ Store away from heat and direct sunlight. ■ Store at controlled room temperature: 15°C–25°C (59°F–77°F).

Inactive ingredients: acrylates/C10-30 alkyl acrylate crosspolymer, allantoin, butylparaben, cetyl dimethicone, com starch modified, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, ethylparaben, isobutylparaben, lauryl PEG/PPG-18/18 methicone, methylparaben, phenoxyethanol, propylparaben, triethanolamine, water

Questions or comments? 1.800.636.7546 Monday–Friday 9a.m.–4p.m. Pacific Time

Except as otherwise indicated, all product names, slogans and other marks are trademarks of the Valeant family of companies. Distributed by OMP, Inc., Long Beach, CA 90806 ©2014 Obagi Medical Products, Inc., a division of Valeant Pharmaceuticals North America LLC. www.obagi.com Made in USA 9436800 Rev 12/14



CLENZIDERM THERAPEUTIC MOISTURIZER

glycerin cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:6 20 32-114
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6 A3C0 OX) (GLYCERIN - UNII:PDC6 A3C0 OX)	GLYCERIN	200 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLPARABEN (UNII: 14255EXE39)	

ISO BUTYLPARABEN (UNII: 0QQJ25X58G)	
BUTYLPARABEN (UNII: 3QP1IU3FV8)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62032-114-70	50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	07/01/2007	

Labeler - OMP, INC. (790553353)

Establishment

Name	Address	ID/FEI	Business Operations
Swiss-American CDMO, LLC		080170933	MANUFACTURE(62032-114)

Revised: 11/2017

OMP, INC.