

RENAKARE- potassium gluconate tablet
Neogen Corporation-Mercer

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

RenaKare™

Potassium Gluconate Tablets

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Each tablet contains (minimum):

Potassium gluconate.....2 mEq (468 mg)

Dosage:

Adult cats and dogs...2 mEq/4.5 kg (1 tablet/10 lb) PO BID

Kittens and puppies.....consult veterinarian

Administer with food. Dosage may be adjusted as necessary by the veterinarian.

Store in a dry place at a temperature between 15°-30°C (59°-86°F). Keep container tightly closed.

Warnings:

May cause hyperkalemia. Do not exceed the recommended dose. Frequent patient monitoring is advised. Adverse effects include gastrointestinal irritation, muscular weakness, twitching, irritability, and cardiac conduction disturbances. Postassium salts are contraindicated in animals with hyperkalemia, severe renal impairment or failure, severe hemolytic reactions, Addison's disease, decreased gastrointestinal motility, and acute dehydration.

Precautions:

Use with caution in animals receiving digoxin, potassium-sparing diuretics, ACE inhibitors, and NSAIDs.

Indications:

For use as a potassium supplement in hypokalemic cats and dogs.

Manufactured by: Neogen Corporation, Lexington, KY 40511

859-254-1221 • neogen.com L593-1222

Made in the USA of U.S. and imported materials

Item No. 09074

PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle

NDC: 59051-9074-5

RenaKare

Potassium gluconate tablets

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Net Contents: 100 Tablets

FOR ANIMAL USE ONLY
Each tablet contains (minimum):
Potassium gluconate 2 mEq (468 mg)
Dosage:
Adult cats and dogs 2 mEq/4.5 kg (1 tablet/10 lb) PO BID
Kittens and puppies consult veterinarian
Administer with food. Dosage may be adjusted as necessary by the veterinarian.
Indications:
For use as a potassium supplement in hypokalemic cats and dogs.
Store in a dry place at a temperature between 15°-30°C (59°-86°F). Keep container tightly closed.



Made in USA of U.S. and imported materials



KEEP OUT OF REACH OF CHILDREN

Warnings:

May cause hyperkalemia. Do not exceed the recommended dose. Frequent patient monitoring is advised. Adverse effects include gastrointestinal irritation, muscular weakness, twitching, irritability, and cardiac conduction disturbances. Potassium salts are contraindicated in animals with hyperkalemia, severe renal impairment or failure, severe hemolytic reactions, Addison's disease, decreased gastrointestinal motility, and acute dehydration.

Precautions:

Use with caution in animals receiving digoxin, potassium-sparing diuretics, ACE inhibitors, and NSAIDs.



Manufactured by: Neogen Corporation, Lexington, KY 40511
859-254-1221 • neogen.com

L593-1222

RENAKARE

potassium gluconate tablet

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:59051-9074
Route of Administration	Oral		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM GLUCONATE (UNII: 12H3K5QKN9) (POTASSIUM CATION -	POTASSIUM	468 mg

UNII:295053K152)		GLUCONATE	400 mg
Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	
Contains			
Packaging			
#	Item Code	Package Description	Marketing Start Date
1	NDC:59051-9074-5	100 in 1 BOTTLE, PLASTIC	
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/15/2013	

Labeler - Neogen Corporation-Mercer (042125879)

Establishment			
Name	Address	ID/FEI	Business Operations
Neogen Corporation-Mercer		042125879	analysis, label, manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Jungbunzlauer Ladenburg GmbH		322121609	api manufacture

Revised: 2/2023

Neogen Corporation-Mercer