

LIDOBAND XL- lidocaine ring

Alberta Veterinary Laboratories Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

LidoBand XL

Description:

LidoBand™ XL is a latex rubber band designed to be placed around the base of the scrotum of bulls for castration. Each castration band is infused with 240 mg of lidocaine, which provides local anesthesia. Lidocaine will quickly diffuse through the skin and remain in the local tissue due to vasoconstriction from the band.

Directions for Use:

Do not touch the band with bare fingers. Wear gloves when handling or applying Lidoband XL. Because lidocaine is used in LidoBand XL, change gloves frequently while handling multiple bands. A tension band applicator (XL Banders type) is recommended. Follow the manufacturer's directions for the tension band applicator when applying LidoBand XL.

The properties of latex can change with temperature. Cold or hot air temperatures may cause bands to break when expanded. It is recommended to apply bands at temperatures between 60°F and 85°F (approximately 15°C and 30°C).

Precautions:

Lidocaine is typically well tolerated. As with all local anesthetics, untoward effects may occur due to hypersensitivity. LidoBand XL should not be used on animals with a known lidocaine hypersensitivity.

Castration of cattle may result in the development of tetanus. For tetanus prevention, it is highly recommended to vaccinate with a tetanus toxoid at least three (3) weeks prior to castration or provide tetanus antitoxin at the time of castration. Consult your veterinarian on prevention of tetanus in cattle.

User Safety:

If skin comes in contact with LidoBand XL, wash affected area immediately with soap and water.

Storage:

Keep stored in a cool, dry place. Do not leave bands in direct sunlight or allow exposure to high temperatures. Do not re-use the band.

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN


LidoBand XL Jar Label:

IndoBand® XL is a latex rubber band designed to be placed around the base of the acetabulum of bulls for castration. Each castration band is infused with 260 mg of lidocaine, which provides local anesthesia. Lidocaine will quickly diffuse through the skin and remain in the local tissue due to vasoconstriction from the band.
Directions for use: Do not touch the band with bare fingers. Wear gloves when handling or applying IndoBand XL. Because lidocaine is used in IndoBand XL, change gloves frequently while handling multiple bands. A tension band applicator (DC Bandmate) type is recommended. Follow the manufacturer's directions for the tension band applicator when applying IndoBand XL. The proportion of latex can change with temperature. Cold or hot air temperatures may cause bands to break when expanded. It is recommended to apply bands at temperatures between 63°F and 82°F (approximately 15°C and 30°C).


solvet
IndoBand®
Castration Bands
 Each band contains 260 mg of lidocaine.
 For castration of bulls and to deliver lidocaine as a local anesthetic. For use in bulls weighing between 250 to 750 pounds.
FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
ND: 86754-103-08
25C Bandmate
U.S. Patent # 11,588,510

LOT: XXXXXXXXXX

EXP: MMYYY



6 28224 50194 5

Instructions: Lidocaine is typically used for topical anesthesia. Lidocaine XL should not be used for castration of cattle may result in the development of tetanus at least 20 (20) weeks prior to castration on prevention of tetanus in cattle. Use caution: If skin comes in contact with lidocaine, keep it in a cool, dry place. Do not use the band.

 California, Republic of WAHPHONG Cancer Risk www.P89Wapahong.ca.gov
 Manufactured by: **AW/Solvet Ltd.** 7225 107 Ave, Calgary, 1-(877) 458-2755. www.solvet-us.com
 Sold in a trademark of Alberta Veterinary

LidoBand XL Sample Pack:



Solvat

lidoBand^{XL}

Castration Bands

For castration of bulls and to deliver lidocaine as a local anesthetic.
Each band contains 240 mg of lidocaine.
For use in bulls weighing between 250 to 750 pounds.

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NDC: 8674-102-08

3 Bands

LOT: XXXXXXXX
EXP: MMYY

MFG 06/25



When you scan this QR code you will be able to view the product information and the lot number of the product.



Solvat is a trademark of Solvay Veterinary Laboratories Ltd.

Manufactured by:
AU Solvay Ltd 2228 107 Ave Calgary AB T2C 5H6
1-877-458-2735. **WEANERBAND 3-BAND**

U.S. Patent # 11,596,510


Castration requires:
 1. Anesthetize the animal.
 2. Clean the scrotum.
 3. Disinfect the scrotum.
 4. Apply the band.
 5. Monitor the animal.
 6. Remove the band.
 7. Monitor the animal.
 8. Remove the band.
 9. Monitor the animal.
 10. Remove the band.
 11. Monitor the animal.
 12. Remove the band.
 13. Monitor the animal.
 14. Remove the band.
 15. Monitor the animal.
 16. Remove the band.
 17. Monitor the animal.
 18. Remove the band.
 19. Monitor the animal.
 20. Remove the band.
 21. Monitor the animal.
 22. Remove the band.
 23. Monitor the animal.
 24. Remove the band.
 25. Monitor the animal.
 26. Remove the band.
 27. Monitor the animal.
 28. Remove the band.
 29. Monitor the animal.
 30. Remove the band.
 31. Monitor the animal.
 32. Remove the band.
 33. Monitor the animal.
 34. Remove the band.
 35. Monitor the animal.
 36. Remove the band.
 37. Monitor the animal.
 38. Remove the band.
 39. Monitor the animal.
 40. Remove the band.
 41. Monitor the animal.
 42. Remove the band.
 43. Monitor the animal.
 44. Remove the band.
 45. Monitor the animal.
 46. Remove the band.
 47. Monitor the animal.
 48. Remove the band.
 49. Monitor the animal.
 50. Remove the band.
 51. Monitor the animal.
 52. Remove the band.
 53. Monitor the animal.
 54. Remove the band.
 55. Monitor the animal.
 56. Remove the band.
 57. Monitor the animal.
 58. Remove the band.
 59. Monitor the animal.
 60. Remove the band.
 61. Monitor the animal.
 62. Remove the band.
 63. Monitor the animal.
 64. Remove the band.
 65. Monitor the animal.
 66. Remove the band.
 67. Monitor the animal.
 68. Remove the band.
 69. Monitor the animal.
 70. Remove the band.
 71. Monitor the animal.
 72. Remove the band.
 73. Monitor the animal.
 74. Remove the band.
 75. Monitor the animal.
 76. Remove the band.
 77. Monitor the animal.
 78. Remove the band.
 79. Monitor the animal.
 80. Remove the band.
 81. Monitor the animal.
 82. Remove the band.
 83. Monitor the animal.
 84. Remove the band.
 85. Monitor the animal.
 86. Remove the band.
 87. Monitor the animal.
 88. Remove the band.
 89. Monitor the animal.
 90. Remove the band.
 91. Monitor the animal.
 92. Remove the band.
 93. Monitor the animal.
 94. Remove the band.
 95. Monitor the animal.
 96. Remove the band.
 97. Monitor the animal.
 98. Remove the band.
 99. Monitor the animal.
 100. Remove the band.
 101. Monitor the animal.
 102. Remove the band.
 103. Monitor the animal.
 104. Remove the band.
 105. Monitor the animal.
 106. Remove the band.
 107. Monitor the animal.
 108. Remove the band.
 109. Monitor the animal.
 110. Remove the band.
 111. Monitor the animal.
 112. Remove the band.
 113. Monitor the animal.
 114. Remove the band.
 115. Monitor the animal.
 116. Remove the band.
 117. Monitor the animal.
 118. Remove the band.
 119. Monitor the animal.
 120. Remove the band.
 121. Monitor the animal.
 122. Remove the band.
 123. Monitor the animal.
 124. Remove the band.
 125. Monitor the animal.
 126. Remove the band.
 127. Monitor the animal.
 128. Remove the band.
 129. Monitor the animal.
 130. Remove the band.
 131. Monitor the animal.
 132. Remove the band.
 133. Monitor the animal.
 134. Remove the band.
 135. Monitor the animal.
 136. Remove the band.
 137. Monitor the animal.
 138. Remove the band.
 139. Monitor the animal.
 140. Remove the band.
 141. Monitor the animal.
 142. Remove the band.
 143. Monitor the animal.
 144. Remove the band.
 145. Monitor the animal.
 146. Remove the band.
 147. Monitor the animal.
 148. Remove the band.
 149. Monitor the animal.
 150. Remove the band.
 151. Monitor the animal.
 152. Remove the band.
 153. Monitor the animal.
 154. Remove the band.
 155. Monitor the animal.
 156. Remove the band.
 157. Monitor the animal.
 158. Remove the band.
 159. Monitor the animal.
 160. Remove the band.
 161. Monitor the animal.
 162. Remove the band.
 163. Monitor the animal.
 164. Remove the band.
 165. Monitor the animal.
 166. Remove the band.
 167. Monitor the animal.
 168. Remove the band.
 169. Monitor the animal.
 170. Remove the band.
 171. Monitor the animal.
 172. Remove the band.
 173. Monitor the animal.
 174. Remove the band.
 175. Monitor the animal.
 176. Remove the band.
 177. Monitor the animal.
 178. Remove the band.
 179. Monitor the animal.
 180. Remove the band.
 181. Monitor the animal.
 182. Remove the band.
 183. Monitor the animal.
 184. Remove the band.
 185. Monitor the animal.
 186. Remove the band.
 187. Monitor the animal.
 188. Remove the band.
 189. Monitor the animal.
 190. Remove the band.
 191. Monitor the animal.
 192. Remove the band.
 193. Monitor the animal.
 194. Remove the band.
 195. Monitor the animal.
 196. Remove the band.
 197. Monitor the animal.
 198. Remove the band.
 199. Monitor the animal.
 200. Remove the band.
 201. Monitor the animal.
 202. Remove the band.
 203. Monitor the animal.
 204. Remove the band.
 205. Monitor the animal.
 206. Remove the band.
 207. Monitor the animal.
 208. Remove the band.
 209. Monitor the animal.
 210. Remove the band.
 211. Monitor the animal.
 212. Remove the band.
 213. Monitor the animal.
 214. Remove the band.
 215. Monitor the animal.
 216. Remove the band.
 217. Monitor the animal.
 218. Remove the band.
 219. Monitor the animal.
 220. Remove the band.
 221. Monitor the animal.
 222. Remove the band.
 223. Monitor the animal.
 224. Remove the band.
 225. Monitor the animal.
 226. Remove the band.
 227. Monitor the animal.
 228. Remove the band.
 229. Monitor the animal.
 230. Remove the band.
 231. Monitor the animal.
 232. Remove the band.
 233. Monitor the animal.
 234. Remove the band.
 235. Monitor the animal.
 236. Remove the band.
 237. Monitor the animal.
 238. Remove the band.
 239. Monitor the animal.
 240. Remove the band.
 241. Monitor the animal.
 242. Remove the band.
 243. Monitor the animal.
 244. Remove the band.
 245. Monitor the animal.

lidocaine ring

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86174-103
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	240 mg
Inactive Ingredients			
Ingredient Name			Strength

ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	60 mg
--	-------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86174-103-06	25 in 1 JAR		
2	NDC:86174-103-08	3 in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/04/2025	

Labeler - Alberta Veterinary Laboratories Ltd (204293518)

Establishment

Name	Address	ID/FEI	Business Operations
Alberta Veterinary Laboratories Ltd		204293518	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Swati Spentose Private Limited		650621472	api manufacture