

**NATURAL RELIEF DIARRHEA RELIEF- aloe, citrullus colocynthis, croton tiglium, lycopodium clavatum, magnesium sulfate heptahydrate, phosphoric acid, thuja occidentalis tablet, orally disintegrating TRP Company**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Natural Relief Diarrhea Relief**

***Active ingredients***

*Aloe7X, 9X*

*Colocynthis 6X*

*Croton tiglium 7X*

*Lycopodium clavatum 6X, 12X, 18X*

*Magnesia sulphurica 6X, 12X, 18X*

*Phosphoricum acidum 6X, 12X, 18X*

*Thuja occidentalis 6X, 12X, 18X*

***Purpose***

Aloe - Jelly like stools, Abdominal discomfort

Colocynthis - Cramping , Sudden evacuation

Croton tiglium - Gurgling in intestines, Loose, watery stools

Lycopodium clavatum - Gas, Bloating

Magnesia sulphurica - Cramping, Bad taste in mouth

Phosphoricum acidum - Loud rumbling, Weakness, Fatigue

Thuja occidentalis - Mucous in stools

***Uses\****

According to homeopathic indications these ingredients provide temporary relief from diarrhea symptoms after serious causes have been ruled out by a physician.

\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

***Warnings***

**USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.**

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor if:**

- You experience worsening symptoms.
- Symptoms last longer than 7 days.
- You get abdominal swelling or bulging.

**Directions**

***Directions***

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Homeopathic remedies may not be effective for everyone. Individual results may vary.

***Inactive ingredients***

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

***Other information***

- Homeopathic remedies may not be effective for everyone.
- Individual results may vary.
- Keep bottle tightly closed.
- Diarrhea Relief™ Fast Dissolving Tablets™ are homeopathic micro-dilutions, for details see [www.thereliefproducts.com](http://www.thereliefproducts.com).

***Questions or comments***

1-888-969-6855 - 8 am to 4 pm EST; Monday - Friday - [info@thereliefproducts.com](mailto:info@thereliefproducts.com)

**Do not use if tamper evident seal is torn, broken or missing.**

**\*\*FDA Disclaimer:** Claims are based on traditional homeopathic practice, not accepted by modern medical experts. Not an FDA evaluated or approved drug. Homeopathic remedies may not be effective for everyone. Individual results may vary.

**Natural Relief™**

**Diarrhea Relief™**

**Gluten Free**

**TRP** THE RELIEF PRODUCTS®  
NDC # 17312-473-14

**Natural Relief™**

**Natural Relief™**

**Natural Relief™ harnesses the power of nature.** Naturally sourced active ingredients that work gently and safely with your body.

**Diarrhea Relief™**

**Diarrhea Relief™**

**FAST DISSOLVING TABLETS™**

**Temporarily relieves:**

Loose, Watery stools / Bloating  
Abdominal cramping  
\*\*(See Top Info Panel)

100%  
NATURAL  
ACTIVE  
INGREDIENTS



HOMEOPATHIC\*\*  
70 TABLETS



Our distinctive formulas work together to enhance your body's ability to **Stay Healthy, Naturally.**

**Do not use if tamper evident seal is torn, broken or missing.** No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

#### Drug Facts

| Active ingredients                    | Purpose                                      |
|---------------------------------------|----------------------------------------------|
| Aloe HPUS 7X, 9X                      | Jelly like stools, Abdominal discomfort      |
| Colocynthis HPUS 6X                   | Cramping, Sudden evacuation                  |
| Croton tiglium HPUS 7X                | Gurgling in intestines, Loose, watery stools |
| Lycopodium clavatum HPUS 6X, 12X, 18X | Gas, Bloating                                |
| Magnesia sulphurica HPUS 6X, 12X, 18X | Cramping, Bad taste in mouth                 |
| Phosphoricum acidum HPUS 6X, 12X, 18X | Loud rumbling, Weakness, Fatigue             |
| Thuja occidentalis HPUS 6X, 12X, 18X  | Mucous in stools                             |

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### Uses\*

According to homeopathic indications these ingredients provide temporary relief from diarrhea symptoms after serious causes have been ruled out by a physician. \*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

#### Warnings

**USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.**

• This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • A physician should always be consulted to rule out serious causes.

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

#### Drug Facts (continued)

**Stop use and ask a doctor if:** • You experience worsening symptoms. • Symptoms last longer than 7 days. • You get abdominal swelling or bulging.

#### Directions

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

#### Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

#### Other information

• Homeopathic remedies may not be effective for everyone. • Individual results may vary. • Keep bottle tightly closed. • Diarrhea Relief™ Fast Dissolving Tablets™ are homeopathic micro-dilutions, for details see [www.thereliefproducts.com](http://www.thereliefproducts.com).

#### Questions or comments

1-888-969-6855 - 8 am to 4 pm EST; Monday - Friday - [info@thereliefproducts.com](mailto:info@thereliefproducts.com)

Encontrará la información en español sobre este medicamento al interior de la caja.

© 2025 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 [www.thereliefproducts.com](http://www.thereliefproducts.com)

**TRP**  
**Natural Relief™**

**Diarrhea Relief™**

**FAST DISSOLVING TABLETS™**

HOMEOPATHIC\*\*

THE RELIEF PRODUCTS®  
NDC #17312-473-14

**Active ingredients**  
Aloe HPUS 7X, 9X; Colocynthis HPUS 6X; Croton tiglium HPUS 7X; Lycopodium clavatum HPUS 6X, 12X, 18X; Magnesia sulphurica HPUS 6X, 12X, 18X; Phosphoricum acidum HPUS 6X, 12X, 18X; Thuja occidentalis HPUS 6X, 12X, 18X

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### Directions

• Suitable for adults and children 2 years and over. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. Children under the age of 2: Consult a physician before use.

#### Inactive ingredients

Copovidone, Crospovidone, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose, Silicon dioxide, Sorbitol.

#### Other information

Refer to outer carton for complete information.  
• Homeopathic remedies may not be effective for everyone.  
• Individual results may vary. • Keep bottle tightly closed.  
• Diarrhea Relief™ Fast Dissolving Tablets™ are homeopathic micro-dilutions, for details see [www.thereliefproducts.com](http://www.thereliefproducts.com).

#### Questions or comments?

1-888-969-6855 - 8 am - 4 pm EST; Monday - Friday  
[info@thereliefproducts.com](mailto:info@thereliefproducts.com)

© 2025 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208, Reno, NV 89502

**Do not use if tamper evident seal is torn, broken or missing.**

Ini1023  
R0325

NO VARNISH

## NATURAL RELIEF DIARRHEA RELIEF

aloe, citrullus colocynthis, croton tiglium, lycopodium clavatum, magnesium sulfate heptahydrate, phosphoric acid, thuja occidentalis tablet, orally disintegrating

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:17312-473 |
| Route of Administration | ORAL           |                    |               |

| Active Ingredient/Active Moiety                                                                                 |                                  |          |
|-----------------------------------------------------------------------------------------------------------------|----------------------------------|----------|
| Ingredient Name                                                                                                 | Basis of Strength                | Strength |
| <b>THUJA OCCIDENTALIS LEAFY TWIG</b> (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWG - UNII:1NT28V9397)        | THUJA OCCIDENTALIS LEAFY TWG     | 6 [hp_X] |
| <b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)                                   | PHOSPHORIC ACID                  | 6 [hp_X] |
| <b>MAGNESIUM SULFATE HEPTAHYDRATE</b> (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)                   | MAGNESIUM SULFATE HEPTAHYDRATE   | 6 [hp_X] |
| <b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)               | LYCOPODIUM CLAVATUM SPORE        | 6 [hp_X] |
| <b>CROTON TIGLIUM SEED</b> (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)                           | CROTON TIGLIUM SEED              | 7 [hp_X] |
| <b>CITRULLUS COLOCYNTHIS FRUIT PULP</b> (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17) | CITRULLUS COLOCYNTHIS FRUIT PULP | 6 [hp_X] |
| <b>ALOE</b> (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)                                                         | ALOE                             | 7 [hp_X] |

| Inactive Ingredients                                  |          |
|-------------------------------------------------------|----------|
| Ingredient Name                                       | Strength |
| <b>MANNITOL</b> (UNII: 3OWL53L36A)                    |          |
| <b>SORBITOL</b> (UNII: 506T60A25R)                    |          |
| <b>CROSPVIDONE</b> (UNII: 68401960MK)                 |          |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |          |
| <b>COPOVIDONE</b> (UNII: D9C330MD8B)                  |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)             |          |
| <b>LACTOSE</b> (UNII: J2B2A4N98G)                     |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |          |

| Product Characteristics |         |                     |          |
|-------------------------|---------|---------------------|----------|
| <b>Color</b>            | white   | <b>Score</b>        | no score |
| <b>Shape</b>            | DIAMOND | <b>Size</b>         | 13mm     |
| <b>Flavor</b>           |         | <b>Imprint Code</b> | TRP      |
| <b>Contains</b>         |         |                     |          |

| Packaging |                  |                                                   |                      |                    |
|-----------|------------------|---------------------------------------------------|----------------------|--------------------|
| #         | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
| 1         | NDC:17312-473-14 | 1 in 1 PACKAGE                                    | 04/30/2025           |                    |
| 1         |                  | 70 in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

| Marketing Information  |                                          |                      |                    |
|------------------------|------------------------------------------|----------------------|--------------------|
| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic |                                          | 04/30/2025           |                    |

---

**Labeler** - TRP Company (105185719)

Revised: 11/2025

TRP Company