

TNEGHC 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM- minoxidil liquid
Guangzhou Borderless Technology Co., Ltd.

85304-022 TNEGHC 5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5%

Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair.

Keep out of reach of children.

For external use only.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with the eyes. in case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture.

It takes time to regrow hair. Results may occur at 3 months with twice a day usage. For some women, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.

Avoid contact with eyes. in case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs.

If you do not see hair regrowth in 6 months.

Keep out of reach of children, If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

1. Make sure your hair and scalp are dry (no need to wash your hair before each use).

2. Apply 3-4 pumps of spray directly to the treated area of the scalp.

3. Gently massage into the scalp or thinning hair areas until absorbed.

4. Continued use is required to increase and maintain hair regrowth, Discontinuation may lead to hair loss

Butylene Glycol

Glycerin

Alcohol

Castor oil

Dexpanthenol

Water

尺寸 194*42*h156mm
5个装, 适配内卡



折叠前尺寸: 180*120mm
折叠后尺寸: 60*120mm

TNEGHC®

EXTRA STRENGTH For Women

MINOXIDIL SPRAY

Minoxidil 5% with BIOTIN

Reduce hair loss
Restore thinning hair
Stimulate hair newborn

EASY-TO-USE
USE TWICE DAILY

DESCRIPTION

DESCRIPTION

Please familiarize yourself with the instructions below in order to help make your product application a success. This product should be USED TWICE DAILY, every day. To be effective, it is important to spray the product directly onto your scalp and not onto your hair so that it can easily reach your hair follicles to help regrow your hair.

5% Minoxidil Hair Growth Spray Serum is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles, leading to thicker, fuller hair over time.

Biotin, a B vitamin, is beneficial for hair health. It aids in the production of keratin, a key hair protein, and supports the utilization of nutrients essential for hair growth. It can help make hair thicker, stronger, and healthier.

Ingredient Name	Basis of Strength	Strength
Minoxidil (UNII: 5965120SH1)	Minoxidil	5 g in 100g
Biotin (UNII: 6S06U10H46)	Biotin	0.5g in 100g

Inactive Ingredients:
Butylene Glycol (UNII: 3XUS85K0RA)
Glycerin (UNII: PDC68AC00X)
Alcohol (UNII: 3K9958V90M)
Castor oil (UNII: D5340Y2I9G)
Dexpantenol (UNII: 10C693RITZ)
Water (UNII: 6560F0K00R)

Product Type: Human OTC Drug

Use to regrow hair and beard.

Warnings
Keep out of reach of children.
For external use only.

DIRECTIONS FOR USE
See information leaflet for complete directions on how to use the product and obtain the best results.

Step 1 Make sure your hair and scalp are dry (no need to wash your hair before each use).

Step 2 Apply 3-4 pumps of spray directly to the treated area of the scalp.

Step 3 Gently massage into the scalp or thinning hair areas until absorbed.

Step 4 Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.

Do not use if

- Your hair loss is sudden and/or patchy.
- Your hair loss is associated with childbirth.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on your scalp.

When using

- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture.
- It takes time to regrow hair. Results may occur at 3 months with twice-a-day usage. For some men, you may need to use this product for at least 6 months before you see results. The amount of hair regrowth is different for each person.
- Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs.
- Sudden, unexplained weight gain occurs.
- If unwanted facial hair growth occurs.
- If you do not see hair regrowth in 6 months.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
1. Make sure your hair and scalp are dry (no need to wash your hair before each use).
2. Apply 3-4 pumps of spray directly to the treated area of the scalp.
3. Gently massage into the scalp or thinning hair areas until absorbed.
4. Continued use is required to increase and maintain hair regrowth. Discontinuation may lead to hair loss.


Other information
Before use, read all information on the carton and the enclosed leaflet. Store at a controlled room temperature of 5°C to 35°C (41°F to 95°F). Do not incinerate the container. Do not expose it to heat or store it at temperatures above 40°C (104°F).

Inactive ingredients
Butylene Glycol, Glycerin, Alcohol, Castor oil, Dexpantenol, Water

Questions? Cservice@TNEGHC.com
Distributor: Guangzhou Benetech Technology Co., Ltd.
Address: Room 2605, 2nd Floor, Building 1, No. 2, Tianluogang 2nd Road, Xintang, Tianhe District, Guangzhou
Made in PRC

尺寸 113*98mm





TNEGHC 5% MINOXIDIL HAIR GROWTH SPRAYS SERUM

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85304-022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DEXPANTHENOL (UNII: 1O6C93RI7Z)	
CASTOR OIL (UNII: D5340Y2I9G)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85304-022-01	5 in 1 PACKAGE	11/13/2025	
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	505G(a)(3)	11/13/2025	

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-022)

Revised: 11/2025

Guangzhou Borderless Technology Co., Ltd.