

**DIPHENHYDRAMINE HCL- diphenhydramine hcl capsule**  
**SDA Laboratories, Inc.**

-----  
**Drug Facts**

**Active ingredient (in each capsule)**

Diphenhydramine HCL 50 mg

**Purpose**

Antihistamine

**Uses:**

Temporarily relieves these symptoms associated with the common cold, hay fever, or other respiratory allergies

- sneezing
- nasal congestion
- runny nose
- itchy, watery eyes

**Warnings:**

**Do not use**

- With any other product containing Diphenhydramine HCL, including one applied topically.

**Ask a doctor or pharmacist before use**

If you have

- trouble urinating due to enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- if you are taking sedatives or tranquilizers

**When using this product**

- avoid alcoholic drinks
- marked drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions:**

- Take every 4-6 hours
- Do not take more than 6 doses in 24 hours.

Adults and children 12 years & over	1 capsule
Children under 12 years	ask a doctor

\*\*25 mg strength is not available in this package. Do not attempt to break capsules.

**Other information:**

- Store at room temperature 15-30 degrees C (59-86 degrees F)
- Protect from excessive moisture

**Inactive ingredients:**

Black Iron Oxide, D & C Red #28, FD & C Blue #1, FD & C Red #40, Gelatin, Lactose Monohydrate, Magnesium Stearate, Silicon Dioxide, Sodium Lauryl Sulfate

**Questions? Adverse drug event call:**

1-800-687-0176

NDC 66424-021-10

\*Compare to active ingredient in BENADRYL® ALLERGY

**Diphenhydramine**

**HCl Capsules, USP**

**50 mg**

**TAMPER-EVIDENT: DO NOT USE IF IMPRINTED SAFETY**

**SEAL UNDER CAP IS MISSING OR DAMAGED**

**ANTIHISTAMINE**

**1000 CAPSULES**

Not for house holds with young children

SDA

Laboratories, Inc.

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

NDC 66424-021-10  
\*Compare to active ingredient in BENADRYL® Allergy

## Diphenhydramine HCl Capsules, USP

### 50 mg

---

TAMPER-EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS MISSING OR DAMAGED

### ANTIHISTAMINE

## 1000 CAPSULES

Not for house holds with young children

SDA  
Laboratories, Inc.

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

**Drug Facts**  
**Active ingredient (in each capsule)**  
 Diphenhydramine HCl 50 mg  
**Purpose**  
 Antihistamine  
**Uses:** temporarily relieves these symptoms associated with the common cold, hay fever, or other respiratory allergies ■ sneezing ■ nasal congestion ■ runny nose ■ itchy, watery eyes  
**Warnings:** Do not use ■ with any other product containing Diphenhydramine HCl, including one applied topically.  
 Ask a doctor or pharmacist before use if you have ■ trouble urinating due to enlarged prostate gland ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ if you are taking sedatives or tranquilizers  
**When using this product** ■ avoid alcoholic drinks ■ marked drowsiness may occur ■ excitability may occur, especially in children ■ alcohol, sedatives & tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery  
**if pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions:** ■ take every 4-6 hours  
 ■ do not take more than 6 doses in 24 hours  
 Adults & children 12 years & over 1 capsule  
 Children under 12 years ask a doctor  
 \*\*25 mg strength is not available in this package. Do not attempt to break capsules.  
**Other information:**  
 ■ store at room temperature 15°-30°C (59°-86°F)  
 ■ protect from excessive moisture  
**Inactive ingredients:** Black Iron Oxide, D & C Red#28, FD & C Blue#1, FD & C Red#40, Gelatin, Lactose Monohydrate, Magnesium Stearate, Silicon Dioxide, Sodium Lauryl Sulfate  
**Questions? Adverse drug event call:** 1-800-687-0176

\*SDA Laboratories, Inc., Greenwich, CT 06830 is not affiliated with the owner of the trademark BENADRYL® Allergy.  
 MADE IN USA  
 L.Rev. 06/22



0 66424 02110 6

## DIPHENHYDRAMINE HCL

diphenhydramine hcl capsule

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66424-021
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>D&amp;C RED NO. 28</b> (UNII: 7671P0Y5NH)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

**SODIUM LAURYL SULFATE** (UNII: 368GB5141J)

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	14mm
<b>Flavor</b>		<b>Imprint Code</b>	PH013
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66424-021-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/27/2010	
2	NDC:66424-021-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/27/2010	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/27/2010	

**Labeler** - SDA Laboratories, Inc. (948067889)

**Registrant** - Pharbest Pharmaceuticals, Inc. (557054835)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(66424-021) , analysis(66424-021) , pack(66424-021) , label(66424-021)

Revised: 1/2025

SDA Laboratories, Inc.