

ANTI-EMPACHO- sodium bicarbonate liquid
Menper Distributors, Inc.

Anti-Empacho

Drug Facts

Active Ingredient (In each tablespoonful 15ml)

Sodium Bicarbonate 525 mg. (6.25 mEq)

Purpose

Antacid

Uses

For The relieve of:

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms

Ask a doctor or pharmacist before using if you are

- presently taking a prescription drug .Antacids may interact with certain prescription drugs
- experiencing abdominal pain, nausea or other symptoms of appendicitis
- on a sodium-restricted diet

Do not take more than the maximum recommended daily dosage in a 24 hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breastfeeding,

ask a health professional before using this product.

Keep out reach of children.

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediatly.

Directions

Adults and children 12 years of age and older1 tablespoonful 2 or

3 times a day

Children under 12 years of ageConsult a physician

Other information

- each 15 mL contains =: sodium 144 mg
- store this product between 15° to 30° C (59° to 86° F)

Inactive Ingredients

alcohol, methylparaben, peppermint spirit, propylene glycol, propylparaben, rhubarb FE, water

Questions?

1-800-560-5223 M-F from 9 AM to 4 PM Eastern

Drug Facts

Active Ingredient (In each tablespoonful, 15 mL) Purpose
Sodium Bicarbonate 525 mg (6.25 mEq).....Antacid

Uses For the relief of: heartburn acid indigestion
 sour stomach upset stomach due to these symptoms

Warnings
Ask a doctor or pharmacist before use if you are:
 presently taking a prescription drug. Antacids may interact with certain prescription drugs
 experiencing abdominal pain, nausea or other symptoms of appendicitis
 on a sodium-restricted diet

Do not take more than the maximum recommended daily dosage in a 24 hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

If pregnant or breastfeeding, ask a health professional before using this product.

KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions

| | |
|---|------------------------------------|
| Adults and children 12 years of age and older | 1 tablespoonful 2 or 3 times a day |
| Children under 12 years of age | Consult a physician |

Other information

- each 15 mL contains: sodium 144 mg
- store this product between 15° to 30° C (59° to 86° F)

Inactive ingredients alcohol, methylparaben, peppermint spirit, propylene glycol, propylparaben, rhubarb root FE, water.

Questions? 1-800-560-5223 M-F from 9 AM to 4 PM Eastern

Tamper-Evident Feature: Do not use this product if imprinted safety seal over bottle cap is torn, broken, or missing.

Distributed by/Distribuido por:
Menper Distributors, Inc.
11421 NW 107 St., Suite #24, Miami, FL 33178
www.menperdistributors.com

ANTI-EMPACHO

LIQUID LÍQUIDO

SODIUM BICARBONATE BICARBONATO DE SODIO

ANTACID ANTIÁCIDO

Contains/Contiene 3% alcohol

8 FL. Oz (240 mL)

Datos Farmacológicos

Ingrediente activo (en cada cucharada, 15 mL) Propósito
Bicarbonato de Sodio 525 mg (6,25 mEq).....Anticídico

Usos Para el alivio de: acidez acidez por indigestión
 agruras molestias estomacales causadas por estos síntomas

Advertencias
Pregunte a su doctor antes de usar, si usted está:
 usando una droga de receta actualmente. Anticídicos pueden interactuar con ciertas drogas o medicamentos.
 pasando por dolores estomacales, náusea o otros síntomas de la apendicitis
 en una dieta restringida de sodio

No tome más de la dosis diaria máxima recomendada en un periodo de 24 horas, o utilizar la dosis máxima de este producto durante más de 2 semanas, excepto bajo el consejo y supervisión de un médico.

Si usted está embarazada o lactando a un bebé, consulte a su doctor antes de usar este producto.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS. En caso de sobredosis accidental, busque asistencia profesional o contacte a el Centro de Control de Envenenamiento, inmediatamente.

Instrucciones

| | |
|--|--------------------------------|
| Adultos y niños de 12 años de edad o más | 1 cucharada 2 ó 3 veces al día |
| Niños menores de 12 años | Consulte a un médico |

Otra información

- cada 15 mL contiene: 144 mg de sodio
- conserve este producto entre 15° - 30° C (59° - 86° F)

Ingredientes inactivos alcohol, metilparabeno, espíritu de menta, propilenglicol, propilparabeno, EF raíz de rubarbo, agua.

¿Preguntas? 1-800-560-5223 L-V de 9 AM a 4 PM Este

Evidencia de Seguridad: No usar si el sello de seguridad impreso sobre la tapa de la botella está torcido, roto, o falta.



0 42279 35008 0

ANTI-EMPACHO

sodium bicarbonate liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:53145-300 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------|-----------------|
| SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:L4YR4M0NH37) | SODIUM BICARBONATE | 525 mg in 15 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ALCOHOL (UNII: 3K9958V90M) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| PEPPERMINT (UNII: V95R5KMY2B) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| RHUBARB (UNII: G280W4MW6E) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:53145-300-08 | 1 in 1 CARTON | 02/21/2012 | |
| 1 | | 240 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M023 | 02/21/2012 | |

Labeler - Menper Distributors, Inc. (101947166)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------|---------|-----------|------------------------|
| Rnv LLC | | 118917568 | manufacture(53145-300) |

Revised: 7/2025

Menper Distributors, Inc.