# PREMIER VALUE CHEST CONGESTION RELIEF- guaifenes in tablet Chain Drug Consortium, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **DRUG FACTS**

Active ingredient - (per tablet)

Guaifenesin 400mg Expectorant.

Guaifenesin; Expectorant

helps loosen phlegm (mucus) and thin

bronchial secretions to rid the bronchial passageways of bothersome mucus

• helps make coughs more productive

Ask doctor before use if you have

persistent or chronic cough, such as occurs with smoking, asthma, bronchitis or emphysema

cough is accompanied by excessive phlegm (mucous)

Keep out of reach of children

In case of overdose, get medical help or contact a poison control

cenetr immediately.

Stop use and ask doctor if

Symptoms are accompanied by fever, rash or persistent headache

cough persists for more than 1 week or tends to recur

A persistent cough may be a sign of a serious condition

If pregnant or breastfeeding, ask a health professional before use

#### Directions

- Adults and children 12 years of age and over:
- take 1 tablet every 4 hours as needed
- Children 6 to 10 under 12 years of age: take 1/2 tablet every 4 hours as needed
- Children under 6 years of age: consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor

magnesium stearate, microcrystalline cellulose. May also contain; colloidal; silicon dioxide,; co; povidone, dicalcium phosphate maltodextrin, sodium starch glycolate, stearic acid.

Caution: do not use if imprinted seal under cap is broken or missing

#### **Drug Facts**

Active ingredient (per caplet) Guaifenesin 400mg..

**Purpose** Expectorant

- Uses
   helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus

  helps make coughs more productive

- Warnings
  Ask a doctor before use if you have

  persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis or emphysema

  accurate is accompanied by expecsive phlenm (mucus)
- cough is accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- symptoms are accompanied by fever, rash or persistent headache
   cough persists for more than 1 week or tends to recur.
- A persistent cough may be a sign of a serious condition.
- If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
■ Adults and children 12 years of age and over:
take 1 caplet every 4 hours as needed

- Children 6 to under 12 years of age: take 1/2 caplet every 4 hours as needed
- Children under 6 years of age: consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor

Other information store at room temperature 15°-30° C (59°-86°F

**Inactive ingredients** magnesium stearate, microcrystalline cel-lulose. May also contain (colloidal) silicon dioxide, (co) povidone, dicalcium phosphate, maltodextrin, sodium starch glycolate, stearic acid.



## EXPECTORANT 400mg Guaifenesin

- · Loosens & Relieves Chest Congestion · Makes Coughs More Productive
- · Immediate Release Caplets
- · Dye-Free

50 Caplets



**50 Caplets** 

· Dye-Free

RELIEF

**CHEST CONGESTION** 

EXPECTORANT

400mg Guaifenesin

Makes Coughs More Productive

Immediate Release Caplets

· Loosens & Relieves Chest Congestion

NDC 68016-0019-65



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

DISTRIBUTED BY: CHAIN DRUG CONSORTIUM, LLC. 2300 N.W. CORPORATE BLVD., STE 115 BOCA RATON, FL 33431



### PREMIER VALUE CHEST CONGESTION RELIEF

guaifenesin tablet

#### **Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:68016-019

Route of Administration

ORAL

#### **Active Ingredient/Active Moiety**

**Ingredient Name** 

**Basis of Strength** 

Strength

Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)

Guaifenesin

400 mg

### **Inactive Ingredients**

**Ingredient Name** 

Strength

SILICON DIO XIDE (UNII: ETJ7Z6XBU4)

MAGNESIUM STEARATE (UNII: 70097M6I30)

COPOVIDONE (UNII: D9C330MD8B)

MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

<b>Product Characteristics</b>	roduct Characteristics			
Color	white	Score	2 pieces	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	PH063	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68016-019- 01	1 in 1 CARTON			
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/04/2009	

## Labeler - Chain Drug Consortium, LLC (101668460)

## Registrant - Reese Pharmaceutical Co (004172052)

Establishment				
Name	Address	ID/FEI	Business Operations	
Reese Pharmaceutical Co		004172052	relabel(68016-019), repack(68016-019)	

Revised: 10/2015 Chain Drug Consortium, LLC