

**SFL SUNSCREEN - SOL DEFENSE SPF 30- titanium dioxide, zinc oxide cream
Owen Biosciences Inc.**

SFL Sunscreen - SOL Defense

Drug Facts

Active ingredients	Purpose
---------------------------	----------------

Titanium Dioxide 10.20%	Sunscreen
-------------------------	-----------

Zinc Oxide 3.70%	Sunscreen
------------------	-----------

USES

Helps protect against sunburn

Higher SPF gives more sunburn protection

Provides moderate protection against sunburn.

Warnings

For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash and irritation develops and lasts.

Avoid contact with eyes. If product gets into eyes, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact poison control center right away.

Directions

Apply generously before sun exposure and as needed. For children under 6 months, ask a doctor. Reapply as needed or after towel drying, swimming or perspiring.

Other Information

Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risk of skin cancer, and other

harmful effects of the sun.

Inactive Ingredients

Cyclopentasiloxane, Cyclomethicone, Dimethicone Crosspolymer, Methyl Methacrylate/Glycol Dimethacrylate Crosspolymer,

Dimethicone/Vinyl Dimethicone Crosspolymer, Melanin, Tribehenin, Calcium Behenate, Sorbitan Isostearate, Dimethiconol,

Alumina, PEG-10 Dimethicone, Methicone, Iron Oxides.

Keep out of reach of children

Keep out of reach of children. If swallowed get medical help or call Poison Control right away.

Dosage & Administration

Apply generously before sun exposure and as needed. For children under 6 months, ask a doctor.

Reapply as needed or after towel drying, swimming or perspiring.


Drug Facts	
Active Ingredients :	Purpose
Titanium Dioxide 10.20%	Sunscreen
Zinc Oxide 3.70%	Sunscreen
Uses	
• Helps prevent sunburn.	
• Higher SPF gives greater sunburn protection.	
• Provides moderate protection against sunburn.	
Warnings: For external use only. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash or irritation develops and lasts. Keep out of reach of children. If swallowed, get medical help or contact poison control center right away.	
Directions: Apply generously before sun exposure and as needed. For children under 6 months of age: ask a doctor. Reapply as needed or after towel drying, swimming or perspiring.	
Other Information: Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risk of skin cancer, and other harmful effects of the sun.	
Inactive Ingredients: Cyclopentasiloxane, Cyclomethicone, Dimethicone Crosspolymer, Methyl Methacrylate/Glycol Dimethacrylate Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Melanin, Tribehenin, Calcium Behenate, Sorbitan Isostearate, Dimethiconol, Alumina, PEG-10 Dimethicone, Methicone, Iron Oxides.	

Manufactured for : Skin For Life
Brooksville, FL 34604 • 866-312-SKIN (7546)
Distributed in EU by : Skinforlife, Ltd.
Hartlepool UK • TS25 1NN • 0800 408 3987



www.skinforlife.co.uk

MADE IN U.S.A



defense
Life Sustaining Skin Protection



skinforlife
pure science

60 ml e 2 fl oz

SFL SUNSCREEN - SOL DEFENSE SPF 30

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59958-202
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10.2 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.7 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE (UNII: NMQ347994Z)	17.5 g in 100 g
TRIBEHENIN (UNII: 8OC9U7TQZ0)	1 g in 100 g
FERRIC OXIDE RED (UNII: 1K09F3G675)	0.09 g in 100 g
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	0.25 g in 100 g
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	0.01 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59958-202-20	60 g in 1 TUBE; Type 0: Not a Combination Product	09/11/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/11/2012	

Labeler - Owen Biosciences Inc. (790003045)

Revised: 1/2025

Owen Biosciences Inc.