

SOTTTSUNFELI WART REMOVER- salicylic acid liquid
Henan Toudaorong Biotechnology Co., Ltd.

SALICYLIC ACID

for the removal of common and plantar warts

Keep out of reach of children

For external use only. Flammable.

Keep away from fire and flame.

Wash the affected area.

May soak wart in warm water for 5 minutes.

Dry area thoroughly.

Use a brush to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Wash the affected area.

May soak wart in warm water for 5 minutes.

BORNEOL

POLYETHYLENE GLYCOL, UNSPECIFIED

WATER

GLYCERIN

PODOFILOX



SOTTSUNFELI WART REMOVER

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85136-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	15 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
BORNEOL (UNII: M89NIB437X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PODOFILOX (UNII: L36H50F353)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85136-010-01	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/14/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	11/14/2025	

Labeler - Henan Toudaorong Biotechnology Co., Ltd. (724343239)

Registrant - Henan Toudaorong Biotechnology Co., Ltd. (724343239)