

SODIUM CHLORIDE HYPERTONICITY- sodium chloride ointment
YYBA CORP

Welmate™

Active ingredient

Sodium chloride 5%

Purpose

Hypertonicity agent

Uses

temporary relief of corneal edema

Warnings

For external use only

Do not use

except under the advice and supervision of a doctor.

When using this product

- it may cause temporary burning and irritation
- replace cap after use
- to avoid contamination, do not touch tip of container to any surface

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- you experience eye pain, changes in vision, continued redness or irritation of the eye

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- pull down the lower lid of the affected eye
- apply a small amount (1/4 inch) of ointment to the inside of eyelid
- apply every 3 or 4 hours or as directed by a doctor

Other information

- store at 15-25 °C (59-77 °F)
- keep tightly closed

- **DO NOT FREEZE**

- see crimp of tube or carton for Lot Number and Expiration Date
- do not use if difficult to dispense or visible particles are seen in the product
- serious side effects associated with use of the product may be reported to the phone number provided below

Inactive ingredients

lanolin, mineral oil, purified water, white petrolatum

Questions or comments?

Call 1-866-933-6337

Package/Label Principal Display Panel

3705



welmate™

NDC 73581-708-35

EYE OINTMENT

SODIUM CHLORIDE HYPERTONICITY
OPHTHALMIC OINTMENT, 5%



5% Temporary Relief
of Corneal Edema

STERILE NET WT 1/8 OZ (3.5 g)

NC

DO NOT ROLL,
BEND, TWIST OR
FOLD THE TUBE
DURING USE AS
THIS MAY CAUSE
THE TUBE TO TEAR
OR CRACK.

DO NOT USE IF
BOTTOM RIDGE OF
TUBE CAP IS EXPOSED
AND IMPRINTED SEAL
ON BOX IS BROKEN
OR MISSING.

ACTUAL
SIZE

Drug Facts

Active ingredient **Purpose**
Sodium chloride 5%.....Hypertonicity agent

Uses
temporary relief of corneal edema

Warnings
For external use only
Do not use
except under the advice and supervision of a
doctor.

When using this product
■ it may cause temporary burning and
irritation
■ replace cap after use
■ to avoid contamination, do not touch tip of
container to any surface

Stop use and ask a doctor if
■ condition worsens or persists for more than
72 hours
■ you experience eye pain, changes in vision,
continued redness or irritation of the eye

Keep out of reach of children.
If swallowed, get medical help or contact a
Poison Control Center right away.

Directions
■ pull down the lower lid of the affected eye
■ apply a small amount (1/4 inch) of ointment
to the inside of eyelid
■ apply every 3 or 4 hours or as directed by a
doctor

Drug Facts (continued)

Other information

- store at 15–25 °C (59–77 °F)
- keep tightly closed
- **DO NOT FREEZE**
- see crimp of tube or carton for Lot Number and Expiration Date
- do not use if difficult to dispense or visible particles are seen in the product
- serious side effects associated with use of the product may be reported to the phone number provided below

Inactive ingredients
lanolin, mineral oil, purified water, white petrolatum

Questions or comments?
Call 1-866-933-6337

© Wellspring Meds
Distributed by:
Wellspring Meds
Aimont, NY 10952

Why pay more?
wellspringmeds.com

9805700
WM15834

Lot and exp area



3705

Welmate™
NDC 73581-708-35
EYE OINTMENT

sodium chloride hypertonicity

ophthalmic ointment, 5%

5% Temporary Relief
of Corneal Edema

STERILE

NET WT. 1/8 OZ. (3.5 g)

9805700

WM15834

SODIUM CHLORIDE HYPERTONICITY

sodium chloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-708
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
LANOLIN (UNII: 7EV65EAW6H)	
WATER (UNII: 059QF0KO0R)	
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-708-35	1 in 1 CARTON	08/12/2024	
1		3.5 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	08/12/2024	

Labeler - YYBA CORP (006339772)

Establishment

Name	Address	ID/FEI	Business Operations
Bausch & Lomb Incorporated		079587625	manufacture(73581-708)

Revised: 9/2024

YYBA CORP