

**ORAL PAIN RELIEF GEL- benzocaine 20% gel**  
**Sled Distribution, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Oral Pain Relief Gel**

***Drug Facts***

***Active ingredient***

Benzocaine 20% (w/w)

***Purpose***

Oral anesthetic

***Uses***

For the temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

***Warnings***

**For oral use only.**

stop use and ask a doctor if get any discomfort.

**Stop use and ask a dentist or doctor if**

- sore mouth does not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, fever or other allergic reaction develops

**Keep out of reach of children.**

If accidentally swallowed get medical help or contact a Poison Control Center right away.

***Directions***

**Adults and children (2 years and older):**

Dry affected area and apply medication undiluted. Use up to 4 times daily, but not more than every two hours, or as directed by a dentist or doctor.

***Inactive ingredients***

Polyethylene Glycol, Fragrance

Benzocaine 20% | Oral Anesthetic

NET WT 0.75 g

MY MEDIC™



TEAR HERE


## ORAL PAIN RELIEF GEL

Packet of oral pain relief gel to relieve tooth pain

## ORAL PAIN RELIEF GEL

### Topical

## Topical



### Drug Facts

Benzocaine 20% (w/w)....Oral Anesthetic


**Uses** temporary relief of minor pain and sore mouth associated with toothache, minor dental procedures and irritations from dentures or orthodontic appliances.

**Directions** adults and children 2 years and older: dry affected area and apply medication undiluted. Use up to 4 times daily but not more than every two hours, or as directed by a dentist or a doctor.

**Warnings** For oral use only. Keep out of reach of children. Stop use and ask a doctor if get any discomfort.

### Inactive Ingredients

Polyethylene Glycol, Fragrance.

Designed with ❤️ in Salt Lake City   
www.mymedic.com

**EXPERIENCE ELEVATED FIRST AID**

CE NET WT .75 g - 1/38 oz 

MADE IN CHINA

Distributed By:  
SLED DISTRIBUTION LLC DBA MYMEDIC  
120 North Redwood Rd.  
Ste. A, North Salt Lake, UT 84054



## ORAL PAIN RELIEF GEL

benzocaine 20% gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81417-121
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

### Inactive Ingredients

Ingredient Name			Strength	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81417-121-01	1 in 1 PACKAGE	03/25/2022	
1		0.75 g in 1 BAG; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC monograph not final	part356		03/25/2022	

**Labeler** - Sled Distribution, LLC (079772888)

### Establishment

Name	Address	ID/FEI	Business Operations
Sled Distribution, LLC		079772888	manufacture(81417-121)

Revised: 3/2022

Sled Distribution, LLC