

**ALUMOX- aluminum hydroxide, magnesium hydroxide, simethicone tablet, chewable**  
**Guardian Drug Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Guardian Alumox Tablets**

**Active ingredients (in each tablet)**

Aluminum hydroxide (equiv. to dried gel, USP) 200 mg

Magnesium hydroxide 200 mg

Simethicone 25 mg

**Purpose**

Antacid

Antacid

Antigas

**Uses**

relieves:

acid indigestion

heartburn

sour stomach

upset stomach & gas associated with these symptoms

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain certain prescription drugs.

*Do not take*

more than 16 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

keep out of reach of children. In case of overdose get medical help or contact a poison control center immediately.

**Directions**

- chew 1 to 4 tablets 4 times a day or as directed by a doctor.

## Other information

- each tablet contains: magnesium 85 mg
- do not use if seal under cap is torn or missing
- store at room temperature
- keep tightly closed and dry

## Inactive ingredients

citric acid anhydrous, corn starch, D&C red 30 lake, D&C yellow 10 lake, dextrose, flavor, glycerin, magnesium stearate, maltodextrin, mannitol, pregelatinized starch, saccharin sodium, sorbitol, sugar

## PDP

Alumox

Antacid+Antigas

Lemon Flavor

Aluminum Hydroxide / Antacid

Magnesium Hydroxide / Antacid

Simethicone / Antigas

FOR FAST RELIEF OF:

Acid indigestion


Sour stomach

Heartburn

Gas

100 Chewable Tablets

NDC 53041-152-16



**GUARDIAN**


**Alumox**  
Antacid + Antigas  
Lemon Flavor

Aluminum Hydroxide / Antacid  
Magnesium Hydroxide / Antacid  
Simethicone / Antigas

For fast relief of:

- Acid indigestion
- Sour stomach
- Heartburn
- Gas

**100 CHEWABLE TABLETS**



### Drug Facts

Active ingredients (in each tablet)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 200 mg	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 25 mg	Antigas

**Uses** relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach & gas associated with these symptoms


**Warnings**  
Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet  
Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.  
Do not take more than 16 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.  
Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

**Directions** ■ chew 1 to 4 tablets 4 times a day or as directed by a doctor

**Other information** ■ each tablet contains: magnesium 85 mg ■ do not use if printed seal under cap is torn or missing ■ store at room temperature ■ keep tightly closed and dry

**Inactive ingredients** citric acid anhydrous, corn starch, D&C red 30 lake, D&C yellow 10 lake, dextrose, flavors, glycerin, magnesium stearate, maltodextrin, mannitol, pregelatinized starch, saccharin sodium, sorbitol, sugar.

MFR#53041 REV 1014



0 53041 15216 0

Distributed By: Guardian Drug Company  
2 Charles Court,  
Dayton, NJ 08810

LOT: \_\_\_\_\_  
EXP: \_\_\_\_\_

## ALUMOX

aluminum hydroxide, magnesium hydroxide, simethicone tablet, chewable

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53041-152
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	200 mg
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	200 mg
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
DEXTROSE (UNII: IY9XDZ35W2)	
GLYCERIN (UNII: PDC6A3C0OX)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
MANNITOL (UNII: 3OWL53L36A)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
RAW SUGAR (UNII: 8M707QY5GH)	

## Product Characteristics

Color	yellow	Score	no score
Shape	ROUND	Size	15mm
Flavor	LEMON	Imprint Code	G152
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53041-152-16	100 in 1 BOTTLE; Type 0: Not a Combination Product	06/06/2004	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/06/2004	

