

ERBORIAN - BB CREME AU GINSENG CAMEL SPF20- octinoxate, titanium dioxide, zinc oxide cream
LABORATOIRES M&L

ERBORIAN - BB CREME AU GINSENG CAMEL SPF20

Drug Facts

Active ingredients

Ethylhexyl Methoxycinnamate / Octinoxate 3% Titanium dioxide 6,28% Zinc oxide 1.92%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see [Directions](#)), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures.**
- Limit time in the sun, especially from 10 a.m. -2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Aqua/water - cyclomethicone - glycerin - CI 77492/iron oxides - dipropylene glycol - peg-10 dimethicone - dimethicone - isoeicosane - talc - hexyl laurate - betaine - disteardimonium hectorite - panax ginseng root extract - kigelia africana fruit extract - portulaca oleracea extract - lycyrrhiza glabra (licorice) root extract - dioscorea villosa (wild yam) root extract - equisetum giganteum extract - glycosyl trehalose - palmitic acid - magnesium sulfate - aluminum hydroxide - dimethicone/vinyl dimethicone crosspolymer - acrylates/dimethicone copolymer - hydrogenated starch hydrolysate - stearic acid - methicone - phenoxyethanol - tocopheryl acetate - triethoxycaprylylsilane - parfum/fragrance - ethylhexylglycerin - butylene glycol - hexyl cinnamal - citronellol - alpha-isomethyl ionone - linalool - geraniol - eugenol - limonene - CI 77499/iron oxides - CI 77491/iron oxides

Questions or comments?

Call toll free 1-888-975-2162

Package Labeling:



Drug Facts (continued)

Inactive ingredients

Aqua/water - cyclomethicone - glycerin - CI 77492/iron oxides - dipropylene glycol - peg-10 dimethicone - dimethicone - isoeicosane - talc - hexyl laurate - betaine - disteardimonium hectorite - panax ginseng root extract - kigelia africana fruit extract - portulaca oleracea extract - glycyrrhiza glabra (licorice) root extract - dioscorea villosa (wild yam) root extract - equisetum giganteum extract - glycosyl trehalose - palmitic acid - magnesium sulfate - aluminum hydroxide - dimethicone/vinyl dimethicone crosspolymer - acrylates/dimethicone copolymer - hydrogenated starch hydrolysate - stearic acid - methicone - phenoxyethanol - tocopheryl acetate - triethoxycaprylylsilane - parfum/fragrance - ethylhexyl glycerin - butylene glycol - hexyl cinnamal - citronellol - alpha-isomethyl ionone - linalool - geraniol - eugenol - limonene - CI 77499/iron oxides - CI 77491/iron oxides

Questions or comments?

Call toll free
1-888-975-2162

**BB CRÈME
AU GINSENG
KOREAN FORMULA**

**EFFET « PEAU DE BÉBÉ »
CRÈME DE TEINT-SOIN
POUR LE VISAGE**

5-EN-1

**"BABY SKIN" EFFECT
MAKEUP-CARE
FACE CREAM**

5-IN-1

**BROAD SPECTRUM
SPF 20 SUNSCREEN**

CARAMEL



45 ML

NET WT. 1.5 OZ.

The 5-in-1 BB CRÈME AU GINSENG is a Korean formula for visibly perfect skin.

This multi-purpose, skin care complexion-enhancer draws on the expertise of Korean technology. Enriched with Ginseng – with multiple beneficial properties renowned in Korea – the formula adapts to your natural skin tone and helps to:

1. Even out and mattify the complexion,
2. Reduce the appearance of blemishes,
3. Refine skin's texture,
4. Moisturize and "plump" the skin,
5. Give a non-oily, velvety finish.

Your skin is visibly softer, smooth and beautiful, with a silky feel, just like "baby skin".

[Apply onto face and smooth over the skin, working outwards from the center. Also makes an excellent make-up base.]

Tested under dermatological supervision. Non comedogenic.

www.erborian.com
Made in South Korea
M&L - 108 rue de Richelieu - Paris - France

Drug Facts

Active ingredients...Purpose

Ethylhexyl Methoxycinnamate / Octinoxate 3%.....Sunscreen
Titanium dioxide 6,28% Sunscreen
Zinc oxide 1.92%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

■ rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. -2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun



octinoxate, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-903
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	30 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	62.8 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
GLYCERIN (UNII: PDC6A3C0OX)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOEICOSANE (UNII: AR294KAG3T)	
TALC (UNII: 7SEV7J4R1U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
BETAINE (UNII: 3SCV180C9W)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
KIGELIA AFRICANA FRUIT (UNII: L4J6XXD1E0)	
PURSLANE (UNII: M6S840WYG5)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
DIOSCOREA VILLOSA TUBER (UNII: IWY3IWX2G8)	
BEMISIOSE (UNII: 76B4LOB2YC)	
PALMITIC ACID (UNII: 2V16EO95H1)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	

LINALOOL, (+/-)- (UNII: D81QY6I88E)	
GERANIOL (UNII: L837108USY)	
EUGENOL (UNII: 3T8H1794QW)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-903-15	1 in 1 BOX	12/16/2016	
1		15 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10345-903-45	1 in 1 BOX	12/16/2016	
2		45 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2016	

Labeler - LABORATOIRES M&L (262533623)

Revised: 12/2023

LABORATOIRES M&L