

**OXYGEN- oxygen gas**  
**Dale Oxygen And Acetylene Service, Inc**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing and unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

DALE OXYGEN

146 Horner Street

Johnstown, PA 15902

814-535-3594

NO SMOKING

NO VAPING

CONTENTS: LTRS: CU.FT.

**OXYGEN,  
COMPRESSED  
USP**  
**UN1072**  
PRODUCED BY AIR LIQUEFACTION



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL



146 Horner Street  
Johnstown, PA 15902  
**814-535-3594**



**NO SMOKING  
NO VAPING**

CONTENTS:  
LTRS:   
CU. FT.



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:53452-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53452-001-01	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
2	NDC:53452-001-02	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
3	NDC:53452-001-03	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
4	NDC:53452-001-04	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
5	NDC:53452-001-05	165 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
6	NDC:53452-001-06	249 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
7	NDC:53452-001-07	210 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
8	NDC:53452-001-08	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
9	NDC:53452-	200 L in 1 DEWAR; Type 0: Not a Combination	01/01/1963	

9	001-09	Product	01/01/1963	
10	NDC:53452-001-10	80 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1963	
11	NDC:53452-001-11	30 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1963	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/1963	

**Labeler** - Dale Oxygen And Acetylene Service, Inc (014256960)

## Establishment

Name	Address	ID/FEI	Business Operations
Dale Oxygen And Acetylene Service, Inc		014256960	manufacture(53452-001)

Revised: 11/2025

Dale Oxygen And Acetylene Service, Inc