

AGE20S SIGNATURE ESSENCE PACT INTENSE COVER MINI 47N- octinoxate, octocrylene, titanium dioxide cream
Aekyung Industrial Co., Ltd.

67225-5312 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER MINI 47N

Octinoxate 6.50%
Octocrylene 3.00%
Titanium Dioxide 5.12%

Sunscreen

■ Helps prevent sunburn.

■ If used as directed with other sun protection measures (See Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only

■ damaged skin or broken skin

■ keep out of eyes. Rinse with water to remove.

if ■ rash occurs.

If swallowed, get medical help or contact poison control center right away.

WATER (AQUA), ETHYLHEXYL METHOXYCINNAMATE, TITANIUM DIOXIDE (NANO), BETULA PLATYPHYLLA JAPONICA JUICE, DIPROPYLENE GLYCOL PENTAERYTHRITYL STEARATE/CAPRATE/CAPRYLATE/ADIPATE, HYDROGENATED POLY(C6-14 OLEFIN), OCTOCRYLENE, PHENYL TRIMETHICONE NIACINAMIDE, EUPHORBIA CERIFERA (CANDELILLA) WAX, DIMETHICONE, BUTYLENE GLYCOL, ALOE BARBADENSIS LEAF EXTRACT, TRIISOSTEARIN, 1,2-HEXANEDIOL, DISODODECANE, POLYMETHYLSILSESQUIOXANE, ISODECYL NEOPENTANOATE, PROPANEDIOL, VP/HEXADECENE COPOLYMER, ALUMINUM HYDROXIDE, CETYL PEG/PPG-10/1 DIMETHICONE, SODIUM GLUTAMATE, C30-45 ALKYL METHICONE, STEARIC ACID, P-ANISIC ACID, DIMETHICONE/PEG-10/15 CROSSPOLYMER, C30-45 OLEFIN, GLYCERYL CAPRYLATE, BETULA PLATYPHYLLA JAPONICA BARK EXTRACT, GLYCERIN, TRIETHOXYCAPRYLYLSILANE, PANTHENOL, TOCOPHERYL ACETATE, CERAMIDE NP, METHYL METHACRYLATE CROSSPOLYMER, STEARYL HEPTANOATE, ADENOSINE, SILICA, HYDROLYZED HYALURONIC ACID, POLYHYDROXYSTEARIC ACID, SODIUM HYALURONATE, LACTOBACILLUS FERMENT LYSATE, HAEMATOCOCCUS PLUVIALIS EXTRACT, LINOLEIC ACID, BHT, SODIUM CITRATE, BORON NITRIDE, ASTAXANTHIN, PENTAERYTHRITYL TETRA-DI-T-BUTYL, YDROXYHYDROCINNAMATE, TOCOPHEROL, APHANOTHECE SACRUM POLYSACCHARIDE, FRAGRANCE (PARFUM), Titanium Dioxide(CI 77891), IRON OXIDES (CI 77492), IRON OXIDES (CI 77491), IRON OXIDES (CI 77499)

■ Protect the product in the container from excessive heat and avoid storing it under direct sun.

■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

AGE20'S SIGNATURE ESSENCE PACT INTENSE COVER MINI 47N

CONFIRM SHEET


상기 작업을 진행한 디자인 회사는 상단의 원고에 표기사항 등 문구가 적어 안보일 경우, 표기사항 부분을 1:1 또는 확대하여 남는 공간에 삽입하여 제출하시기 바랍니다

제 품 명	AGE20'S SIGNATURE ESSENCE PACT INTENSE COVER	사이즈(mm)	86 X 32 X 75 (mm) 도면참조	인쇄 컬러	Black PT 2309 C	원단재질 및 코팅 유무	Abille +전체유광라미	특이 사항 기재란	특이사항 없음	디자인 개발 담당	에경디자인센터 CD팀 박누리 Tel. 02 2014 7048
날 짜	2025. 08. 28	인쇄 방법	옴셋 인쇄							광고담당	LINK
프로그램 버전 및 화일명	Illustrator CS 3 단상자 25AGE20'S 시그니처에센스초소형팩트 (미국OTC)자.ai										링크디자인 Tel. 02 2261 0315

*주의사항 : 반드시 담당자가 확인 후 승인 한 것에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 란에 기입하여 주시기 바랍니다.

AEKYUNG DESIGN CENTER

Printing Guide Line



CONFIRM SHEET

상기 작업을 진행한 디자인 회사는 상단의 원고에 표기사항 등 문구가 적어 안보일 경우, 표기사항 부분을 1:1 또는 확대하여 남는 공간에 삽입하여 제출하시기 바랍니다

제품명 AGE20'S 미국OTC 초소형 팩트 파우치_공용	사이즈(mm) 244 X 125 (mm) 도면참조	인쇄 컬러 Black 투명금	원단재질 및 코팅 유무 반무광	특이 사항 기재란 하기 기준 자체와 동일 사양 1183288 파우치 22AGE20's 시그니처팩트C31 미국	디자인 개발 담당 에경디자인센터 CD팀 박누리 Tel. 02 2014 7048 수정담당
날짜 2025.08.07	인쇄 방법 그래비아 인쇄				
프로그램 버전 및 파일명 AGE20'S 미국OTC 초소형 팩트 파우치_공용.ai	Illustrator CS 3				

*주의사항 : 반드시 담당자가 확인 후 승인 한 것에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 란에 기입하여 주시기 바랍니다.

AEKYUNG DESIGN CENTER



CONFIRM SHEET

상기 작업을 진행한 디자인 회사는 상단의 원고에 표기사항 등 문구가 적어 안보일 경우, 표기사항 부분을 1:1 또는 확대하여 남는 공간에 삽입하여 제출하시기 바랍니다

제품명 AGE20'S 미국OTC 초소형 팩트 밀라벨_공용	사이즈(mm) 30 X 30 (mm) 도면참조	인쇄 컬러 Black 금분(타겟발색)	원단재질 및 코팅 유무 아트지 무광 라미	특이 사항 기재란 1191736 밀라벨 24AGE20'S 시그니처 14g 팩트 US공용 자체와 동일사양	디자인 개발 담당 에경디자인센터 CD팀 박누리 Tel. 02 2014 7048 원고담당
날짜 2025.08.07	인쇄 방법 음쇄 인쇄				
프로그램 버전 및 파일명 AGE20'S 미국OTC 초소형 팩트 밀라벨_공용					

*주의사항 : 반드시 담당자가 확인 후 승인 한 것에 대해서만 데이터를 이관하며, 예외 사항이나 의사 결정이 어려운 사항은 의견 란에 기입하여 주시기 바랍니다.

AEKYUNG DESIGN CENTER



AGE20S SIGNATURE ESSENCE PACT INTENSE COVER MINI 47N

octinoxate, octocrylene, titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67225-5312
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	0.12 g in 4 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	0.2048 g in 4 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	0.26 g in 4 g
Inactive Ingredients			
Ingredient Name			Strength
SODIUM GLUTAMATE (UNII: W81N5U6R6U)			
C30-45 ALKYL METHICONE (UNII: NFX970DSI2)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
P-ANISIC ACID (UNII: 4SB6Y7DMM3)			
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)			
C30-45 OLEFIN (UNII: 6DWD51M0O8)			
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)			
BETULA PLATYPHYLLA JAPONICA BARK (UNII: ZF70YKN0YO)			
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)			
GLYCERIN (UNII: PDC6A3C0OX)			
PANTHENOL (UNII: WW9CM0O67Z)			
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)			
CERAMIDE NP (UNII: 4370DF050B)			
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)			
SILICA (UNII: ETJ7Z6XBU4)			
STEARYL HEPTANOATE (UNII: 2M4UGL1NCN)			
ADENOSINE (UNII: K72T3FS567)			
HYALURONIC ACID (UNII: S270N0TRQY)			
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)			
SODIUM HYALURONATE (UNII: YSE9PPT4TH)			
LIMOSILACTOBACILLUS FERMENTUM ME-3 (UNII: BQX4W45LG8)			
HAEMATOCOCCUS PLUVIALIS (UNII: 31TOFF0472)			
LINOLEIC ACID (UNII: 9KJL21T0QJ)			
BHT (UNII: 1P9D0Z171K)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
BORON NITRIDE (UNII: 2U4T60A6YD)			
ASTAXANTHIN (UNII: 8XPW32PR7I)			
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)			
TOCOPHEROL (UNII: R0ZB2556P8)			
CI 77492 (UNII: EX438O2MRT)			
CI 77491 (UNII: 1K09F3G675)			
CI 77499 (UNII: XM0M87F357)			
PROPANEDIOL (UNII: 5965N8W85T)			
VP/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)			

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
WATER (UNII: 059QF0KO0R)	
BETULA PLATYPHYLLA JAPONICA JUICE (UNII: 1B33PG6N4K)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: P0TX083987)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NIACINAMIDE (UNII: 25X51I8RD4)	
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
TRISOSTEARIN (UNII: 71503RH8KG)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ISODODECANE (UNII: A8289P68Y2)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67225-5312-3	1 in 1 BOX	11/17/2025	
1	NDC:67225-5312-2	1 in 1 POUCH		
1	NDC:67225-5312-1	4 g in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/17/2025	

Labeler - Aekyung Industrial Co., Ltd. (690511126)

Establishment

Name	Address	ID/FEI	Business Operations
Aekyung Industrial Co., Ltd.		690511126	manufacture(67225-5312)

Revised: 11/2025

Aekyung Industrial Co., Ltd.